

Representing Clinical Notes for Adverse Drug Event Detection

Aron Henriksson

Department of Computer and Systems Sciences

Stockholm University

Sweden

aronhen@dsv.su.se

Abstract

Electronic health records have emerged as a promising source of information for pharmacovigilance. Adverse drug events are, however, known to be heavily underreported, which makes it important to develop capabilities to detect such information automatically in clinical text. While machine learning offers possible solutions, it remains unclear how best to represent clinical notes in a manner conducive to learning high-performing predictive models. Here, 42 representations are explored in an empirical investigation using 27 real, clinical datasets, indicating that combining local and global (distributed) representations of words and named entities yields higher accuracy than using either in isolation. Subsequent analyses highlight the relative importance of various named entity classes for predicting adverse drug events.

1 Introduction

Electronic health records (EHRs) have emerged as a potentially valuable, and complementary, source of information for pharmacovigilance, which, as a result of the limitations of clinical trials – in terms of duration and sample size – needs to be carried out throughout the life-cycle of a drug to inform decisions about sustained use. Adverse drug events (ADEs), defined as undesired harms resulting from the use or misuse of a drug (Nebeker et al., 2004), are the most common iatrogenic injury, being responsible for around 3.7% of hospital admissions worldwide (Howard et al., 2007). The adverse effects of drugs cause suffering in patients and put an economic burden on healthcare – often unnecessarily, as ADEs are

in many cases preventable (Hakkarainen et al., 2012).

A challenge for pharmacovigilance is that ADEs are heavily underreported (Hazell and Shakir, 2006), both in so-called spontaneous reporting systems, whereby reports of ADE cases are submitted voluntarily by patients and clinicians, and in EHRs, in which ADEs can be encoded by a set of diagnosis codes. To address the problem of underreporting, systems that can automatically detect ADEs in EHRs are potentially valuable, and much research has been conducted to that end (Harpaz et al., 2012). While many efforts have aimed at using machine learning for detecting ADEs on the basis of structured EHR data (Chazard et al., 2011; Zhao et al., 2014a; Zhao et al., 2014b; Zhao et al., 2015), attempts have also been made to exploit the more unstructured data in the form of clinical notes (Eriksson et al., 2013; LePendou et al., 2013). These have either relied on manually constructed rules and extensive dictionaries or on applying disproportionality methods¹ to counts of terms extracted from clinical notes. In a recent study (Henriksson et al., 2015a), information pertaining to ADEs – including named entities such as drugs and medical problems, as well as relations between them, i.e., whether one exists and whether it expresses, e.g., an indication or an ADE – were detected in clinical notes using machine learning; this approach, however, relies on the availability of data that has been manually labeled outside the clinical setting. There have also been efforts to combine information from the structured and unstructured sections of EHRs for ADE detection (Harpaz et al., 2010; Eriksson et al., 2014). In one of these (Henriksson et al., 2015b), heterogeneous types of clinical data, including free-text notes,

¹Disproportionality methods describe to what extent the co-occurrence frequency of two events deviates from what is expected (Suling and Pigeot, 2012).

were represented using distributional semantics, the use of which is also investigated in this study. In the previous study, however, many possible alternative ways of representing clinical notes were left unexplored. A more in-depth investigation is conducted in the present study, focusing on the representation of clinical notes for ADE detection.

In this study, ADE detection using clinical notes is approached as a binary classification task, in which the presence or absence of a particular ADE in a healthcare episode is to be determined; for this purpose, diagnosis codes assigned in the clinical setting are used as class labels. This raises the question of how best to represent clinical notes. There are certainly challenges involved in applying machine learning to high-dimensional and sparse data, which, as a result of prevalent misspellings and creative shorthand, clinical notes are a prime example of. These challenges will be considered when exploring possible representations of clinical notes.

2 Materials and Methods

This study explores 42 different ways of representing clinical notes and evaluates their effectiveness, in terms of classification accuracy, on the task of detecting the presence of an ADE in a healthcare episode. The use of both local and global (distributed) representations of words and named entities, as well as their combination, is investigated in an experiment using 27 ADE datasets, followed by a number of further analyses. Local representations are ones that do not incorporate any prior (semantic) knowledge of the similarity of token types, while global representations do, in this case by applying models of distributional semantics to a much larger corpus, resulting in word embeddings that are then exploited in the ADE detection task. While local representations are commonly employed for document classification, the use of global, distributed representations has been less thoroughly investigated, with a few exceptions (Sahlgren and Cöster, 2004; Henriksson et al., 2015b). Here, various types of local and global representations are compared and combined in an exploratory fashion.

2.1 Data Source

The 27 datasets were extracted from a Swedish EHR database (Dalianis et al., 2012), which contains health records over a two-year period from Karolinska University Hospital². The learning task is to detect healthcare episodes that involve a certain ADE, i.e., in which an ADE-specific ICD-10 diagnosis code has been assigned. A healthcare episode is here defined based on the time interval between recorded activities for a patient, delimited by at least three days of inactivity. Each of the 27 datasets thus consists of healthcare episodes, where the positive examples have been assigned an ADE-related diagnosis code, and the negative examples are an equal number of randomly selected healthcare episodes in which that same code has not been assigned. The ADE-related diagnoses were selected on the basis of having been classified as indicating ADEs in a previous study (Stausberg and Hasford, 2011) and being sufficiently frequent (> 10) in the database. The datasets are described in Table 1. In addition to the labeled datasets, the entire two years of data is used for obtaining global, distributed representations of words. The notes, containing approximately 3M unique types (700M tokens), are preprocessed by using Stagger (Östling, 2013) for tokenization and lemmatization of Swedish text.

2.2 Data Representations

$14 \times 3 = 27$ representations of clinical notes are explored. Each of the fourteen representations of words and/or named entities are weighted in three different ways. The local representations include the commonly employed unigrams, bigrams and trigrams, as well as their combination. In addition, a named entity recognition (NER) model trained on Swedish clinical text (Henriksson et al., 2015a) is applied to the healthcare episodes to extract mentions of the following named entity types: *Finding*, *Disorder*, *Drug*, *Body Part* and *ADE Cue*³. Local representations of identified named entities, without specifying type (denoted *Terms*), as well as a combination of unigrams and terms,

²This research has been approved by the Regional Ethical Review Board in Stockholm (Etikprövningsnämnden i Stockholm), permission number 2012/834-31/5.

³An ADE Cue corresponds to an expression that indicates the presence of an ADE without revealing its precise manifestation, e.g., *side effect* or *drug-induced*.

Dataset	Episodes	Unigrams		Bigrams		Trigrams		Terms	
		Types	Tokens	Types	Tokens	Types	Tokens	Types	Tokens
D64.2	416	58,455	2,642,271	432,235	2,380,942	895,864	2,121,106	18,204	187,885
E27.3	34	10,990	142,365	55,922	127,740	78,222	113,136	2,729	11,907
F11.0	76	13,906	285,629	73,688	257,154	107,216	228,707	3,532	21,448
F11.2	308	35,340	1,118,138	234,855	1,005,677	422,609	893,405	10,620	83,574
F13.0	120	16,759	264,555	93,847	238,388	144,340	212,272	4,204	18,262
F13.2	76	14,226	262,901	73,413	237,228	106,560	211,607	3,546	19,140
F15.0	32	6,498	48,919	25,674	43,859	31,226	38,818	1,362	3,755
F15.1	46	10,849	136,093	51,897	123,224	72,081	110,391	2,438	9,776
F15.2	256	30,098	812,312	193,693	729,918	340,491	647,691	8,896	61,548
F19.0	122	18,257	341,225	100,890	307,757	152,834	274,353	4,671	23,638
F19.1	74	14,279	216,583	75,268	194,519	109,675	172,500	3,457	16,504
F19.2	288	34,925	992,236	229,330	891,735	404,862	791,349	10,645	76,797
F19.9	68	14,938	221,480	78,506	198,688	112,658	175,942	3,571	16,205
G24.0	28	11,293	125,342	57,711	112,935	81,196	100,542	2,897	9,454
G62.0	20	5,121	44,776	19,564	40,609	23,359	36,449	1,027	3,350
I95.2	70	13,321	179,622	69,127	161,505	99,732	143,442	3,336	14,651
L27.0	274	41,669	1,394,815	281,601	1,255,535	513,539	1,116,442	12,908	109,896
L27.1	78	15,495	291,266	84,668	261,351	125,632	231,491	4,118	23,824
N14.1	28	10,383	101,969	49,864	92,098	67,286	82,247	2,585	7,979
O35.5	128	11,810	145,344	57,172	131,075	79,992	116,826	2,745	10,313
T59.9	40	6,355	57,773	26,831	51,763	34,017	45,766	1,474	4,492
T78.2	102	15,272	236,489	80,533	212,753	118,274	189,062	3,845	19,461
T78.3	266	26,716	503,385	161,366	451,831	265,928	400,439	7,912	43,832
T78.4	1520	56,244	1,950,200	396,818	1,752,142	783,547	1,555,017	18,415	167,620
T80.8	732	48,299	2,053,152	349,030	1,845,434	698,814	1,638,072	16,247	169,391
T88.6	96	17,453	280,652	96,546	252,705	145,766	224,818	4,714	23,191
T88.7	564	51,922	1,422,450	357,484	1,600,899	680,750	1,422,450	16,738	138,899

Table 1: Description of the 27 ADE datasets used in the study

are explored.

In addition to the local representations, the use of global, distributed representations of words and terms is explored. Word embeddings are obtained using a recently introduced model of distributional semantics – see (Cohen and Widdows, 2009) for an overview – based on shallow neural networks with a single hidden layer: the skip-gram model (Mikolov et al., 2013) as implemented in word2vec. It was chosen for its ability to produce high-quality vector representations of words, outperforming traditional context-counting based methods on a range of tasks (Baroni et al., 2014). The algorithm obtains vector representations of the words in the training set by learning to predict nearby context words of each target word; the learned weights within the neural network are then used as vector representations. In a basic configuration, a symmetric context window size of 10 and a dimensionality of 200 is employed⁴. Distributed representations of clinical notes are obtained by simply summing the vectors corresponding to the constituent token types;

⁴10 is the “recommended” context window size for the skip-gram model; employing a higher dimensionality generally, but not necessarily, leads to better representations (Mikolov, 2015).

when representing notes by terms, the words that make up multiword terms are likewise summed. As it has been shown that improved performance can be obtained by combining various word representations (Henriksson et al., 2014), we also explore the use of distributed ensembles created by employing a number of different context window sizes: 6, 8, 10, 12, 14. The representations of healthcare episodes are then obtained by fusing the features from each distributional semantic space. The intuition behind this is that they will capture different aspects of the data. Both single distributed representations and ensembles thereof are used to model healthcare episodes as a combination of unigrams and terms.

Finally, combinations of local and global representations are explored: (1) combining local and global representations of unigrams and terms from a single semantic space, and (2) combining them from multiple semantic spaces. In all representations, the lowercase lemma of the tokens is used. The three weighting strategies are: (1) binary, (2) term frequency (TF), and (3) term frequency-inverse document frequency (TF-IDF). The binary representation corresponds to the so-called one-of- K or one-hot encoding,

indicating the presence or absence of a feature; TF corresponds to the bag-of-words representations; finally, TF-IDF is the product of TF in a particular document and the term's IDF. It thus gives less weight to common terms with little discriminative value.

2.3 Experimental Setup

The main experiment involves a comparison of the 42 representations and their impact on classification accuracy. Here, the random forest algorithm (Breiman, 2001) is used due to its reputation of achieving high accuracy, its ability to handle high-dimensional data, as well as the possibility of obtaining estimates of variable importance. The algorithm constructs an ensemble of decision trees, which together vote for what class label to assign to an example. Each tree in the forest is built from a bootstrap replicate of the original instances, while a subset of all features is sampled at each node when building the tree. This procedure is intended to increase diversity among the trees. When the number of trees in the forest increases, the probability that a majority of trees makes an error decreases, given that the trees perform better than random and that the errors are made independently. Although this can only be guaranteed in theory, the algorithm has often been shown in practice to result in state-of-the-art predictive performance. In this study, we use random forest with 500 trees, while \sqrt{n} of all available n features are inspected at each node.

Using the terms representation, a follow-up analysis is conducted to gain insight into which (types of) terms are most useful in the classification task. Variable importance can be estimated in different ways (Breiman, 2001). Here, Gini importance is used as the variable importance metric, where high Gini importance means that a feature plays a greater role in splitting the data into the defined classes. A Gini importance of zero indicates that a feature is considered useless or is never selected to build any tree. We inspect the twenty most important features, averaged over datasets, but we also calculate the average rank of terms of various lengths and named entity classes to understand which types of terms are more informative. Finally, the frequency of various named entity types across the two classes is analyzed in an attempt to identify potentially impor-

tant differences.

Models are built and evaluated using ten iterations of stratified 10-fold cross validation. For testing the statistical significance of observed differences between the various representations, the Friedman test, as suggested in (Garcia and Herrera, 2008), is employed, where the null hypothesis is that the methods perform equally well.

3 Results

The accuracy scores, averaged over the 27 datasets, produced with the various data representations are shown in Table 2. A Friedman test rejects the null hypothesis that the various representations perform equally well ($p < 0.0001$). Of the three weighting strategies, the binary strategy performs almost invariably better than the TF and TF-IDF strategies. When comparing the ngram representations, unigrams perform considerably better than bigrams and trigrams, while their combination is plausibly negatively affected by the latter two. Using only extracted terms performs slightly better than using all unigrams or a combination of unigrams and terms, albeit the differences are small. The global, distributed representations only outperform the local representations when multiple semantic spaces are used in an ensemble. Moreover, all ensembles outperform their single-model counterparts. The best predictive performance is obtained when combining local and global representations – in a semantic space ensemble – of unigrams and terms, yielding an accuracy of 83.89%.

The twenty most important term features are listed in Table 3. All of these are names of drugs, findings and disorders. Some of the drugs are known to cause ADEs, while others are used for treating ADEs. Many of the highly-ranked terms appear only in a single or a handful of datasets; additional highly-ranked terms that appear in all 27 datasets – and conceivably important for detecting ADEs generally – include *smärta* (Eng: pain), *trött* (Eng: tired), *feber* (Eng: fever) and *utslag* (Eng: rash). Named entity mentions of type *ADE Cue* were ranked somewhat lower (out of $\sim 78k$): *reaktion* (Eng: reaction) – 53, *biverkan* (Eng: side effect) – 332, *läkemedelsbiverkan* (Eng: drug reaction) – 855 and *läkemedelsutlöst* (Eng: drug-induced) – 19602. When inspecting

	Binary	TF	TF-IDF
Unigrams	83.05	81.70	81.72
Bigrams	76.65	75.98	75.67
Trigrams	68.13	66.93	67.02
Ngrams (Unigrams + Bigrams + Trigrams)	79.47	78.33	78.43
Terms	83.12	81.47	81.59
Unigrams + Terms	83.09	81.81	81.76
Distributed (Unigrams)	81.13	79.59	78.16
Distributed (Terms)	82.82	82.99	75.12
Distributed Ensemble (Unigrams)	82.23	81.53	79.30
Distributed Ensemble (Terms)	83.51	82.82	75.71
Distributed (Unigrams + Terms)	82.04	80.63	76.84
Distributed Ensemble (Unigrams + Terms)	83.71	82.93	80.78
Unigrams + Terms + Distributed (Unigrams + Terms)	83.31	82.30	82.32
Unigrams + Terms + Distributed Ensemble (Unigrams + Terms)	83.89	82.72	82.96

Table 2: Average accuracy (%) over 27 ADE datasets with different representations of clinical notes

the average rank of terms of varying length, unigrams were ranked the highest, followed by bigrams, trigrams and ngrams with $n > 3$. Calculating the average rank of terms of various named entity types revealed that *ADE Cue* was ranked the highest, followed by *Disorder*, *Body Part*, *Drug* and *Finding*.

Rank	Term (Swedish)	Term (English)	NE Type	Support
1	missbruk	addiction	Finding	23
2	bev-fl-iri	bev-fl-iri	Drug	2
3	amfetamin	amphetamine	Drug	20
4	cyanokit	cyanokit	Drug	1
5	läkemedels- utlöst dystoni	drug-induced dystonia	Disorder	1
6	betapred	betapred	Drug	27
7	intox	intoxication	Disorder	22
8	akut dystoni	acute dystonia	Disorder	3
9	hepatit c	hepatitis c	Disorder	27
10	allergisk reaktion	allergic reaction	Disorder	25
11	tavegyl	tavegyl	Drug	25
12	syrgas	oxygen	Drug	27
13	amfetamin- missbruk	amphetamine abuse	Disorder	23
14	mätbar sjukdom	measurable disease	Disorder	1
15	stesosolid	stesosolid	Drug	26
16	svullnad	swelling	Finding	27
17	kontrahera	contract	Finding	1
18	bltr vara stabil	blood pressure be stable	Finding	1
19	klåda	itching	Finding	27
20	hjärtmuskel- inflammation	myocarditis	Disorder	1

Table 3: Variable importance of terms

A means of studying potential differences between the two classes is simply to count the number of terms in the healthcare episode according to their class label. The result of this is shown in Table 4. The number of terms per

healthcare episode is considerably higher for the ADE class; however, this can partly be explained by differences in average document length: 3575 tokens for positive episodes and 2098 for negative episodes. A fairer comparison is, then, to calculate the number of tokens per encountered term. This comparison reveals that the numbers of *Drug*, *ADE Cue*, *Body Part* and *Finding* mentions are lower for the ADE class, especially the first two, which means that they are more frequent.

NE Type	ADE		Not ADE	
	Term / Episode	Tokens / Term	Term / Episode	Tokens / Term
Disorder	34.65	103.19	21.57	97.28
Finding	124.14	28.80	68.07	30.83
Drug	74.68	47.87	39.68	52.89
Body Part	49.27	72.57	27.58	76.08
ADE Cue	1.94	1839.01	0.86	2432.98

Table 4: The distribution of terms over classes

4 Discussion

This study explored the use of 42 different representations of clinical notes from healthcare episodes for the automatic detection of adverse drug events. It was shown that combining local and global, distributed representations yielded the highest predictive performance. While the use of a simple unigram model worked well, performance quickly deteriorated as larger ngrams were used, most probably as a result of the ensuing sparsity. Interestingly, using only extracted terms outperformed the use of all unigrams, with the added benefit that the former is much lower-dimensional and thus computationally preferable. Even lower-dimensional – and denser – are the

distributed representations: in this case 200 with a single semantic space and 200×5 with the semantic space ensemble. A distinct advantage of distributed representations is their scalability, as the dimensionality does not grow with the size of the vocabulary, allowing more information to be exploited effectively, as demonstrated by the distributed ensemble of unigrams and terms. The best results were, however, obtained when combining local and ensembles of global, distributed representations. While the difference to using a simple unigrams model is not very large, it is interesting to note the bigger difference to using the commonly employed bag-of-words representation. The advantage of using a binary representation over TF or TF-IDF weighting was also somewhat surprising but can perhaps be attributed to the noisy nature of clinical text.

An advantage of using the terms representation is that, in comparison to the other representations – in particular the distributed ones – it lends itself to some degree of interpretability. While random forest belongs to a family of opaque models, inspection of variable importance provides some insight. It was not surprising that *ADE Cue* terms were, on average, ranked the highest, although somewhat more so that *Body Part* terms were ranked higher than *Drug* and *Finding* terms. When inspecting the distribution of terms over classes, however, it was confirmed that *Drug* and *ADE Cue* terms were common in ADE episodes than in non-ADE episodes, which seems intuitive. For future work, it would be interesting to study whether enriching the representation with factuality – including negation and uncertainty – and temporality would lead to improved predictive performance.

Acknowledgments

This work was supported by the project High-Performance Data Mining for Drug Effect Detection at Stockholm University, funded by the Swedish Foundation for Strategic Research under grant IIS11-0053.

References

Marco Baroni, Georgiana Dinu, and Germán Kruszewski. 2014. Don't count, predict! a systematic comparison of context-counting vs. context-predicting semantic vectors. In *Proceedings of the 52nd Annual Meeting of the Association*

for Computational Linguistics, volume 1, pages 238–247.

Leo Breiman. 2001. Random forests. *Machine Learning*, 45(1):5–32.

Emmanuel Chazard, Gregoire Ficheur, Stephanie Bernonville, Michel Luyckx, and Regis Beuscart. 2011. Data mining to generate adverse drug events detection rules. *IEEE Transactions on Information Technology in Biomedicine*, 15(6):823–830.

Trevor Cohen and Dominic Widdows. 2009. Empirical distributional semantics: Methods and biomedical applications. *Journal of Biomedical Informatics*, 42(2):390 – 405.

Hercules Dalianis, Martin Hassel, Aron Henriksson, and Maria Skeppstedt. 2012. Stockholm EPR Corpus: A Clinical Database Used to Improve Health Care. In *Proceedings of the Swedish Language Technology Conference (SLTC)*.

Robert Eriksson, Peter Bjødstrup Jensen, Sune Frankild, Lars Juhl Jensen, and Søren Brunak. 2013. Dictionary construction and identification of possible adverse drug events in danish clinical narrative text. *Journal of the American Medical Informatics Association*, 20(5):947–953.

Robert Eriksson, Thomas Werge, Lars Juhl Jensen, and Søren Brunak. 2014. Dose-specific adverse drug reaction identification in electronic patient records: temporal data mining in an inpatient psychiatric population. *Drug safety*, 37(4):237–247.

Salvador Garcia and Francisco Herrera. 2008. An Extension on "Statistical Comparisons of Classifiers over Multiple Data Sets" for all Pairwise Comparisons. *Journal of Machine Learning Research*, 9(12).

Katja M Hakkarainen, Khadidja Hedna, Max Petzold, and Staffan Hägg. 2012. Percentage of patients with preventable adverse drug reactions and preventability of adverse drug reactions—a meta-analysis. *PLoS one*, 7(3):e33236.

Rave Harpaz, Krystl Haerian, Herbert S Chase, and Carol Friedman. 2010. Mining electronic health records for adverse drug effects using regression based methods. In *Proceedings of the 1st ACM International Health Informatics Symposium*, pages 100–107. ACM.

Rave Harpaz, William DuMouchel, Nigam H Shah, David Madigan, Patrick Ryan, and Carol Friedman. 2012. Novel data-mining methodologies for adverse drug event discovery and analysis. *Clinical Pharmacology & Therapeutics*, 91(6):1010–1021.

Lorna Hazell and Saad AW Shakir. 2006. Under-reporting of adverse drug reactions. *Drug Safety*, 29(5):385–396.

- Aron Henriksson, Hans Moen, Maria Skeppstedt, Vidas Daudaravicius, and Martin Duneld. 2014. Synonym extraction and abbreviation expansion with ensembles of semantic spaces. *Journal of Biomedical Semantics*, 5:6:1–25.
- Aron Henriksson, Maria Kvist, Hercules Dalianis, and Martin Duneld. 2015a. Identifying Adverse Drug Event Information in Clinical Notes with Distributional Semantic Representations of Context. *Journal of Biomedical Informatics*, in press.
- Aron Henriksson, Jing Zhao, Henrik Boström, and Hercules Dalianis. 2015b. Modeling heterogeneous clinical sequence data in semantic space for adverse drug event detection. In *Proceedings of the International Conference on Data Science and Advanced Analytics (DSAA)*. IEEE.
- RL Howard, AJ Avery, S Slavenburg, S Royal, G Pipe, P Lucassen, and M Pirmohamed. 2007. Which drugs cause preventable admissions to hospital? a systematic review. *British Journal of Clinical Pharmacology*, 63(2):136–147.
- Paea LePendu, Srinivasan V Iyer, Anna Bauer-Mehren, Rave Harpaz, Jonathan M Mortensen, Tanya Podchiyska, Todd A Ferris, and Nigam H Shah. 2013. Pharmacovigilance using clinical notes. *Clinical pharmacology & therapeutics*, 93(6):547–555.
- Tomas Mikolov, Kai Chen, Greg Corrado, and Jeffrey Dean. 2013. Efficient estimation of word representations in vector space. *arXiv preprint arXiv:1301.3781*.
- Tomas Mikolov. 2015. word2vec: Tool for computing continuous distributed representations of words. <https://code.google.com/p/word2vec/>. Accessed: 2015-08-11.
- Jonathan R Nebeker, Paul Barach, and Matthew H Samore. 2004. Clarifying adverse drug events: a clinician’s guide to terminology, documentation, and reporting. *Annals of internal medicine*, 140(10):795–801.
- Robert Östling. 2013. Stagger: An open-source part of speech tagger for swedish. *Northern European Journal of Language Technology (NEJLT)*, 3:1–18.
- Magnus Sahlgren and Rickard Cöster. 2004. Using bag-of-concepts to improve the performance of support vector machines in text categorization. In *Proceedings of the 20th international conference on Computational Linguistics*, page 487. Association for Computational Linguistics.
- Jürgen Stausberg and Joerg Hasford. 2011. Drug-related admissions and hospital-acquired adverse drug events in germany: a longitudinal analysis from 2003 to 2007 of icd-10-coded routine data. *BMC Health Services Research*, 11(1):134.
- Marc Suling and Iris Pigeot. 2012. Signal detection and monitoring based on longitudinal healthcare data. *Pharmaceutics*, 4(4):607–640.
- Jing Zhao, Aron Henriksson, Lars Asker, and Henrik Boström. 2014a. Detecting adverse drug events with multiple representations of clinical measurements. In *International Conference on Bioinformatics and Biomedicine (BIBM)*, pages 536–543. IEEE.
- Jing Zhao, Aron Henriksson, and Henrik Boström. 2014b. Detecting adverse drug events using concept hierarchies of clinical codes. In *International Conference on Healthcare Informatics (ICHI)*, pages 285–293. IEEE.
- Jing Zhao, Aron Henriksson, and Henrik Boström. 2015. Cascading adverse drug event detection in electronic health records. In *Proceedings of the International Conference on Data Science and Advanced Analytics (DSAA)*. IEEE.