

Examining Spanish Counseling with MIDAS: a Motivational Interviewing Dataset in Spanish

Aylin Gunal*[†] Bowen Yi*[†] John Piette[†] Rada Mihalcea[†] Verónica Pérez-Rosas[‡]

[†] University of Michigan, Ann Arbor

[‡] Texas State University, San Marcos

{gunala, bowenyi, jpiette, mihalcea}@umich.edu, vperezr@txstate.edu

Abstract

Cultural and language factors significantly influence counseling, but Natural Language Processing research has not yet examined whether the findings of conversational analysis for counseling conducted in English apply to other languages. This paper presents a first step towards this direction. We introduce MIDAS (Motivational Interviewing Dataset in Spanish), a counseling dataset created from public video sources that contains expert annotations for counseling reflections and questions. Using this dataset, we explore language-based differences in counselor behavior in English and Spanish and develop classifiers in monolingual and multilingual settings, demonstrating its applications in counselor behavioral coding tasks.

1 Introduction

A growing number of natural language processing (NLP) research studies focus on mental and behavioral health issues, covering applications such as building automated chatbots to simulate counselors (Li et al., 2024b; Chiu et al., 2024; Qiu and Lan, 2024; Hodson and Williamson, 2024), monitoring patients' mental states (Chancellor and De Choudhury, 2020; Nie et al., 2024), or building feedback systems to aid counselor training (Sharma et al., 2023; Shen et al., 2020; Li et al., 2024a; Shen et al., 2022). Although this body of work seeks to address the growing need for mental health support around the world, the majority of it has only focused on English. This can be partially attributed to the lack of counseling datasets in other languages, which are difficult to obtain due to the private nature of counseling interactions and the need for expert annotations.

Patients seeking mental health care struggle to find adequate resources, especially when they are not native speakers (Ohtani et al., 2015). Studies

in clinical psychotherapy have shown that cultural differences between patients and providers can lead to disparities in quality of mental health care due to unsuccessful interactions (Oh and Lee, 2016). This highlights the importance of collecting and using culturally diverse counseling datasets when developing NLP-based tools that support counseling practice.

In this study, we introduce MIDAS (Motivational Interviewing Dataset in Spanish), a new dataset of Spanish counseling conversations conducted using Motivational Interviewing (MI), a counseling style that focuses on eliciting patients' motivation to change (Miller and Rollnick, 2012). We use MIDAS to explore the differences in conversational strategies used by Spanish and English MI counselors. We also conduct classification experiments to classify counselor behaviors using monolingual and multilingual models. Our results show that models trained on Spanish data outperform those trained on English, highlighting the need for language-specific datasets in psychotherapy research.

2 Related Work

The language used in counseling varies based on the demographic and cultural background of both counselors and patients (Loveys et al., 2018; Guda et al., 2021), underscoring the importance of considering diversity in user identities when designing NLP systems for mental health.

Despite growing interest in developing NLP methods for understanding counseling conversations, very few non-English datasets are publicly available, further limiting NLP research in multilingual mental healthcare. GlobHCD (Meyer and Elswiler, 2022) is a German dataset with naturalistic interactions around changing health behavior. The interactions were obtained from participants in an online mental health forum and annotated

*Equal contribution.

with MI labels. Although the code to replicate the dataset is available, the annotated dataset is not publicly available. BiMISC is a Dutch dataset that contains bilingual MI conversations manually annotated with counselor and client behaviors (Sun et al., 2024). Similarly, Mayer et al. (2024) collected a dataset of real conversations between patients and mental health counselors and annotated the conversations with behavioral codes based on the contribution of the speaker.

The broader landscape of mental health applications for non-English NLP contains a larger body of work. Social media and text communication platforms are popular avenues for sourcing data. The Chinese PsyQA dataset contains annotated question-answer pairs from an online mental health service (Sun et al., 2021). The HING-POEM dataset in Hinglish examines politeness in mental health and legal counseling conversations (Priya et al., 2024), and research on interactions in Kenyan WhatsApp groups for peer support studies sentiment among youth living with HIV (Mondal et al., 2021). Additionally, previous work has sourced data from social media for mental illness prediction (Prieto et al., 2014; López Úbeda et al., 2019). An alternative to direct data collection is to use machine translation from high-resource to low-resource languages (Pieri et al., 2024; Zygadło, 2021), but this comes with the potential cost of cultural information loss.

Our study introduces the first Spanish MI dataset, filling a critical gap in the literature and offering a valuable resource for NLP researchers working on mental health applications.

3 Motivational Interviewing Dataset in Spanish (MIDAS)

3.1 Data Collection

We manually collect video recordings of MI interactions in Spanish from YouTube, an online video platform. We conduct keyword-based searches in Spanish for: *entrevista motivacional* (motivational interviewing), *demonstración de entrevista motivacional* (demonstration of motivational interviewing), *simulación de entrevista motivacional* (simulation of motivational interviewing), *entrevista motivacional juego de roles* (motivational interviewing role playing) and *entrevista motivacional en español* (motivational interview in Spanish). We select videos in Spanish, mentioning MI as the primary counseling strategy, having only two par-

Speaker	Words		Turns		Words/turn	
	Avg	SD	Avg	SD	Avg	SD
Counselor	673.52	589.44	20.35	14.64	33.09	40.96
Client	501.67	382.09	19.83	14.41	25.28	30.33
All	1190.77	919.36	40.78	29.31	29.19	36.27

Table 1: Word-level and turn-level statistics for the MIDAS dataset.

ticipants (i.e., counselor and patient), addressing a behavior change (e.g., smoking cessation), and containing minimal interruptions.

The final set includes 74 Spanish counseling conversations by Spanish speakers from various geographic locations, including Spanish-speaking countries in Latin America as well as Spain. Conversations show Spanish MI demonstrations by professional counselors and MI role-play counseling by psychology students and discuss various behavioral health topics such as alcohol consumption, substance abuse, stress management, and diabetes management.

Preprocessing and Transcription. We preprocess the videos to remove introductory remarks and narratives. We then automatically transcribe and diarize the videos using Amazon Transcription¹ services. Next, we manually label the conversation participants as either a counselor or a client. Finally, the transcriptions are manually reviewed by two native Spanish speakers. Word-level and turn-level statistics of the final transcription set are provided in Table 1.

3.2 Annotation of Counselor Behavior

We annotate the dataset for counselor questions and reflections, two counseling skills often studied in previous work (Pérez-Rosas et al., 2019; Welivita and Pu, 2022). We use ITEM² (Integridad del Tratamiento de la Entrevista Motivacional), the Spanish version of the Motivational Interviewing Treatment Integrity (MITI) (Moyers et al., 2003) coding scheme, the current gold standard for evaluating MI proficiency.

We recruit and pay three Spanish-speaking counselors with MI experience to annotate the conversations. Two are native speakers and the third speaks Spanish as a second language. Before annotation, we evaluated interannotator reliability in five conversations, achieving a 92% intraclass correlation for reflections and questions, indicating good level of agreement. Annotation is conducted by selecting

¹<https://aws.amazon.com/transcribe/>

²<https://es.motivationalinterviewing.org/motivational-interviewing-resources>

Transcript	Code
<p>T En estos años desde que le diagnosticaron diabetes ¿ha realizado algún cambio en su alimentación ? Quisiera comenzar tal vez a cambiar su manera de comer? ¿Qué cosas cree usted que pudiera ser capaz de hacer? ¿Con que le gustaría empezar?</p> <p>In these years since you were diagnosed with diabetes, have you made any changes to your diet? Would you like to perhaps start changing the way you eat? What things do you think you might be able to do? What would you like to start with?</p>	QUEST
<p>C Este... pues, en lo especial a mi me gusta mucho ir a la panadería ... podría limitar eso una vez a la semana</p> <p>Um... well, specifically, I really enjoy going to the bakery ... I could limit that to once a week.</p>	
<p>T Claro, podemos empezar dejando eso, el pan primero. También podría sugerir otras ideas más adelante, si usted se siente cómoda. Tal vez a cambiar un poco, no se incluye un poco de ejercicio en su estilo de vida. Podríamos llegar a dejar algo más aparte del pan, si usted se siente cómoda al respecto.</p> <p>Sure, we can start by cutting that out the bread first. I could also suggest other ideas later if you feel comfortable with it. Maybe little changes, I am not sure if you include exercise in your lifestyle. We could reduce something else besides the bread, if you feel comfortable with that.</p>	REF

Table 2: Transcript excerpt from an Spanish MI session between therapist (T) and client (C). MI codes include Reflection (REF) and Question (QUEST).

text spans for counselor turns in the transcript using Taguette,³ a qualitative annotation platform. The final annotation set consists of 884 questions and 415 reflections. An annotated transcript excerpt from our dataset is shown in Table 2.

4 Analyzing Conversational Strategies of Spanish-Speaking Counselors

We explore culture-specific strategies that Spanish-speaking counselors use in MI-style counseling by conducting language-based comparisons against MI counseling in English. We focus on conversational aspects previously identified as relevant for counseling quality, such as conversational dynamics, language use, and sentiment expressed during conversations (Althoff et al., 2016; Pérez-Rosas et al., 2019).

During our analyses, we use an English counseling dataset (Pérez-Rosas et al., 2018) compiled with the same methodology as our Spanish dataset. It includes labels for counselor quality (low and high), as well as annotations for questions and reflections. Our analysis uses the 72 high-quality sessions available in the dataset. On an important note, although our dataset lacks evaluations of counseling proficiency, we assume that counselors exhibit desirable behaviors during conversations, designed to show MI skills. We instead use the reflection-to-question ratio (R:Q) as a proficiency indicator (Moyers et al., 2016). The resulting small difference between the average ratios (0.59 for Spanish, 0.64 for English) suggests that the Spanish MI counselors in MIDAS have




Figure 1: Mean word exchange rates across Spanish and English conversations.

proficiency levels in MI similar to the counselors represented in the English dataset.

Conversation Word Exchange. We analyze the average word exchange between counselors and clients in English and Spanish. The exchange rate is the ratio of words spoken by counselors to clients. Figure 1 indicates that the Spanish exchange rate varies more over the duration of a conversation, suggesting that Spanish MI counselors speak more than their clients. In contrast, the exchange rate for English conversations increases slightly over the session. These differences could point to the conversational dynamics shown in clinical interactions in Spanish-speaking communities, where care providers seem to hold the higher ground during clinical conversations (Thompson et al., 2022; Coulter and Magee, 2003; Giménez-Moreno and Ricart-Vayá, 2022).

Language Usage. We examine language differences using semantic classes from the Linguistic Inquiry and Word Count (LIWC) lexicon (Pen-

³www.taguette.org/

Spanish					
Counselor			Client		
You	4.89	tu, te, le, usted	I	4.57	yo, conmigo, mi, me
Future	3.46	enfocaremos, hablaremos, podremos	Negate	2.29	ni, tampoco, nunca, no
We	2.34	nos, nosotros, nuestra	Anger	2.06	problema, malo, molesta
Achieve	1.44	dejar, plan, mejorar, controlar	Family	1.63	familiar, padres, hijos
Insight	1.27	sientes, consideras	Negemo	1.49	enojado, ansiedad, decepcion
Ipron	1.21	algunos, todos, estas, que	Conj	1.41	pues, y, cuando
Inhib	1.16	dejar, evitar, control	Assent	1.41	verdad, acuerdo, bien
English					
Counselor			Client		
You	2.04	yours, your, you	I	2.23	me, I, myself
We	1.59	we, us, our	Home	2.08	family, house, room
Cause	1.43	how, change, control	Friend	1.67	friend, college, partner
Hear	1.36	sounds, said, hearing	Family	1.62	son, daughter, father, wife
Achieve	1.25	control, work, able	Negate	1.46	won't, shoudn't, didn't
Percept	1.19	looking, sound, feel, heard	Leisure	1.35	drinking, playing, exercising
Posemo	1.10	better, important, fun	Discrep	1.17	if, could, need

Table 3: Results from LIWC word class analysis counselor and client interaction in Spanish and English.

nebaker et al., 2007) as a bridge between English and Spanish. The analysis using the Spanish and English LIWC and the word class scoring method of (Mihalcea and Pulman, 2009) compares the major word categories used by counselors and clients during the conversations. Table 3 shows the main word classes, with examples, associated to counselors and clients in both languages.

Counselors in both languages generally use words related to *you*, *we*, *social*, and *achieve*, which are relevant for MI. However, Spanish MI counselors focus more on *Future* and *Inhib* (inhibition) words. English MI counseling features more *hear* and *percept* (perception) words. These differences could also be related to culture, as in many Spanish-speaking countries healthcare providers take a more authoritative or directive approach to their patients (Coulter and Magee, 2003; Giménez-Moreno and Ricart-Vayá, 2022). In addition, clients also exhibit similar language use, such as *I*, *Home*, *Family*, *Negate*, with notable differences: Spanish clients use *assent* words, while English clients use *discrep* (discrepancy) words, suggesting greater compliance by Spanish clients.

Sentiment Trends. The sentiment exhibited by counselors can reflect their empathy and responsiveness, which are important factors for positive treatment outcome (Eberhardt et al., 2024; Pérez-Rosas et al., 2019). We use the multilingual Py-Sentimiento library (Pérez et al., 2023) to obtain positive, neutral, and negative sentiment scores on conversational turns. To further evaluate the performance of the sentiment classifier in Spanish data, we randomly sample 10% (300) of 3,018 Spanish utterances and independently annotate them for




Figure 2: Counselor sentiment across languages

sentiment using the same categories. The annotation is conducted by two native Spanish speakers, achieving a Cohen kappa of 0.45 and a raw agreement of 0.64, indicating moderate agreement. A third native speaker conducted further attribution on 107 utterances with disagreement. Among the 300 utterances, the classifier correctly classifies 192, yielding an accuracy of 0.64. Notably, most misclassifications (69 out of 109) occur when the classifier predicts neutral sentiment. Given reasonable accuracy scores, we use classifier predictions to conduct sentiment comparisons across both languages. Figure 2 illustrates the distribution of counselor sentiment, showing that neutral sentiment is the most prevalent in both languages, while positive and negative sentiments occur more frequently in Spanish conversations.

5 Predicting Counselor Behaviors

In addition to linguistic analyzes, we perform classification experiments in Spanish and English conversations to classify counselor behavior using MIDAS and its English counterpart, described in Sec-

	Monolingual Models				Multilingual Models			
	en-BERT		sp-BETO		en-MLBERT		sp-MLBERT	
	2-way	3-way	2-way	3-way	2-way	3-way	2-way	3-way
Accuracy	.83	.88	.92	.92	.77	.89	.84	.89
F1	.82	.88	.92	.92	.76	.88	.84	.88
F1-Other	-	.95	-	.90	-	.96	-	.95
F1-Question	.88	.65	.95	.89	.84	.63	.90	.54
F1-Reflection	.64	.46	.82	.66	.57	.29	.68	.22

Table 4: Classification results using monolingual models (sp-BETO, en-BERT) and multilingual models (sp-MLBERT, en-MLBERT) for 2-way (reflection vs question) and 3-way (Question vs Reflection vs Other) classification. Notations in the form {language-MODEL} indicate in which language the model is fine-tuned on.

tion 4. Similarly to the label classification experiments in (Mayer et al., 2024), we define two tasks: binary classification to differentiate reflections from questions, and three-way classification to identify questions, reflections, or neither. We experiment with two settings: we train and test the classifiers using the same language for both the training and the test data; and we use multilingual language models to enable training on one language and evaluation on the other.

For our experiments, we use a 85%–15% training–test split. For the monolingual experiments, as our main models we use BERT (Devlin et al., 2018a) and BETO (Cañete et al., 2023), a BERT architecture trained on Spanish text. For the multilingual experiments, we use a BERT architecture trained for multiple languages, including English and Spanish BERT (Devlin et al., 2018b), denoted as ML-BERT. We attach classification heads to the base models and fine-tune each model for five epochs each. Results for the classification experiments are shown in Table 4.

In general, we observe that questions are easier to predict than reflections. This aligns with previous work done on English, where reflections were also more challenging to classify, and with work conducted on Hebrew (Mayer et al., 2024) in which questions are easier to classify than other codes. An important take-away from our experiments is that performing training and evaluation in the same language outperforms multilingual settings.

6 Conclusion

In this work, we introduced MIDAS, a Motivational Interviewing Dataset in Spanish, the first Spanish MI dataset. We conducted comparative analyzes of the language used by counselors in Spanish and English counseling interactions and found differences in linguistic styles and conversation dynamics. Future work includes a more ex-

tensive analysis of the differences between English and Spanish counseling, including conversational dynamics such as verbal mirroring and power dynamics, as well as conversational strategies such as empathy or partnership. We also envision MIDAS as a valuable resource in building NLP applications to support counseling evaluation and training for Spanish speakers.

The MIDAS dataset is publicly available under <https://github.com/MichiganNLP/MIDAS>.

7 Limitations

A limitation of this work is that the collected transcripts are sourced from online videos created for educational purposes and may be scripted to some extent. However, it is important to mention that in real counseling this is a common practice, as counseling training often makes use of actors who perform different learning scenarios. Although client behavior may be more unpredictable in real counseling, we believe that this dataset can provide important information for the study of the behavioral and cultural differences of Spanish counseling.

8 Acknowledgments

We are grateful to Marlene Reyes, Hector Pizarro, and Ana Ronquillo for assisting us with the data collection and the counseling annotations. We also thank the anonymous reviewers for their constructive feedback and the members of the Language and Information Technologies lab at the University of Michigan for the insightful discussions during the early stages of the project. This project was partially funded by a National Science Foundation award (#2306372). Any opinions, findings, conclusions, or recommendations expressed in this material are those of the authors and do not necessarily reflect the views of the National Science Foundation.

References

- Tim Althoff, Kevin Clark, and Jure Leskovec. 2016. [Large-scale analysis of counseling conversations: An application of natural language processing to mental health](#). *Transactions of the Association for Computational Linguistics*, 4:463–476.
- José Cañete, Gabriel Chaperon, Rodrigo Fuentes, Jou-Hui Ho, Hojin Kang, and Jorge Pérez. 2023. [Spanish pre-trained bert model and evaluation data](#).
- Stevie Chancellor and Munmun De Choudhury. 2020. Methods in predictive techniques for mental health status on social media: a critical review. *NPJ digital medicine*, 3(1):43.
- Yu Ying Chiu, Ashish Sharma, Inna Wanyin Lin, and Tim Althoff. 2024. [A computational framework for behavioral assessment of llm therapists](#).
- Angela Coulter and Helen Magee. 2003. *The European patient of the future*. McGraw-Hill Education (UK).
- Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. 2018a. [Bert: Pre-training of deep bidirectional transformers for language understanding](#). *arXiv preprint arXiv:1810.04805*.
- Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. 2018b. [BERT: pre-training of deep bidirectional transformers for language understanding](#). *CoRR*, abs/1810.04805.
- Steffen T Eberhardt, Jana Schaffrath, Danilo Moggia, Brian Schwartz, Martin Jaehde, Julian A Rubel, Tobias Baur, Elisabeth André, and Wolfgang Lutz. 2024. [Decoding emotions: Exploring the validity of sentiment analysis in psychotherapy](#). *Psychotherapy Research*, pages 1–16.
- Rosa Giménez-Moreno and Alicia Ricart-Vayá. 2022. [The expression of emotions in online medical consultations: a comprehensive spanish-english analysis](#). *Ibérica*.
- Bhanu Prakash Reddy Guda, Aparna Garimella, and Niyati Chhaya. 2021. [EmpathBERT: A BERT-based framework for demographic-aware empathy prediction](#). In *Proceedings of the 16th Conference of the European Chapter of the Association for Computational Linguistics: Main Volume*, pages 3072–3079, Online. Association for Computational Linguistics.
- Nathan Hodson and Simon Williamson. 2024. [Can large language models replace therapists? evaluating performance at simple cognitive behavioral therapy tasks](#). *JMIR AI*, 3:e52500.
- Anqi Li, Yu Lu, Nirui Song, Shuai Zhang, Lizhi Ma, and Zhenzhong Lan. 2024a. [Automatic evaluation for mental health counseling using llms](#). *arXiv preprint arXiv:2402.11958*.
- Cheng Li, May Fung, Qingyun Wang, Chi Han, Manling Li, Jindong Wang, and Heng Ji. 2024b. [Mentalarena: Self-play training of language models for diagnosis and treatment of mental health disorders](#).
- Pilar López Úbeda, Flor Miriam Plaza del Arco, Manuel Carlos Díaz Galiano, L. Alfonso Urena Lopez, and Maite Martin. 2019. [Detecting anorexia in Spanish tweets](#). In *Proceedings of the International Conference on Recent Advances in Natural Language Processing (RANLP 2019)*, pages 655–663, Varna, Bulgaria. INCOMA Ltd.
- Kate Loveys, Jonathan Torrez, Alex Fine, Glen Moriarty, and Glen Coppersmith. 2018. [Cross-cultural differences in language markers of depression online](#). In *Proceedings of the Fifth Workshop on Computational Linguistics and Clinical Psychology: From Keyboard to Clinic*, pages 78–87, New Orleans, LA. Association for Computational Linguistics.
- Tobias Mayer, Neha Warikoo, Amir Eliassaf, Dana Atzil-Slonim, and Iryna Gurevych. 2024. [Predicting client emotions and therapist interventions in psychotherapy dialogues](#). In *Proceedings of the 18th Conference of the European Chapter of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 1463–1477, St. Julian’s, Malta. Association for Computational Linguistics.
- Selina Meyer and David Elswiler. 2022. [GLOHBCD: A naturalistic German dataset for language of health behaviour change on online support forums](#). In *Proceedings of the Thirteenth Language Resources and Evaluation Conference*, pages 2226–2235, Marseille, France. European Language Resources Association.
- Rada Mihalcea and Stephen Pulman. 2009. [Linguistic ethnography: Identifying dominant word classes in text](#). In *International Conference on Intelligent Text Processing and Computational Linguistics*, pages 594–602. Springer.
- William R Miller and Stephen Rollnick. 2012. *Motivational interviewing: Helping people change*. Guilford press.
- Ishani Mondal, Kalika Bali, Mohit Jain, Monojit Choudhury, Ashish Sharma, Evans Gitau, Jacki O’Neill, Kagonya Awori, and Sarah Gitau. 2021. [A linguistic annotation framework to study interactions in multi-lingual healthcare conversational forums](#). In *Proceedings of the Joint 15th Linguistic Annotation Workshop (LAW) and 3rd Designing Meaning Representations (DMR) Workshop*, pages 66–77, Punta Cana, Dominican Republic. Association for Computational Linguistics.
- Theresa B Moyers, Tim Martin, Jennifer K Manuel, William R Miller, and D Ernst. 2003. [The motivational interviewing treatment integrity \(miti\) code: Version 2.0](#). Retrieved from *Verfübar unter: www.casaa.unm.edu [01.03. 2005]*.
- Theresa B Moyers, Lauren N Rowell, Jennifer K Manuel, Denise Ernst, and Jon M Houck. 2016. [The motivational interviewing treatment integrity code \(miti 4\): rationale, preliminary reliability and validity](#). *Journal of substance abuse treatment*, 65:36–42.

- Jingping Nie, Hanya Shao, Yuang Fan, Qijia Shao, Haoxuan You, Matthias Preindl, and Xiaofan Jiang. 2024. Llm-based conversational ai therapist for daily functioning screening and psychotherapeutic intervention via everyday smart devices.
- Hans Oh and Christina Lee. 2016. Culture and motivational interviewing. *Patient education and counseling*, 99(11):1914.
- Ai Ohtani, Takefumi Suzuki, Hiroyoshi Takeuchi, and Hiroyuki Uchida. 2015. Language barriers and access to psychiatric care: A systematic review. *Psychiatric services*, 66 8:798–805.
- James W. Pennebaker, Cindy K. Chung, Molly Ireland, Amy L. Gonzales, and Roger John Booth. 2007. The development and psychometric properties of liwc2007.
- Verónica Pérez-Rosas, Xuotong Sun, Christy Li, Yuchen Wang, Kenneth Resnicow, and Rada Mihalcea. 2018. Analyzing the quality of counseling conversations: the tell-tale signs of high-quality counseling. In *Proceedings of the Eleventh International Conference on Language Resources and Evaluation (LREC 2018)*, Miyazaki, Japan. European Language Resources Association (ELRA).
- Verónica Pérez-Rosas, Xinyi Wu, Kenneth Resnicow, and Rada Mihalcea. 2019. What makes a good counselor? learning to distinguish between high-quality and low-quality counseling conversations. In *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics*, pages 926–935, Florence, Italy. Association for Computational Linguistics.
- Sara Pieri, Sahal Shaji Mullappilly, Fahad Shahbaz Khan, Rao Muhammad Anwer, Salman H. Khan, Timothy Baldwin, and Hisham Cholakkal. 2024. Bimedix: Bilingual medical mixture of experts llm. In *Conference on Empirical Methods in Natural Language Processing*.
- Víctor M Prieto, Sergio Matos, Manuel Alvarez, Fidel CACHEDA, and José Luís Oliveira. 2014. Twitter: a good place to detect health conditions. *PLoS one*, 9(1):e86191.
- Priyanshu Priya, Gopendra Singh, Mauajama Firdaus, Jyotsna Agrawal, and Asif Ekbal. 2024. On the way to gentle AI counselor: Politeness cause elicitation and intensity tagging in code-mixed Hinglish conversations for social good. In *Findings of the Association for Computational Linguistics: NAACL 2024*, pages 4678–4696, Mexico City, Mexico. Association for Computational Linguistics.
- Juan Manuel Pérez, Mariela Rajngewerc, Juan Carlos Giudici, Damián A. Furman, Franco Luque, Laura Alonso Alemany, and María Vanina Martínez. 2023. pysentimiento: A python toolkit for opinion mining and social nlp tasks.
- Huachuan Qiu and Zhenzhong Lan. 2024. Interactive agents: Simulating counselor-client psychological counseling via role-playing llm-to-llm interactions.
- Ashish Sharma, Inna W Lin, Adam S Miner, David C Atkins, and Tim Althoff. 2023. Human–ai collaboration enables more empathic conversations in text-based peer-to-peer mental health support. *Nature Machine Intelligence*, 5(1):46–57.
- Siqi Shen, Veronica Perez-Rosas, Charles Welch, Soujanya Poria, and Rada Mihalcea. 2022. Knowledge enhanced reflection generation for counseling dialogues. In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 3096–3107, Dublin, Ireland. Association for Computational Linguistics.
- Siqi Shen, Charles Welch, Rada Mihalcea, and Verónica Pérez-Rosas. 2020. Counseling-style reflection generation using generative pretrained transformers with augmented context. In *Proceedings of the 21th Annual Meeting of the Special Interest Group on Discourse and Dialogue*, pages 10–20, 1st virtual meeting. Association for Computational Linguistics.
- Hao Sun, Zhenru Lin, Chujie Zheng, Siyang Liu, and Minlie Huang. 2021. PsyQA: A Chinese dataset for generating long counseling text for mental health support. In *Findings of the Association for Computational Linguistics: ACL-IJCNLP 2021*, pages 1489–1503, Online. Association for Computational Linguistics.
- Xin Sun, Jiahuan Pei, Jan de Wit, Mohammad Aliannejadi, Emiel Krahmer, Jos T.P. Dobber, and Jos A. Bosch. 2024. Eliciting motivational interviewing skill codes in psychotherapy with LLMs: A bilingual dataset and analytical study. In *Proceedings of the 2024 Joint International Conference on Computational Linguistics, Language Resources and Evaluation (LREC-COLING 2024)*, pages 5609–5621, Torino, Italia. ELRA and ICCL.
- Gregory A Thompson, Jonathan Segura, Dianne Cruz, Cassie Arnita, and Leeann H Whiffen. 2022. Cultural differences in patients’ preferences for paternalism: comparing mexican and american patients’ preferences for and experiences with physician paternalism and patient autonomy. *International Journal of Environmental Research and Public Health*, 19(17):10663.
- Anuradha Welivita and Pearl Pu. 2022. Curating a large-scale motivational interviewing dataset using peer support forums. In *Proceedings of the 29th International Conference on Computational Linguistics*, pages 3315–3330, Gyeongju, Republic of Korea. International Committee on Computational Linguistics.
- Artur Zygadło. 2021. A therapeutic dialogue agent for polish language. *2021 9th International Conference on Affective Computing and Intelligent Interaction Workshops and Demos (ACIIW)*, pages 1–5.