

MICO: A Multi-alternative Contrastive Learning Framework for Commonsense Knowledge Representation

Ying Su¹, Zihao Wang¹, Tianqing Fang¹, Hongming Zhang²,
Yangqiu Song¹, Tong Zhang¹

¹HKUST, ²Tencent AI lab, Seattle

{ysuay, zwanggc}@connect.ust.hk, {tfangaa, yqsong}@cse.ust.hk,
hongmzhang@global.tencent.com, tongzhang@ust.hk

Abstract

Commonsense reasoning tasks such as commonsense knowledge graph completion and commonsense question answering require powerful representation learning. In this paper, we propose to learn commonsense knowledge representation by MICO, a Multi-alternative contrastive learning framework on Commonsense knowledge graphs (MICO). MICO generates the commonsense knowledge representation by contextual interaction between entity nodes and relations with multi-alternative contrastive learning. In MICO, the head and tail entities in an (h, r, t) knowledge triple are converted to two relation-aware sequence pairs (a premise and an alternative) in the form of natural language. Semantic representations generated by MICO can benefit the following two tasks by simply comparing the distance score between the representations: 1) zero-shot commonsense question answering task; 2) inductive commonsense knowledge graph completion task. Extensive experiments show the effectiveness of our method.

1 Introduction

Commonsense reasoning is a fundamental problem in artificial intelligence. Recently in the NLP field, much attention has been paid to commonsense reasoning in the following two aspects. First, more commonsense knowledge graphs (CKGs) (Sap et al., 2019a; Fang et al., 2021) were developed to support new types of reasoning tasks, such as commonsense knowledge graph completion (CKGC) (Malaviya et al., 2020). Another way to evaluate machine learning models' commonsense reasoning capabilities is using commonsense question answering (CQA) tasks (Zellers et al., 2018; Sap et al., 2019b; Bisk et al., 2020). Existing approaches to deal with the above problems commonly involve fine-tuning large pre-trained language models, such as BERT (Kenton and Toutanova, 2019), RoBERTa (Liu et al., 2019), and

GPT2 (Radford et al., 2019), by either incorporating the entire knowledge base for CKGC (Yao et al., 2019; Bosselut et al., 2019) or injecting the knowledge base to provide background knowledge for zero-shot CQA (Banerjee and Baral, 2020; Bosselut et al., 2021; Ma et al., 2021).

In fact, both CKGC and zero-shot CQA can be formulated in a unified way, where a question can be constructed based on the *head entity* and *relation* in a knowledge graph, and then finding the *tail entity*, which is regarded as an answer, based on the constructed question. In this way, incorporating the entire knowledge base for CKGC and injecting the KG in pre-trained LMs for zero-shot CQA can be unified as a semantic matching problem, where a powerful representation learning for the matching becomes the most important problem. This also means that, after we unify them for CKGC and CQA in the same way, we can perform zero-shot CQA by simply leveraging the model finetuned on the entire CKGs for CKGC.

Existing commonsense-related representation learning usually leverage a CKG embedding framework (Malaviya et al., 2020; Wang et al., 2021), or fine-tuning a generative language model (Bosselut et al., 2019). However, they were not aware of the challenges that a typical CKG brings. First, in a typical CKG, such as ConceptNet (Liu and Singh, 2004) and ATOMIC (Sap et al., 2019a), nodes are loosely structured free-from texts, which means that previous embedding based on negative sampling cannot substantially support sufficient training because of sparsity. On the other hand, a generative model can only take positive examples for training so the capability of determining the negative answers is limited.

In this paper, we propose a new framework called MICO, a Multi-alternative contrastive learning framework for Commonsense knowledge representation. The representations can benefit across tasks by easily calculating the semantic distances




Figure 1: An example from a CQA task (SIQA (Sap et al., 2019b)) and related knowledge in a CKG (ATOMIC).

with unified vector representations. In this way, though many distinct nodes may have similar concepts (Wang et al., 2021), they are still close in the semantic space. Figure 1 shows an example of this advantage on CQA. The entity node *PersonX ask if PersonY had seen* related to the right answer is not directly connected to the nodes *PersonX leaves PersonX's book* or *PersonX leaves PersonY's book* but these nodes share similar tail entity nodes. Therefore, the right answer can be found by semantic matching as it is close to the given context and question in the semantic space.

To unify the form of CKGC and CQA, we follow the idea in COPA (Roemmele et al., 2011) where commonsense causal reasoning can be evaluated by selecting the most plausible alternatives given the premise. We first convert the knowledge triplets (h, r, t) into sequence pairs (P, A) (P for premise and A for alternative). MICO then encodes the sequence pairs into embeddings and measures their distance by a similarity function as we assume the representations of related knowledge lie close in the embedding space. Furthermore, we enhance the representation learning by a contrastive loss with sufficient sampling over the sparse CKG. The alternative from the same triplet is a positive sample to the premise under the contrastive learning framework. Alternatives from other knowledge triples with different premises are negative samples. MICO also takes consideration of the structure from CKGs, where one head node h may connect to several tail nodes t under the same relation r . MICO dynamically selects a hard alternative from

multi-alternatives for a premise during training.

Experiments on two typical commonsense knowledge graphs and two types of tasks, zero-shot CQA and inductive CKGC, demonstrate the effectiveness of our methodology. Our code is open-sourced.¹

2 Related Work

2.1 Commonsense Question Answering

Background knowledge is necessary for commonsense question answering tasks. Many researchers resort to knowledge bases for background knowledge. The works towards this direction can be mainly classified into two streams: incorporating the knowledge base for zero-shot CQA (Yang et al., 2019; Banerjee and Baral, 2020; Bosselut et al., 2021; Ma et al., 2021) or retrieving the related knowledge from the knowledge base for task-specific CQA (Paul and Frank, 2019; Lin et al., 2019; Feng et al., 2020; Lv et al., 2020; Yasunaga et al., 2021; Xu et al., 2021; Zhang et al., 2021).

Among the works in incorporating the knowledge base for zero-shot CQA, COMET-DynaGen (Bosselut et al., 2021) aggregates all paths of generated commonsense knowledge to the answers from commonsense transformer COMET (Bosselut et al., 2019) trained on CKGs. KTL (Banerjee and Baral, 2020) encodes the knowledge triplets from CKGs into pre-trained LMs by learning triplet representation, aiming to complete a knowledge triplet given the other two. Unlike KTL, we target enhancing the relation-aware representation learning in the form of natural language sequence pairs.

2.2 CKG Knowledge Representation

Knowledge representation from knowledge graphs (KGs) has significantly progressed and benefited the KG completion task. Typical methods for KG completion tasks are mainly embedding-based, which utilize the structural information observed in the knowledge triplets (Nickel et al., 2011; Bordes et al., 2013; Wang et al., 2014; Trouillon et al., 2016; Toutanova et al., 2015; Sun et al., 2019). Recent researches also show that external information, such as the textual description of nodes or relation descriptions, can help boost the performance on the task, like ConvE (Dettmers et al., 2018) and ConvTransE (Shang et al., 2019). To transfer the knowledge from pre-trained LMs into knowledge

¹<https://github.com/HKUST-KnowComp/MICO>




Figure 2: Overview framework of MICO. The knowledge triplets are first sampled and converted into sequence pairs. A transformer block encodes the sequence pairs into knowledge embeddings. The contrastive loss updates the parameters of the transformer based on the contrast between the selected positive and negative tail sequences given a head sequence.




Figure 3: An example of converting knowledge triplet (h, r, t) to sequence pairs (P, A) from ATOMIC. r^{-1} is the reverse relation of r .

graph completion, KG-BERT (Yao et al., 2019) further utilize the pre-trained LMs to learn context-aware embeddings.

However, unlike previous KGs (Miller, 1995; Bollacker et al., 2008), commonsense knowledge graphs, e.g., ConceptNet and ATOMIC, have unique challenges towards the completion task. The nodes in CKGs are non-canonicalized and free-form text, resulting in magnitude larger and sparser graphs (Malaviya et al., 2020). To address this problem, previous works extract entity and relation representation by pre-trained LMs and graph structure representation by graph neural networks GCN (Kipf and Welling, 2017) to enhance the generalizability over entity nodes (Malaviya et al., 2020; Wang et al., 2021). Instead of fusing representation from local subgraph structures in this paper, we focus on utilizing the contrast information between knowledge triplet contexts.

3 Methodology

In this section, we introduce the terminologies and algorithms, and show the framework in Figure 2.

3.1 Knowledge Triplets to Sequence Pairs

A commonsense knowledge graph is denoted as $G = \{V, E, R\}$, where V is the set of entities, E is the set of edges, and R is the set of relations. Knowledge triplet $e \in E$ is composed by (h, r, t) where head entity h and tail entity t are entities from V and r is from R . h and t are connected by r . Each entity comes with a free-form text description.

To convert the knowledge triplet into sequence pairs as inputs to MICO, we substitute the relation with human-readable language templates and connect it to entities. Typically relations are represented as specific words or short phrases in the CKG, for example, $xWant$ from ATOMIC and $At-Location$ from ConceptNet. Following Hwang et al. (2021), we design natural language templates to replace the original relations and connect them to entities, forming context-aware sequences. An example from ATOMIC is shown in Figure 3. The template for $xWant$ would be *as a result, PersonX wants*. We also design a template for its reverse version r^{-1} so it can be connected to the tail entity to form an additional sequence pair. Details of substitute templates are listed in Appendix A.1. We denote the newly constructed sequence pair as (P, A) . For a premise P , there may be multiple alternatives connected to it, denoted as $\{A_1, A_2, A_3, \dots\}$.

3.2 MICO

MICO is a multi-alternative contrastive learning framework for commonsense knowledge representation with knowledge sequence pairs as inputs. Recent researches have greatly progressed in sequence representation learning by contrastive learning (Carlsson et al., 2020; He et al., 2020; Gao et al.,

2021), in which positive sequence pairs are considered semantic related and are close neighbors in the embedding space. MICO follows the idea and minimizes the distance between the premise P and its connected alternative A .

First, a transformer encodes the constructed sequence pairs (P, A) into embeddings to extract initial representations. Specifically, when using BERT as the transformer, BERT-specific start and end tokens are padded to the input sequence: $x = x_0, x_1, \dots, x_n$ is converted to $x = [CLS], x_0, x_1, \dots, x_n, [SEP]$. The sequence pairs are then transformed to token pairs as P_{tok} and A_{tok} by a transformer tokenizer. To get the initial representation, a transformer encoder encodes the token pairs as:

$$E_p = \text{Encoder}(P_{\text{tok}}), E_a = \text{Encoder}(A_{\text{tok}}), \quad (1)$$

where E_h and E_t are hidden states of the last layer. The representation of the hidden state for the [CLS] token is used as the representation of the input sequence. For the head and tail sequences, representations are:

$$\mathbf{s} = E_p[0], \mathbf{g} = E_a[0]. \quad (2)$$

As we assume the sequence pairs lie close in the embedding space, we use a similarity function to measure the distance between sequence pairs. The function f can be cosine similarity or dot product:

$$\text{sim}(\mathbf{s}, \mathbf{g}) = f(\mathbf{s}, \mathbf{g}). \quad (3)$$

For a premise P , its paired alternative A is a positive sample while alternatives paired with other premises are negative samples in the same batch during training. To minimize the semantic distance between the i -th sequence pair in a batch, the contrastive loss is:

$$\ell_i = -\log \frac{e^{\text{sim}(\mathbf{s}_i, \mathbf{g}_i^+)/\tau}}{\sum_{j=1}^N e^{\text{sim}(\mathbf{s}_i, \mathbf{g}_j^+)/\tau}}, \quad (4)$$

where N is the batch size and τ is the temperature parameter.

Many research efforts aim to improve representation learning by generating multiple views for the same sample as data augmentation in multi-view contrastive learning approaches (Bachman et al., 2019; Tian et al., 2020; Niu et al., 2022). In CKG, a sequence head P may have multiple positive tails $\{A_1, A_2, A_3, \dots\}$. Inspired by multi-view

contrastive learning, we propose a multi-alternative framework to utilize the multiple positive alternatives for improving the learning of commonsense knowledge representation. Specifically, we dynamically sample a hard positive alternative from multiple alternatives during training.

The representations generated for the premise with its alternatives are \mathbf{s} and $\{\mathbf{g}_1^+, \mathbf{g}_2^+, \mathbf{g}_3^+, \dots\}$. Among the multiple positive alternatives, the one with the largest distance to the premise is selected as the hard positive. Because we aim to minimize the semantic similarity between the premise and alternatives, selecting the alternative with the least similarity would increase the training loss:

$$\mathbf{g}_p = \min\{\text{sim}(\mathbf{s}, \mathbf{g}_1^+), \dots, \text{sim}(\mathbf{s}, \mathbf{g}_k^+)\}, \quad (5)$$

where k is the number of candidate alternatives during training. The new contrastive loss for i -th sequence pairs during training is:

$$L_i = -\log \frac{e^{\text{sim}(\mathbf{s}_i, \mathbf{g}_p)/\tau}}{e^{\text{sim}(\mathbf{s}_i, \mathbf{g}_p)/\tau} + \delta_{ij} \sum_{j=1}^N \sum_{o=1}^k e^{\text{sim}(\mathbf{s}_i, \mathbf{g}_{j,o}^+)/\tau}}, \quad (6)$$

where $\delta_{ij} \in \{0, 1\}$ is an indicator that equals 1 if $i \neq j$, and $\mathbf{g}_{j,o}^+$ is the o -th positive tail of j -th sample in the batch.

4 Experiments

In this section, we first introduce the CKGs used as knowledge sources, and then two kinds of evaluation tasks (zero-shot CQA and inductive CKGC). Finally, we introduce baseline methods for the two tasks separately.

4.1 CKG

We conduct experiments on two typical commonsense knowledge graphs, ConceptNet (Speer et al., 2017) and ATOMIC (Sap et al., 2019a).

ConceptNet. ConceptNet has been the most fundamental commonsense knowledge graph over the past decade (Liu and Singh, 2004). CN-100K was built on the knowledge triplets in ConceptNet and first introduced in Li et al. (2016). It contains Open Mind Common Sense (OMCS) (Singh et al., 2002) entries in the ConceptNet5 (Speer et al., 2017). CN-82K is a uniformly sampled version of CN-100k dataset which contains more unseen entities in the test split (Wang et al., 2021).

Dataset	Entities	Relations	Train Pair	Valid Pair	Test Pair	Avg Degree	Avg Words
ConceptNet	78,334	34	163,840	19,590	19,592	1.87	3.93
ATOMIC	304,388	9	1,221,072	48,710	48,972	2.52	6.12

Table 1: Distribution of train, valid, and test sequence pairs from ConceptNet and ATOMIC. *Avg Degree* is the average number of tail sequence connected to head sequence and *Avg Words* is the average words number for head sequence and tail sequence.

ATOMIC. ATOMIC (Sap et al., 2019a) contains rich social commonsense knowledge about day-to-day events. The dataset specifies the effects, needs, intents, and attributes of the actors in the events, covering nine relations and 877k knowledge tuples. Dataset built from ATOMIC for CSKG completion is first created in Malaviya et al. (2020).

In our experiments, we follow Wang et al. (2021) to use CN-82K and ATOMIC. To better evaluate the generalizability of representation from MICO, we conduct experiments with the inductive splits in which one of entity nodes in a knowledge triplet from the valid and test split does not appear in the training dataset. Statistics of the converted sequence pairs from original datasets are shown in Table 1.

4.2 Evaluation Tasks

Based on that CKGC and CQA can be unified into the same form of selecting alternatives given a premise, commonsense knowledge representations generated from MICO are evaluated on these two tasks.

4.2.1 Zero-shot CQA

The knowledge representation is evaluated on three multiple-choice CQA tasks: COPA (Roemmele et al., 2011), SIQA (Sap et al., 2019b), and CSQA (Talmor et al., 2019). Accuracy is used as the evaluation metric. For each task, the query composed by context and question can be converted into the form as a premise. The answers are viewed as possible plausible alternatives. In this way, the multiple-choice question can be solved by selecting the closet representation pairs generated from MICO given the query and candidate answers. We denote the representation for query as \mathbf{q} and candidate answers as $\{\mathbf{a}_1, \mathbf{a}_2, \dots, \mathbf{a}_m\}$. The answer with the highest score is the predicted answer i^* , where

$$i^* = \arg \max_{i=1, \dots, m} \text{sim}(\mathbf{q}, \mathbf{a}_i). \quad (7)$$

COPA. Choice of Plausible Alternatives is a two-way multiple-choice commonsense reasoning

task between events. COPA consists of 1,000 questions, 500 for the development set and 500 for the test set. To make the form of relation consistent with the training dataset in natural language, we substitute **cause** as **The cause for it was that** and **effect** as **As a result**.

SIQA. The queries in Social IQA are collected based on ATOMIC. Each question in the dataset describes social interactions and has three crowdsourced candidate answers. The dataset’s development split and test split are used as zero-shot evaluation, containing 1,954 and 2,059 questions, respectively.

CSQA. The questions in CommonsenseQA are general questions about concepts in ConceptNet. Each question has five candidate answers. The development set is used as evaluation set, containing 1,221 questions.

4.2.2 Inductive CKGC

Inductive CKGC is an important task for CKG because unseen entity nodes are introduced in real-world CKGC from time to time and many distinct nodes may refer to same concept due to their free-form text description (Wang et al., 2021). In the inductive CKGC task, at least one of the nodes in knowledge triplets is not shown in the training dataset. Following Wang et al. (2021), each triplet (h, r, t) is measured in two directions: $(h, r, ?)$ and $(t, r^{-1}, ?)$. Inverse relations r^{-1} are added as additional relation types. We use the MRR (mean reciprocal rank) and Hits@10 score as the evaluation metrics.

4.3 Baselines

For zero-shot CQA tasks, we compare our method with baselines including pre-trained LMs (RoBERTa (Liu et al., 2019), GPT2 (Radford et al., 2019)), using pre-trained LMs as knowledge sources (self-talk (Shwartz et al., 2020), Dou (Dou and Peng, 2022)), and pre-trained LMs trained on CKGs (KTL (Banerjee and Baral, 2020), COMET-

Methods	Backbone	Knowledge Source	COPA		SIQA		CSQA
			dev	test	dev	test	dev
Random	-	-	50.0	50.0	33.3	33.3	25.0
RoBERTa-L	RoBERTa-L	-	54.8	58.4	39.8	40.1	31.3
GPT2-L	GPT2-L	-	62.4	63.6	42.8	43.3	40.4
self-talk	GPT2-[Distil/XL/L]	GPT2-[Distil/L/M]	66.0	-	46.2	43.9	32.4
Dou	ALBERT-XXL-v2	ALBERT-XXL-v2	-	-	44.1	42.0	50.9
KRL	RoBERTa-L	e.g., ATOMIC	-	-	46.6	46.4	36.8
COMET-DynaGen	GPT2-M	COMET	-	-	50.1	52.6	-
MICO	RoBERTa-L	ConceptNet	73.2	75.2	44.6	45.4	51.0
MICO	RoBERTa-L	ATOMIC	79.4	77.4	56.0	57.4	44.2

Table 2: Results on Zero-shot CQA tasks. COMET is the commonsense transformer trained on ATOMIC. For MICO, k is set as 2. RoBERTa-L and GPT2-M have comparable parameter size. KRL is the knowledge representation method in KTL.

DynaGen (Bosselut et al., 2021)).

For inductive CKGC tasks, we compare our method with ConvE (Dettmers et al., 2018), RotatE (Sun et al., 2018), Malaviya (Malaviya et al., 2020) and InductivE (Wang et al., 2021). More details about baseline models for the two tasks are introduced in Appendix A.2.

4.4 Implementation Details

Our experiments are run on RTX A6000. Each experiment is run on a single GPU card. The training batch size is 196. Max sequence length for training is 32. The learning rate is set as $1e-5$ for Bert-base and RoBERTa-base. For RoBERTa-large (RoBERTa-L), the learning rate is set as $5e-6$. We use AdamW (Loshchilov and Hutter, 2018) optimizer. For experiments with the MICO framework, τ is set as 0.07. The valid set is evaluated by contrastive loss metric and used to select a best model for further evaluation. The models are trained for 10 epochs and early stopped when the change of validation loss is within 1%.

5 Results

5.1 Main Results

The main results include MICO on the zero-shot CQA and the inductive CKGC.

5.1.1 Results on Zero-shot CQA

The results on CQA tasks are shown in Table 2. Baseline systems based on pre-trained language models such as RoBERTa-L and GPT2-L provides strong baselines. Simply comparing the language model score from RoBERTa-L or GPT2-L outperforms random guess by a large margin. This shows that pre-trained language models are encoded with useful knowledge which can benefit the CQA tasks.

MICO generates knowledge representation encoded with commonsense knowledge by the fine-tuned LMs with self-supervision signal from CKGs. Compared with methods such as self-talk (Shwartz et al., 2020) and Dou (Dou and Peng, 2022), our method outperforms all the evaluation datasets. Self-talk and Dou utilize the pre-trained language models as knowledge source and mine relevant knowledge that may benefit the CQA tasks. However, such knowledge is still not sufficient. By finetuning on CKG, MICO can successfully inject the commonsense knowledge into pre-trained LMs and generate meaningful representation benefiting the CQA tasks.

MICO provides an efficient way to inject CKGs into pre-trained LMs. MICO solely trained on one knowledge source can achieve comparable performance or outperforms KRL (Banerjee and Baral, 2020) and COMET-DynaGen (Bosselut et al., 2021). KRL encodes the knowledge triplets into embeddings separately and then fuses two of them to predict the third one. Compared to KRL, MICO generates knowledge representations for sequence pairs, in which the relation interacts better with node entities as they are concatenated on the contextual level. COMET-DynaGen solves CQA tasks by utilizing the clarifications generated from COMET. However COMET is a generative model and always introduces novel entities (Wang et al., 2021), which may not be related to the query. Compared to COMET-DynaGen, MICO solves the CQA task by simply generating CKG related representations and comparing the similarity, also saving the cost of generating multi-step clarifications.

Another finding is that the representation generated from MICO can be easily generalized to out-of-domain datasets. SIQA achieves best results when ATOMIC used as the knowledge source and

Model	ConceptNet		ATOMIC	
	MRR	Hits@10	MRR	Hits@10
ConvE	0.21	0.40	0.08	0.09
RotatE	0.32	0.50	0.10	0.12
Malaviya	12.29	19.36	0.02	0.07
InductivE	18.15	29.37	2.51	5.45
MICO*	9.00	19.06	7.07	13.52
MICO \diamond	9.08	18.73	7.52	14.46
MICO \heartsuit	10.92	22.07	8.13	15.69

Table 3: Results on inductive CKGC. MICO* for BERT-base, MICO \diamond for RoBERTa-base, MICO \heartsuit for RoBERTa-L. k is set as 2.

CSQA achieves best results when ConceptNet used as the knowledge source. This is because SIQA is built based on ATOMIC and CSQA is built on ConceptNet. MICO still benefits the task for COPA, which requires commonsense knowledge but is not closely related to the two knowledge sources. This shows that the knowledge representation generated by MICO can generalize across tasks.

5.1.2 Results on Inductive CKGC

MICO enhances the commonsense representation by the contrast information between knowledge triplets and can generalize to unseen entity nodes. Results on the inductive CKGC task are shown in Table 3. Previous methods such as ConvE (Dettmers et al., 2018) and RotatE (Sun et al., 2018) rely on relation link between entities to learn entity embedding. These methods perform bad when new entities come with no link to previous nodes existing. Methods such as Malaviya (Malaviya et al., 2020) or InductivE (Wang et al., 2021) apply pre-trained LMs to initialize the node embedding and then focus on utilizing subgraph structure to improve the generalizability of node features by GCN. However, the CKG is sparse and the average degree for each node is roughly around 2 for both CKGs. Thus MICO focuses on learning the context information of node entities and achieves better performance on ATOMIC while comparable on ConceptNet.

MICO achieves better performance than InductivE on ATOMIC while otherwise on ConceptNet. The entity nodes contain 3.93 words on average in ConceptNet and 6.12 words on average in ATOMIC. MICO encodes the node textual description by pre-trained LMs and longer word sequences results in better distinguishable node feature. This may explains why MICO performs better on ATOMIC than on ConceptNet compared to In-

Backbone	CKG	COPA	SIQA	CSQA
BERT-base	-	45.9	37.1	21.5
	ConceptNet	65.2	39.1	42.9
	ATOMIC	<u>71.3</u>	<u>48.9</u>	40.7
RoBERTa-base	-	53.5	38.4	29.2
	ConceptNet	67.7	39.8	44.7
	ATOMIC	<u>72.0</u>	<u>51.9</u>	40.8
RoBERTa-L	-	56.6	39.8	31.3
	ConceptNet	74.2	44.6	<u>51.0</u>
	ATOMIC	<u>78.4</u>	<u>56.0</u>	44.2

Table 4: Backbone model study on two CKGs and evaluation on CQA tasks. For MICO, k is set as 2 during training.

ductivE. InductivE relies on learning the neighboring graph structure by GCN. However in ATOMIC, the entity nodes are more complex than those in ConceptNet so capturing the graph structure is not enough to learn good commonsense representation.

5.2 Ablation Study and Analysis

In this part, we analyze the influence of backbone models, number of candidate positive tails k , and hard positive selection in MICO. For evaluation on CQA tasks, the results are reported on the development set of SIQA and CSQA, and combination of development set and test set of COPA.

5.2.1 Backbone Pre-trained LMs

The results on different backbone models are shown in Table 4. MICO trained on different backbone models show consistent pattern on the three commonsense QA tasks. First, MICO trained with CKGs outperform baseline models without any CKG knowledge. Second, MICO trained with ConceptNet achieves better performance on CSQA and trained with ATOMIC achieves better performance on COPA and SIQA.

5.2.2 Hyper-parameter k

In this part, we study how the number of positive tails k influence the effects of MICO. For simplicity, we study the influence of k on two graphs with BERT-base as the backbone model.

The performance of CQA tasks and inductive CKGC tasks under the influence of k is shown in Table 5 and Table 6. MICO generally performs better on CSQA when trained on ConceptNet and SIQA when trained on ATOMIC. This is because the questions in each task are more related to the knowledge in the corresponding CKG.

The performances on the inductive CKGC

CKG	k	COPA	SIQA	CSQA
ConceptNet	1	64.9	39.3	42.1
	2	<u>65.2</u>	39.1	42.9
	3	64.7	39.2	42.8
	4	64.0	<u>39.8</u>	43.9
ATOMIC	1	72.2	48.2	40.7
	2	71.3	48.9	40.7
	3	72.1	48.9	<u>41.0</u>
	4	70.2	<u>49.2</u>	40.5

Table 5: Hyper-parameter study of k on two CKGs and evaluation on zero-shot CQA tasks.

k	ConceptNet		ATOMIC	
	MRR	Hits@10	MRR	Hits@10
1	8.81	18.82	6.69	12.78
2	9.00	19.06	7.07	13.52
3	9.41	19.65	7.08	13.46
4	9.21	19.22	7.14	13.58

Table 6: Hyper-parameter study of k on two CKGs and evaluation on inductive CKGC tasks.

mostly increase as k increases. This indicates that larger k helps the model generalize better in pairing the in-domain knowledge sequences. However for ConceptNet, the performance drops when k is greater than 3. The limited average degree of nodes in ConceptNet may explain this as larger k does not induce new candidate tails. Therefore, the model tends to fit the seen nodes better.

5.2.3 Sampling Strategy

We analyze the influence of selecting a hard positive compared with randomly sampling a positive from candidate sets. The results are shown in Table 7. The experiments are conducted on the backbone model with BERT-base and $k = 2$. Compared to random sampling, MICO mostly outperforms on the three datasets. This indicates that the hard positive during training can benefit the generalization of the representation. The only exception is training on ATOMIC and testing on SIQA. The possible explanation is that there is possibly a distribution gap between the training dataset and SIQA dataset. However, generally our sampling strategy can improve the generalizability of the representation.

6 Discussion

This section shows that transformers from MICO can construct commonsense representations for CKG and benefit commonsense knowledge retrieval given queries. One example from SIQA and retrieved possible alternatives from ATOMIC

CKG	Sampling	COPA	SIQA	CSQA
ConceptNet	Random	64.0	38.3	41.3
	MICO	<u>65.2</u>	<u>39.1</u>	<u>42.9</u>
ATOMIC	Random	71.1	<u>49.2</u>	40.3
	MICO	<u>71.3</u>	48.9	<u>40.7</u>

Table 7: Ablation study on sampling strategy on two CKGs and evaluation on CQA tasks. k is set as 2 during training.

Query	Jordan left their book if the library after studying all day. As a result, Jordan wanted to
w/ CKG	to go back and get the book to look for it at home to check the lost and the found to pick up the item they forgot to try to remember where they put it
w/o CKG	take a pet along to the apartment viewing and scares the landlord seen resolute to contemplate circumstances and possible outcomes to go out and form a relationship

Table 8: Comparison of retrieved alternatives from representations extracted RoBERTa-L with CKG (ATOMIC) and without CKG on question from SIQA task. Reasonable alternatives are in boldface.

is shown in Table 6. We first encode all the alternatives in CKG by the transformer finetuned with ATOMIC and original transformer without any finetuning. The top 5 retrieved nodes are listed by the ranks of similarity score in descending order.

We can find that the transformer finetuned on CKG can successfully pair the query with reasonable alternatives from CKG compared to original pre-trained transformer. Therefore, our method provides an efficient way to collect the related knowledge from CKG and may benefit the researches which require retrieved implicit background knowledge to reason over.

However, the representation generated from MICO still has some drawbacks as shown in the results. “Jordan look for it at library” would be a reasonable node instead of “Jordan look for it at home”. This shows that the representation still need future work to distinguish the detailed concepts.

7 Conclusion

In this paper, we propose a MICO, a multi-alternative contrastive learning framework over commonsense knowledge graphs to learn com-

monsense knowledge representation. The framework converts the knowledge triplets into sequence pairs and learns superior knowledge representation through contrastive learning techniques. The generated representations perform well over zero-shot CQA tasks and inductive CKGC tasks. Furthermore, for CQA tasks, the related knowledge can be provided by simply retrieving the commonsense knowledge representations of CKGs.

Acknowledgements

The authors of this paper were supported by the NSFC Fund (U20B2053) from the NSFC of China, the RIF (R6020-19 and R6021-20) and the GRF (16211520) from RGC of Hong Kong, the MHKJFS (MHP/001/19) from ITC of Hong Kong and the National Key R&D Program of China (2019YFE0198200) with special thanks to HKMAAC and CUSBLT, and the Jiangsu Province Science and Technology Collaboration Fund (BZ2021065). We also thank the support from the UGC Research Matching Grants (RMGS20EG01-D, RMGS20CR11, RMGS20CR12, RMGS20EG19, RMGS20EG21).

Limitations

As shown in the discussion, the commonsense knowledge representation generated from MICO can capture the rough meanings of the whole word sequences. While for detailed concepts, the representation failed to distinguish since the representation is extracted from a specific token to represent the meaning of the whole word sequence. However, concepts are key elements in semantics so future work is still needed to improve the representation.

References

Philip Bachman, R Devon Hjelm, and William Buchwalter. 2019. Learning representations by maximizing mutual information across views. *Advances in neural information processing systems*, 32.

Pratyay Banerjee and Chitta Baral. 2020. Self-supervised knowledge triplet learning for zero-shot question answering. In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 151–162.

Yonatan Bisk, Rowan Zellers, Jianfeng Gao, Yejin Choi, et al. 2020. Piqa: Reasoning about physical commonsense in natural language. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 34, pages 7432–7439.

Kurt Bollacker, Colin Evans, Praveen Paritosh, Tim Sturge, and Jamie Taylor. 2008. Freebase: a collaboratively created graph database for structuring human knowledge. In *Proceedings of the 2008 ACM SIGMOD international conference on Management of data*, pages 1247–1250.

Antoine Bordes, Nicolas Usunier, Alberto Garcia-Duran, Jason Weston, and Oksana Yakhnenko. 2013. Translating embeddings for modeling multi-relational data. *Advances in neural information processing systems*, 26.

Antoine Bosselut, Ronan Le Bras, and Yejin Choi. 2021. Dynamic neuro-symbolic knowledge graph construction for zero-shot commonsense question answering. In *Proceedings of the 35th AAAI Conference on Artificial Intelligence (AAAI)*.

Antoine Bosselut, Hannah Rashkin, Maarten Sap, Chaitanya Malaviya, Asli Celikyilmaz, and Yejin Choi. 2019. Comet: Commonsense transformers for automatic knowledge graph construction. In *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics*, pages 4762–4779.

Fredrik Carlsson, Amaru Cuba Gyllensten, Evangelia Gogoulou, Erik Ylipää Hellqvist, and Magnus Sahlgren. 2020. Semantic re-tuning with contrastive tension. In *International Conference on Learning Representations*.

Tim Dettmers, Pasquale Minervini, Pontus Stenetorp, and Sebastian Riedel. 2018. Convolutional 2d knowledge graph embeddings. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 32.

Zi-Yi Dou and Nanyun Peng. 2022. Zero-shot commonsense question answering with cloze translation and consistency optimization. *AAAI*.

Tianqing Fang, Hongming Zhang, Weiqi Wang, Yangqiu Song, and Bin He. 2021. Discos: Bridging the gap between discourse knowledge and commonsense knowledge. In *Proceedings of the Web Conference 2021*, pages 2648–2659.

Yanlin Feng, Xinyue Chen, Bill Yuchen Lin, Peifeng Wang, Jun Yan, and Xiang Ren. 2020. Scalable multi-hop relational reasoning for knowledge-aware question answering. In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 1295–1309.

Tianyu Gao, Xingcheng Yao, and Danqi Chen. 2021. Simcse: Simple contrastive learning of sentence embeddings. In *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*, pages 6894–6910.

Kaiming He, Haoqi Fan, Yuxin Wu, Saining Xie, and Ross Girshick. 2020. Momentum contrast for unsupervised visual representation learning. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 9729–9738.

- Jena D Hwang, Chandra Bhagavatula, Ronan Le Bras, Jeff Da, Keisuke Sakaguchi, Antoine Bosselut, and Yejin Choi. 2021. (comet-) atomic 2020: On symbolic and neural commonsense knowledge graphs. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 35, pages 6384–6392.
- Jacob Devlin Ming-Wei Chang Kenton and Lee Kristina Toutanova. 2019. Bert: Pre-training of deep bidirectional transformers for language understanding. In *Proceedings of NAACL-HLT*, pages 4171–4186.
- Thomas N Kipf and Max Welling. 2017. Semi-supervised classification with graph convolutional networks. *International Conference on Learning Representations (ICLR)*.
- Xiang Li, Aynaz Taheri, Lifu Tu, and Kevin Gimpel. 2016. Commonsense knowledge base completion. In *Proceedings of the 54th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 1445–1455.
- Bill Yuchen Lin, Xinyue Chen, Jamin Chen, and Xiang Ren. 2019. Kagnet: Knowledge-aware graph networks for commonsense reasoning. In *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*, pages 2829–2839.
- Hugo Liu and Push Singh. 2004. Conceptnet—a practical commonsense reasoning tool-kit. *BT technology journal*, 22(4):211–226.
- Yinhan Liu, Myle Ott, Naman Goyal, Jingfei Du, Mandar Joshi, Danqi Chen, Omer Levy, Mike Lewis, Luke Zettlemoyer, and Veselin Stoyanov. 2019. Roberta: A robustly optimized bert pretraining approach. *arXiv preprint arXiv:1907.11692*.
- Ilya Loshchilov and Frank Hutter. 2018. Decoupled weight decay regularization. In *International Conference on Learning Representations*.
- Shangwen Lv, Daya Guo, Jingjing Xu, Duyu Tang, Nan Duan, Ming Gong, Linjun Shou, Daxin Jiang, Guihong Cao, and Songlin Hu. 2020. Graph-based reasoning over heterogeneous external knowledge for commonsense question answering. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 34, pages 8449–8456.
- Kaixin Ma, Filip Ilievski, Jonathan Francis, Yonatan Bisk, Eric Nyberg, and Alessandro Oltramari. 2021. Knowledge-driven data construction for zero-shot evaluation in commonsense question answering. In *35th AAAI Conference on Artificial Intelligence*.
- Chaitanya Malaviya, Chandra Bhagavatula, Antoine Bosselut, and Yejin Choi. 2020. Commonsense knowledge base completion with structural and semantic context. In *Proceedings of the AAAI conference on artificial intelligence*, volume 34, pages 2925–2933.
- George A Miller. 1995. Wordnet: a lexical database for english. *Communications of the ACM*, 38(11):39–41.
- Maximilian Nickel, Volker Tresp, and Hans-Peter Kriegel. 2011. A three-way model for collective learning on multi-relational data. In *icml*.
- Guanglin Niu, Bo Li, Yongfei Zhang, and Shiliang Pu. 2022. Cake: A scalable commonsense-aware framework for multi-view knowledge graph completion. In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 2867–2877.
- Debjit Paul and Anette Frank. 2019. Ranking and selecting multi-hop knowledge paths to better predict human needs. In *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers)*, pages 3671–3681.
- Alec Radford, Jeffrey Wu, Rewon Child, David Luan, Dario Amodei, Ilya Sutskever, et al. 2019. Language models are unsupervised multitask learners. *OpenAI blog*, 1(8):9.
- Melissa Roemmele, Cosmin Adrian Bejan, and Andrew S Gordon. 2011. Choice of plausible alternatives: An evaluation of commonsense causal reasoning. In *2011 AAAI Spring Symposium Series*.
- Maarten Sap, Ronan Le Bras, Emily Allaway, Chandra Bhagavatula, Nicholas Lourie, Hannah Rashkin, Brendan Roof, Noah A Smith, and Yejin Choi. 2019a. Atomic: An atlas of machine commonsense for if-then reasoning. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 33, pages 3027–3035.
- Maarten Sap, Hannah Rashkin, Derek Chen, Ronan Le Bras, and Yejin Choi. 2019b. Social iqa: Commonsense reasoning about social interactions. In *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*, pages 4463–4473.
- Chao Shang, Yun Tang, Jing Huang, Jinbo Bi, Xiaodong He, and Bowen Zhou. 2019. End-to-end structure-aware convolutional networks for knowledge base completion. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 33, pages 3060–3067.
- Vered Shwartz, Peter West, Ronan Le Bras, Chandra Bhagavatula, and Yejin Choi. 2020. Unsupervised commonsense question answering with self-talk. In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 4615–4629.
- Push Singh et al. 2002. The public acquisition of commonsense knowledge. In *Proceedings of AAAI Spring Symposium: Acquiring (and Using) Linguistic (and World) Knowledge for Information Access*.

- Robyn Speer, Joshua Chin, and Catherine Havasi. 2017. Conceptnet 5.5: An open multilingual graph of general knowledge. In *Thirty-first AAAI conference on artificial intelligence*.
- Zhiqing Sun, Zhi-Hong Deng, Jian-Yun Nie, and Jian Tang. 2018. Rotate: Knowledge graph embedding by relational rotation in complex space. In *International Conference on Learning Representations*.
- Zhiqing Sun, Zhi-Hong Deng, Jian-Yun Nie, and Jian Tang. 2019. Rotate: Knowledge graph embedding by relational rotation in complex space. *arXiv preprint arXiv:1902.10197*.
- Alon Talmor, Jonathan Herzig, Nicholas Lourie, and Jonathan Berant. 2019. Commonsenseqa: A question answering challenge targeting commonsense knowledge. In *Proceedings of NAACL-HLT*, pages 4149–4158.
- Yonglong Tian, Dilip Krishnan, and Phillip Isola. 2020. Contrastive multiview coding. In *European conference on computer vision*, pages 776–794. Springer.
- Kristina Toutanova, Danqi Chen, Patrick Pantel, Hoi-fung Poon, Pallavi Choudhury, and Michael Gamon. 2015. Representing text for joint embedding of text and knowledge bases. In *Proceedings of the 2015 conference on empirical methods in natural language processing*, pages 1499–1509.
- Théo Trouillon, Johannes Welbl, Sebastian Riedel, Éric Gaussier, and Guillaume Bouchard. 2016. Complex embeddings for simple link prediction. In *International conference on machine learning*, pages 2071–2080. PMLR.
- Bin Wang, Guangtao Wang, Jing Huang, Jiaxuan You, Jure Leskovec, and C-C Jay Kuo. 2021. Inductive learning on commonsense knowledge graph completion. In *2021 International Joint Conference on Neural Networks (IJCNN)*, pages 1–8. IEEE.
- Zhen Wang, Jianwen Zhang, Jianlin Feng, and Zheng Chen. 2014. Knowledge graph embedding by translating on hyperplanes. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 28.
- Yichong Xu, Chenguang Zhu, Ruochen Xu, Yang Liu, Michael Zeng, and Xuedong Huang. 2021. Fusing context into knowledge graph for commonsense question answering. In *Findings of the Association for Computational Linguistics: ACL-IJCNLP 2021*, pages 1201–1207.
- An Yang, Quan Wang, Jing Liu, Kai Liu, Yajuan Lyu, Hua Wu, Qiaoqiao She, and Sujian Li. 2019. Enhancing pre-trained language representations with rich knowledge for machine reading comprehension. In *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics*, pages 2346–2357.
- Liang Yao, Chengsheng Mao, and Yuan Luo. 2019. Kgbert: Bert for knowledge graph completion. *arXiv preprint arXiv:1909.03193*.
- Michihiro Yasunaga, Hongyu Ren, Antoine Bosselut, Percy Liang, and Jure Leskovec. 2021. Qa-gnn: Reasoning with language models and knowledge graphs for question answering. In *Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 535–546.
- Rowan Zellers, Yonatan Bisk, Roy Schwartz, and Yejin Choi. 2018. Swag: A large-scale adversarial dataset for grounded commonsense inference. In *EMNLP*.
- Xikun Zhang, Antoine Bosselut, Michihiro Yasunaga, Hongyu Ren, Percy Liang, Christopher D Manning, and Jure Leskovec. 2021. Greaselm: Graph reasoning enhanced language models. In *International Conference on Learning Representations*.

Relation	rel template
xAttr	PersonX is seen as
xEffect	as a result, PersonX will
xWant	as a result, PersonX wants
xNeed	but before, PersonX needed
xReact	as a result, PersonX feels
xIntent	because PersonX wanted
oEffect	as a result, PersonY or others will
oReact	as a result, PersonY or others feel
oWant	as a result, PersonY or others want
xAttr rev	"PersonX is seen as", "because PersonX"
xEffect rev	"PersonX will", "because PersonX"
xWant rev	"PersonX wants", "because PersonX"
xNeed rev	"PersonX needs", "as a result PersonX"
xReact rev	"PersonX feels", "because PersonX"
xIntent rev	"PersonX wanted", "as a result PersonX"
oEffect rev	"PersonY or others will", "because PersonX"
oReact rev	"PersonY or others feel", "because PersonX"
oWant rev	"PersonY or others want", "because PersonX"

Table 9: Relation types and relation substitute templates from ATOMIC. *rev* mean reverse relation.

A Appendix

A.1 Templates for Relation

For training dataset of two CSKGs, we used the version from InductiveE².

A.1.1 ATOMIC

In ATOMIC, there are nine relations. The substitute template of original relations and reverse relations are shown in Table 9. *PersonX* and *PersonY* are substituted by "John" or "Tom" respectively.

A.1.2 ConceptNet

ConceptNet contains 34 relations, The substitute template of original relations and reverse relations are shown in Table 10.

A.2 Baselines

A.2.1 Commonsense Question Answering

Self-Talk (Shwartz et al., 2020). Self-Talk inquires LMs for implicit background knowledge to solve multiple-choice commonsense tasks. The model uses pretrained LMs as knowledge sources.

Dou (Dou and Peng, 2022). Dou extracts the related background knowledge embedded in pre-trained LMs by designing fill-in-the-blank prompts for commonsense question answering tasks. We compare with the syntactic-based rewriting method in which no supervision from curated-annotated training data is used.

²<https://github.com/BinWang28/InductiveE>

KTL (Banerjee and Baral, 2020). Two ways are used to learn from knowledge triplets from knowledge graphs which can be used to perform zero-shot QA, namely knowledge representation learning (KRL) and span masked language modeling (SMLM). We compare with the KRL method.

COMET-DynaGen (Bosselut et al., 2021). COMET-DG implements zero-shot commonsense QA by inference over dynamically generated commonsense knowledge graphs as related knowledge from COMET.

A.2.2 Inductive CSKG Completion

ConvE (Dettmers et al., 2018). ConvE stacks the node embedding and relation embedding and reshapes the resulting tensor into the same dimensionality as the node embeddings by a 2D convolution operation.

RotatE (Sun et al., 2018). RotatE utilizes the rotation operation and defines the distance function between entities and relation as $d_r(\mathbf{h}, \mathbf{t}) = \|\mathbf{h} \circ \mathbf{r} - \mathbf{t}\|$.

Malaviya (Malaviya et al., 2020). The method adopts a graph convolutional neural network GCN to learn graph structure information and a pre-trained LMs to represent contextual knowledge.

InductiveE (Wang et al., 2021). The model directly computes entity embeddings from raw attributes and a GCN decoder with a novel densification process to enhance unseen entity representation with neighboring structural information.

Relation	relation templates
AtLocation	located or found at or in or on
CapableOf	is or are capable of
NotCapableOf	is not or are not capable of
Causes	causes
CausesDesire	makes someone want
CreatedBy	is created by
DefinedAs	is defined as
DesireOf	desires
Desires	desires
NotDesires	do not desire
HasA	has, possesses, or contains
HasFirstSubevent	begins with the event or action
HasLastSubevent	ends with the event or action
HasPrerequisite	to do this, one requires
HasProperty	can be characterized by being or having
InstanceOf	is an example or instance of
IsA	is a
MadeOf	is made of
MotivatedByGoal	is a step towards accomplishing the goal
PartOf	is a part of
ReceivesAction	can receive or be affected by the action
SymbolOf	is a symbol of
UsedFor	used for
LocatedNear	is located near
RelatedTo	is related to
InheritsFrom	inherits from
LocationOfAction	is acted at the location of
HasPainIntensity	causes pain intensity of
AtLocation rev	is the position of
CapableOf rev	is a skill of
NotCapableOf rev	is not a skill of
Causes rev	because
CausesDesire rev	because
CreatedBy rev	create
DefinedAs rev	is known as
DesireOf rev	is desired by
Desires rev	is desired by
NotDesires rev	is not desired by
HasA rev	is possessed by
HasFirstSubevent rev	is the beginning of
HasLastSubevent rev	is the end of
HasPrerequisite rev	is the prerequisite of
HasProperty rev	is the property of
InstanceOf rev	include
IsA inversed	includes
MadeOf rev	make up of
MotivatedByGoal rev	motivate
PartOf rev	include
ReceivesAction rev	affect
SymbolOf rev	can be represented by
UsedFor rev	could make use of
LocatedNear rev	is located near
RelatedTo inversed	is related to
InheritsFrom rev	hands down to
LocationOfAction rev	is the location for acting
HasPainIntensity rev	is the pain intensity caused by

Table 10: Relation types and relation substitute templates from ConceptNet. *rev* mean reverse relation.