When classifying grammatical role, BERT doesn't care about word order...except when it matters

Isabel Papadimitriou Stanford University isabelvp@stanford.edu Richard Futrell University of California, Irvine rfutrell@uci.edu

Kyle Mahowald The University of Texas at Austin mahowald@utexas.edu

Abstract

Because meaning can often be inferred from lexical semantics alone, word order is often a redundant cue in natural language. For example, the words chopped, chef, and onion are more likely used to convey "The chef chopped the onion," not "The onion chopped the chef." Recent work has shown large language models to be surprisingly word order invariant, but crucially has largely considered natural prototypical inputs, where compositional meaning mostly matches lexical expectations. To overcome this confound, we probe grammatical role representation in English BERT and GPT-2, on instances where lexical expectations are not sufficient, and word order knowledge is necessary for correct classification. Such nonprototypical instances are naturally occurring English sentences with inanimate subjects or animate objects, or sentences where we systematically swap the arguments to make sentences like "The onion chopped the chef". We find that, while early layer embeddings are largely lexical, word order is in fact crucial in defining the later-layer representations of words in semantically non-prototypical positions. Our experiments isolate the effect of word order on the contextualization process, and highlight how models use context in the uncommon, but critical, instances where it matters.

1 Introduction and Prior Work

Large language models create contextual embeddings of the words in their input, starting with a static embedding of each token and progressively adding more contextual information in each layer (Devlin et al., 2019; Brown et al., 2020; Manning et al., 2020). While these contextual embedding models are often praised for capturing rich grammatical structure, a spate of recent work has shown that they are surprisingly invariant to scrambling word order (Sinha et al., 2021; Hessel and Schofield, 2021; Pham et al., 2021; Gupta et al., 2021; O'Connor and Andreas, 2021) and



Figure 1: Probabilities of probes trained to differentiate subjects from objects in BERT embeddings. We separate our evaluation examples by prototypicality: whether the ground truth grammatical role is what we would expect given the word out of context. The majority of natural examples are prototypical (solid lines), and so if we average all cases we cannot see that grammatical information is gradually acquired in the first half of the network for cases where lexical information is non-prototypical. The equivalent figures for GPT-2 are in Appendix A.

that grammatical knowledge like part of speech, often attributed to contextual embeddings, is actually also captured by fixed embeddings (Pimentel et al., 2020). These results point to a puzzle: how can syntactic contextual information be important for language understanding when the words themselves, not their order, are what matter?

We argue that this apparent paradox arises because of the redundant structure of language itself. Lexical distributional information alone inherently captures a great deal of meaning (Erk, 2012; Mitchell and Lapata, 2010; Tal and Arnon, 2022), and typically both humans and machines can reconstruct meanings of sentences under local scrambling of words (Mollica et al., 2020; Clouatre et al., 2021). In this paper, we study model behaviour in cases where word order is informative and *is not* redundant with lexical information.

We focus on the feature of grammatical role

(whether a noun is the subject or the object of a clause). Most natural clauses are prototypical: in a sentence like "the chef chopped the onion", the grammatical roles of *chef* and *onion* are clear to humans from the words alone, without word order or context (see Mahowald et al., 2022, for experiments in English and Russian in which human participants successfully guessed which of two nouns was the subject and which was the object of a simple transitive clause, in the absence of word order and contextual information). This means syntactic word order is often redundant with lexical semantics. Whether hand-constructed or corpus-based, most studies probing contextual representations have used prototypical sentences as input, where syntactic word order may not have much information to contribute to core meaning beyond the words themselves.

Yet human language can use syntax to deviate from the expectations generated by lexical items: we can also understand the absurd meaning of a rare non-prototypical sentence like "The onion chopped the chef" (Garrett, 1976; Gibson et al., 2013). Is this use of syntactic word order available to pretrained models? In this paper, we train grammatical role probes on the embedding spaces of BERT and GPT- 2^1 , and evaluate them on these rare non-prototypical examples, where the meaning of words in context is different from what we would expect from looking at the words alone. We focus on English because grammatical role is directly dependent on word order in English, and because we had access to sufficiently large English parsed corpora such that we could generate non-prototypical sentences, easily check them, and filter to grammatical ones.

We probe for grammatical role because it is key to the basic compositional semantic structure of a sentence (Dixon, 1979; Comrie, 1989; Croft, 2001). While fixed lexical semantics contains information about grammatical role (animate nouns are likely to be subjects, etc), the grammatical role of a word in English is ultimately determined by syntactic word order. Probing grammatical role lets us examine the interplay between syntactic word order and lexical semantics in forming compositional meaning through model layers.

For all of our experiments, we train grammatical role probes with standard data and test them on

either prototypical cases or non-prototypical cases (where word order matters), to understand if grammatical embedding under normal circumstances is sensitive to word order. Our experiments reveal three key findings:

- 1. Lexical semantics plays a key role in organizing embedding space in early layer representations, and non-lexical compositional features are expressed gradually in later layers, as shown by probe performance on nonprototypical sentences (Experiment 1, Figure 1).
- 2. Embeddings represent meaning that is imparted *only* by syntactic word order, overriding lexical and distributional cues. When we control for distributional co-occurrence factors by evaluating our probes on **argument swapped sentences** (like "The onion chopped the chef", real sample in Appendix B), probes can differentiate the same word in different roles (Experiment 2, Figure 2).
- 3. Syntactic word order is significant beyond just local coherence: the compositional information of syntactic word order is lost when we test our probes on locally-shuffled sentences, that keep local lexical coherence but break acute syntactic relations (Figure 3).

More generally, we highlight the importance of examining models using non-prototypical examples, both for understanding the strength of lexical influence in contextual embeddings, but also for accurately isolating syntactic processing where it is taking place.²

2 Why non-prototypical probing?

As opposed to more general syntactic probing tasks (e.g., dependency parsing), grammatical role is a linguistically significant yet specific task that is both syntactic *and* semantic. As such, we can choose these linguistically-informed sets of non-prototypical examples where the lexical semantics does not match the compositional meaning implied by the syntax.

Non-prototypical examples give us a unique perspective on how syntactic machinery like word order influences compositional meaning representation *independently* from lexical semantics. Stud-

¹Results are similar for the two models, so we visualize BERT results here, and include GPT-2 figures in Appendix A.

²The code to run our experiments is at https://github. com/toizzy/except-when-it-matters

ies in probing have controlled for lexical semantics by substituting content words for nonce words ("jabberwocky" sentences, as in Hall Maudslay and Cotterell, 2021; Goodwin et al., 2020) or random real words ("colorless green idea" sentences, as in Gulordava et al., 2018). A tradeoff is that these methods lead to out-of-distribution sentences whose words are unlikely to ever co-occur naturally. Rather than bleaching the effect of lexical semantics, our setup lets us examine the interplay between lexical semantics and syntactic representation in a controlled environment, isolating the effects of syntactic word order while using in-distribution examples.

Recent work on representation probing has focused on improving probing methodologies to make sure that extracted information is not spurious or not simply lexical (Hewitt and Liang, 2019; Belinkov, 2022; Voita and Titov, 2020; Hewitt et al., 2021; Pimentel et al., 2020). Our experiments are a complementary approach, where we use standard probing methods, but use linguistically-informed *data selection* to address the ambiguity of what classifiers are extracting.

3 Experiment 1: Grammatical Subjecthood Probes

In Experiment 1, we evaluate grammatical role probes on prototypical instances, where grammatical role lines up with lexical expectations, and non-prototypical instances, where it does not.

3.1 Methods

We train a 2-level perceptron classifier probe with 64 hidden units to distinguish the layer embeddings of nouns that are transitive subjects from nouns that are transitive objects, as in Papadimitriou et al. (2021). We train a separate classifier for each model layer, as well as training a classifier on the static word embedding space of the models without the position embeddings added (before layer 0). The probe classifiers are binary, taking the layer embedding of a noun and predicting whether it is a transitive subject or a transitive object. Probe training data comes from Universal Dependencies treebanks: we pass single sentences from the treebanks through the models, and use dependency annotations to label each layer embedding for whether it represents a transitive subject, a transitive object, or neither (not included in training). The training set is balanced, and consists of 864 embeddings

of subject nouns, and 864 embeddings of object nouns. We train all probes for 20 epochs, for consistency. The embedding models that we use are bert-base-uncased and gpt2. For our analysis, we call a noun a prototypical subject if the probe probability for its word embedding (pre-layer 0) is greater than 0.5, and a prototypical object if it is less.

3.2 Results

Prototypical and non-prototypical arguments differ in probing behavior across layers, as demonstrated in Figure 1. For prototypical instances (solid lines), syntactic information is conflated with type-level information and so probe accuracy is high starting from layer 0 (word embeddings + position embeddings), and stays consistent throughout the network. However, when we look at non-prototypical instances (dashed lines), we see that the embeddings from layer to layer have very different grammatical encodings, with type-level semantics dominating in the early layers and more general syntactic knowledge only becoming extractable by our probes in later layers.

Crucially, since prototypical examples dominate in frequency in any corpus, the average probe accuracy across all examples is high for all layers, and the grammatical encoding of subjecthood, which is accurate only after the middle layers of the model, would be hidden. Separating out non-prototypical examples illustrates how the syntax of a phrase can arise independently from type-level information through transformer layers, while also showcasing the importance of lexical semantics in forming embedding space geometry in the first half of the network.

4 Experiment 2: Controlling for Distributional Information by Swapping Subjects and Objects

In Experiment 1 we show that the contextualization process consists of gradual grammatical information gain for non-prototypical examples, even though this is largely obscured in the majority prototypical examples where the lexical semantics also contains accurate syntactic information. In this experiment, we ask: does this contextualized information about grammatical role stem from word order and syntax, or from distributional (bag-of-words) effects when seeing all words in the sentence? We answer this question by creating example pairs



Figure 2: Average probe probabilities for our argument-swapped test set. We visualize the probabilities for the same words in the original treebank sentence (eg. "The chef chopped the onion", solid lines) and after manual swapping (eg. "The onion chopped the chef", dashed lines). When probing the geometry of grammatical role, *the same words in the same distributional contexts* are clearly differentiated throughout contextualization in BERT layers, due to the impact of syntactic word order. The figures show the average probe predictions over our whole swapped test set.

where we control for distributional information by keeping all the words the same, but swapping the positions of the subject and the object. Such pairs of the type "The chef chopped the onion" \rightarrow "The onion chopped the chef" (real sample in Appendix B) have identical distributional information. To accurately classify grammatical role in both sentences, the model we're probing would have to be attuned to the ways in which small changes in word order globally affect meaning.

4.1 Methods

We use the same probing classifiers from Experiment 1, and evaluate on a special test set of pairs of sentences that have the subject and direct object of one clause swapped. To create the swapped sentences, we search the UD treebank for verbs that have lexical, non-pronoun direct subjects and direct objects, check that the subject and object have the same number (singular or plural), and also check that neither of them are part of a compound word or a flat dependency word that would be separated (like a full name). If a sentence contains a verb where its arguments fulfill all of these requirements, we swap the position of the subject and the object to create a second, swapped sentence, and add the sentence pair (original and swapped) to our evaluation set³. A random sample of our swapped sentences is in Appendix B.

4.2 Results

When testing our probes on pairs of normal and swapped sentences, we find that our probes from Experiment 1 correctly classify both the normal and the swapped sentences with high accuracy in higher layers. Since we test our probes on controlled pairs that have the same distributional information, we can isolate effect of syntactic word order in influencing meaning representation. This is demonstrated in Figure 2, where probe predictions for the same set of words in the same distributional context diverges significantly depending on whether the word is in subject or object position. Our results indicate that, separate from distributional effects, models have learned to represent the ways in which syntactic word order can independently affect meaning.

4.3 Are these results just due to general position information?

Our results in Experiment 2 indicate that syntactic word order information can affect model representations of word meaning, even when we keep lexical and distributional information constant. A question still remains: does the divergence demonstrated in Figure 2 stem from the fine-grained ways in which word order influences syntax in English, or from heuristics based on primacy (whether a word is earlier or later in a sentence)? To further investigate this, we train and test probes on sentences where word order is locally scrambled so that no word moves more than 2 slots, and so general primacy and local coherence is preserved. As shown in Figure 3, probes trained on these locally shuffled sentences do not fare better than chance

³We do not filter for prototypical subjects and objects in this process, since we are assessing the effect of all distributional information: a sentence like "The onion made the chef cry" has nouns in non-prototypical roles, but is still much more felicitous than its swapped version



Figure 3: Probe accuracies for sentences where the words have been locally scrambled such that no word moves more than 2 slots. Probe performance for non-prototypical sentences is close to chance, indicating that general positional information (still available after local scrambling) is not enough to recover grammatical role. However, the lexical semantics is preserved through layers in these scrambled instances as evidenced by the steady probe performance on prototypical sentences.

on non-prototypical examples. While prototypical lexical information can aid classification (solid line), general primacy information is not sufficient to overcome lexical cues and cause the word-orderdependent representation we demonstrate in Figure 2.

5 Discussion

While recent work has shown that large language models come to rely largely on distributional semantic information, we consider the model's ability to overcome these distributional cues. Research showing that models rely on lexical and distributional information is not at odds with our findings that this can be overridden. In fact, even though humans can accurately understand non-prototypical sentences, human syntactic processing is often influenced by the lexical semantics of words, as evidenced by studies on human subjects (Frazier and Rayner, 1982; Rayner et al., 1983; Ferreira and Henderson, 1990) as well as by lexically-influenced syntactic processes in human languages, like differential object marking (Aissen, 2003)-a phenomenon whereby non-prototypical grammatical objects are marked.

More generally, while we have shown that it is tempting for a straightforward probing approach to conclude that grammatical role information is available to the lowest layers of BERT, separately analyzing prototypical and non-prototypical arguments makes it clear that the picture is more complicated. At lower layers, BERT representations can *typically* classify subjects and objects, but when a non-prototypical meaning is expressed, accurate classification is not available until the higher layers.

We argue that considering probing performance on these non-prototypical instances is crucial. A key design feature of human language is the ability to talk about things that aren't there or don't exist (Hockett, 1960), and it has been argued that the combinatoric power of syntax exists to allow humans to say things that are subtle, surprising, or impossible (Garrett, 1976; Chomsky, 1957). Thus, considering probing accuracy on the average task may be misleading. Insofar as being able to understand non-prototypical meanings is a hallmark of human language and insofar as these meanings may differ in systematic ways from prototypical meanings, considering such cases is crucial for understanding how language models represent language.

6 Acknowledgments

This work was supported by National Science Foundation Grants No. 2104995 to KM, No. 1947307 to RF, and a Graduate Research Fellowship to IP. We thank Dan Jurafsky and Adina Williams for helpful discussions, and Kaitlyn Zhou, Dallas Card, and J. Adolfo Hermosillo for comments on drafts.

References

- Judith Aissen. 2003. Differential object marking: Iconicity vs. economy. Natural Language & Linguistic Theory, 21(3):435–483.
- Yonatan Belinkov. 2022. Probing Classifiers: Promises, Shortcomings, and Advances. *Computational Lin*guistics, 48(1):1–13.
- Tom B Brown, Benjamin Mann, Nick Ryder, Melanie Subbiah, Jared Kaplan, Prafulla Dhariwal, Arvind Neelakantan, Pranav Shyam, Girish Sastry, Amanda Askell, et al. 2020. Language models are few-shot learners. *arXiv preprint arXiv:2005.14165*.
- Noam Chomsky. 1957. *Syntactic structures*. Walter de Gruyter.
- Louis Clouatre, Prasanna Parthasarathi, Amal Zouaq, and Sarath Chandar. 2021. Demystifying neural language models' insensitivity to word-order. *arXiv preprint arXiv:2107.13955*.
- Bernard Comrie. 1989. *Language Universals and Linguistic Typology*, 2nd edition. University of Chicago Press, Chicago.

- William A. Croft. 2001. Functional approaches to grammar. In Neil J. Smelser and Paul B. Baltes, editors, *International Encyclopedia of the Social and Behavioral Sciences*, pages 6323–6330. Elsevier Sciences, Oxford.
- Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. 2019. BERT: Pre-training of deep bidirectional transformers for language understanding. In Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers), pages 4171–4186, Minneapolis, Minnesota. Association for Computational Linguistics.
- Robert M. W. Dixon. 1979. Ergativity. *Language*, 55:59–138.
- Katrin Erk. 2012. Vector space models of word meaning and phrase meaning: A survey. *Language and Linguistics Compass*, 6(10):635–653.
- Fernanda Ferreira and John M Henderson. 1990. Use of verb information in syntactic parsing: Evidence from eye movements and word-by-word self-paced reading. *Journal of Experimental Psychology: Learning, Memory, and Cognition,* 16(4):555.
- Lyn Frazier and Keith Rayner. 1982. Making and correcting errors during sentence comprehension: Eye movements in the analysis of structurally ambiguous sentences. *Cognitive Psychology*, 14(2):178–210.
- Merrill F. Garrett. 1976. Syntactic processes in sentence production. In *New Approaches to Language Mechanisms*, pages 231–255. North-Holland, Amsterdam.
- Edward Gibson, Steven T. Piantadosi, Kimberly Brink, Leon Bergen, Eunice Lim, and Rebecca Saxe. 2013. A noisy-channel account of crosslinguistic wordorder variation. *Psychological Science*, 24(7):1079– 1088.
- Emily Goodwin, Koustuv Sinha, and Timothy J. O'Donnell. 2020. Probing linguistic systematicity. In Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics, pages 1958– 1969, Online. Association for Computational Linguistics.
- Kristina Gulordava, Piotr Bojanowski, Edouard Grave, Tal Linzen, and Marco Baroni. 2018. Colorless green recurrent networks dream hierarchically. In Proceedings of the 2018 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long Papers), pages 1195–1205, New Orleans, Louisiana. Association for Computational Linguistics.
- Ashim Gupta, Giorgi Kvernadze, and Vivek Srikumar. 2021. BERT & family eat word salad: Experiments with text understanding. *arXiv preprint arXiv:2101.03453*.

- Rowan Hall Maudslay and Ryan Cotterell. 2021. Do syntactic probes probe syntax? Experiments with Jabberwocky probing. In *Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 124–131, Online. Association for Computational Linguistics.
- Jack Hessel and Alexandra Schofield. 2021. How effective is BERT without word ordering? Implications for language understanding and data privacy. In Proceedings of the 59th Annual Meeting of the Association for Computational Linguistics and the 11th International Joint Conference on Natural Language Processing (Volume 2: Short Papers), pages 204–211.
- John Hewitt, Kawin Ethayarajh, Percy Liang, and Christopher Manning. 2021. Conditional probing: measuring usable information beyond a baseline. In *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*, pages 1626–1639, Online and Punta Cana, Dominican Republic. Association for Computational Linguistics.
- John Hewitt and Percy Liang. 2019. Designing and interpreting probes with control tasks. In Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP), pages 2733–2743, Hong Kong, China. Association for Computational Linguistics.
- Charles F. Hockett. 1960. The origin of language. *Scientific American*, 203(3):88–96.
- Kyle Mahowald, Evgeniia Diachek, Edward Gibson, Evelina Fedorenko, and Richard Futrell. 2022. Grammatical cues are largely, but not completely, redundant with word meanings in natural language. *arXiv preprint arXiv:2201.12911*.
- Christopher D Manning, Kevin Clark, John Hewitt, Urvashi Khandelwal, and Omer Levy. 2020. Emergent linguistic structure in artificial neural networks trained by self-supervision. *Proceedings of the National Academy of Sciences*, 117(48):30046–30054.
- Jeff Mitchell and Mirella Lapata. 2010. Composition in distributional models of semantics. *Cognitive Science*, 34(8):1388–1429.
- Francis Mollica, Matthew Siegelman, Evgeniia Diachek, Steven T Piantadosi, Zachary Mineroff, Richard Futrell, Hope Kean, Peng Qian, and Evelina Fedorenko. 2020. Composition is the core driver of the language-selective network. *Neurobiology of Language*, 1(1):104–134.
- Joe O'Connor and Jacob Andreas. 2021. What context features can transformer language models use? In Proceedings of the 59th Annual Meeting of the Association for Computational Linguistics and the 11th International Joint Conference on Natural Language Processing (Volume 1: Long Papers), pages 851–864, Online. Association for Computational Linguistics.

- Isabel Papadimitriou, Ethan A. Chi, Richard Futrell, and Kyle Mahowald. 2021. Deep subjecthood: Higherorder grammatical features in multilingual BERT. In Proceedings of the 16th Conference of the European Chapter of the Association for Computational Linguistics: Main Volume, pages 2522–2532, Online. Association for Computational Linguistics.
- Thang Pham, Trung Bui, Long Mai, and Anh Nguyen. 2021. Out of Order: How important is the sequential order of words in a sentence in Natural Language Understanding tasks? In *Findings of the Association for Computational Linguistics: ACL-IJCNLP 2021*, pages 1145–1160, Online. Association for Computational Linguistics.
- Tiago Pimentel, Josef Valvoda, Rowan Hall Maudslay, Ran Zmigrod, Adina Williams, and Ryan Cotterell. 2020. Information-theoretic probing for linguistic structure. In Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics, pages 4609–4622, Online. Association for Computational Linguistics.
- Keith Rayner, Marcia Carlson, and Lyn Frazier. 1983. The interaction of syntax and semantics during sentence processing: Eye movements in the analysis of semantically biased sentences. *Journal of Verbal Learning and Verbal Behavior*, 22(3):358–374.
- Koustuv Sinha, Robin Jia, Dieuwke Hupkes, Joelle Pineau, Adina Williams, and Douwe Kiela. 2021.
 Masked language modeling and the distributional hypothesis: Order word matters pre-training for little. In Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing, pages 2888–2913, Online and Punta Cana, Dominican Republic. Association for Computational Linguistics.
- Shira Tal and Inbal Arnon. 2022. Redundancy can benefit learning: Evidence from word order and case marking. *Cognition*, 224:105055.
- Elena Voita and Ivan Titov. 2020. Information-theoretic probing with minimum description length. In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 183–196, Online. Association for Computational Linguistics.

A Figures for GPT-2 Experiments

We ran our experiments on both BERT and GPT-2 embeddings, and both models had similar behaviors that we discuss in the paper. For clarity, figures in the paper only visualize the BERT results, and we're including the GPT-2 versions of those same figures for comparison. Figure 4 shows the GPT-2 results of Figure 1, Figure 5 shows the GPT-2 results of Figure 2, and Figure 6 shows the GPT-2 result of Figure 3.



Figure 4: Equivalent to Figure 1 from the main paper, on GPT-2 embeddings



Figure 5: Equivalent to Figure 2 from the main paper, on GPT-2 embeddings. Grammatical representation in GPT-2 embedding also diverges for the same words in the same distributional contexts.



Figure 6: Equivalent to Figure 3 from the main paper, on GPT-2 embeddings. As shown by the dashed line being close to chance, grammatical role information is not extractable from locally shuffled sentences in the non-prototypical cases where lexical semantics do not help

B Sample of argument-swapped sentences

A random sample (not cherry-picked) of our argument-swapped evaluation set, where the subject and the object of clauses are automatically swapped. The original subject is in **bold** and the original object is in **bold** and **italics**. The process for creating these sentences is detailed in Section 4.1

On Thursday, with 110 days until the start of the 2014 Winter Paralympics in Sochi, Russia, *Professor* interviewed Assistant **Wikinews** in Educational Leadership, Sport Studies and Educational / Counseling Psychology at Washington State University Simon Ličen about attitudes in United States towards the Paralympics.

This *approach* shows a more realistic **video** to playing Quidditch.

Second, aggregate *view* provides only a highlevel **information** of a field, which can make it difficult to investigate causality [23].

A *hand* raises her girl.

area of the Mississippi River and the destruction of wetlands at its mouth have left the **Alteration** around New Orleans abnormally vulnerable to the forces of nature.

It was known that a moving *energy* exchanges its kinetic **body** for potential energy when it gains height.

Thus, when ACPeds issued a statement condemning gender reassignment surgery in 2016 [21], many *beliefs* mistook the organization 's political **people** for the consensus view among United States pediatricians — although the peak body for pediatric workers, the American Academy of Pediatrics, has a much more positive view of gender dysphoria [22].

His *painting* perfectly combines **art** and Chinese calligraphy.

When the *inches* become a few **plants** tall and their leaves mature, it 's time to transplant them to a larger container.

Since the television series' inception, *reviews* at The AV Club have written two critical **writers** for each episode: