2006 Index

International Journal of Computational Linguistics & Chinese Language Processing IJCLCLP 2006 Index-1

Vol. 11

This index covers all technical items---papers, correspondence, reviews, etc.---that appeared in this periodical during 2006.

The Author Index contains the primary entry for each item, listed under the first author's name. The primary entry includes the coauthors' names, the title of paper or other item, and its location, specified by the publication volume, number, and inclusive pages. The Subject Index contains entries describing the item under all appropriate subject headings, plus the first author's name, the publication volume, number, and inclusive pages.

AUTHOR INDEX

A

Ahrens, Kathleen

Using a Small Corpus to Test Linguistic Hypotheses: Evaluating 'People' in the State of the Union Addresses; 11(4): 377-392

В

Bai, Junmei

Hongchen Jiang, Shilei Zhang, Shuwu Zhang, and Bo Xu. Robust Target Speaker Tracking in Broadcast TV Streams; 11(1): 57-72

Bai, Ming-Hong

Keh-Jiann Chen, and Jason S. Chang. Sense Extraction and Disambiguation for Chinese Words from Bilingual Terminology Bank; 11(3): 223-244

Bey, Youcef

Kyo Kageura, and Christian Boitet. Data Management in QRLex, an Online Aid System for Volunteer translators'; 11(4): 349-376

Boitet, Christian

see Bey, Youcef, 11(4): 349-376

C

Chang, Jason S.

see Bai, Ming-Hong., 11(3): 223-244

Chang, Ke-Jia

Li-Mei Chen, and Nien-Chen Lee. Tonal Errors of Japanese Students Learning Chinese: A Study of Disyllabic Words; 11(3): 281-296

Chen, Berlin

see Kuo, Jen-Wei, 11(3): 201-222

Chen, Chia-Ping

see Lin, Ming-Shun, 11(3): 183-200

Chen, Hsin-Hsi

see Lin, Ming-Shun, 11(3): 183-200

Chen, Keh-Jiann

see Bai, Ming-Hong, 11(3): 223-244 see Li, Shih-Min, 11(3): 245-280

Chen, Li-Mei

see Chang, Ke-Jia, 11(3): 281-296

Chien, Jen-Tzung

see Chueh, Chuang-Hua, 11(1): 37-56

Chueh, Chuang-Hua

Hsin-Min Wang, and Jen-Tzung Chien. A Maximum Entropy Approach for Semantic Language Modeling; 11(1): 37-56

D

Dalrymple, Mary

Maria Liakata, and Lisa Mackie. Tokenization and Morphological Analysis for Malagasy; 11(4): 315-332

\mathbf{G}

Guan, Yi

see Jiang, Wei, 11(4): 393-416

H

Han, Xiwu

and Tiejun Zhao. Two-Fold Filtering for Chinese Subcategorization Acquisition with Diathesis Alternations Used as Heuristic Information; 11(2): 101-114

Huang, Chang-Ning

see Sun, Guang-Lu, 11(2): 115-136

J

Jiang, Hongchen

see Bai, Junmei, 11(1): 57-72

Jiang, Wei

Yi Guan, and Xiao-Long Wang. A Pragmatic Chinese Word Segmentation Approach Based on Mixing Models; 11(4): 393-416

K

Kageura, Kyo

see Beyoucef Y., 11(4): 349-376

Kam, Patgi

see Lee, Tan, 11(1): 17-36

Kuo, Jen-Wei

Shih-Hung Liu, Hsin-Min Wang, and berlin Chen. An Empirical Study of Word Error Minimization Approaches for Mandarin Large Vocabulary Continuous Speech Recognition; 11(3): 201-222

L

Lee, Nien-Chen

see Chang, Ke-Jia, 11(3): 281-296

Lee, Tan

Patgi Kam, and Frank K. Soong. Modeling Cantonese Pronunciation Variations for Large-Vocabulary Continuous Speech Recognition; 11(1): 17-36

see Zhu, Yu, 11(1): 1-16

Li. Haizhou

see Ma, Bin, 11(2): 159-182

Li, Shih-Min

Su-Chu Lin, Chia-Hung Tai, and Keh-Jiann Chen. A Probe into Ambiguities of Determinative-Measure Compounds; 11(3): 245-280

Li, Xiukun

see Wu, Yan, 11(2): 137-158

Liakata, Maria

see Dalrymple, Mary, 11(4): 315-332

Lin, Ming-Shun

Chia-Ping Chen, and Hsin-Hsi Chen. An Approach to Using the Web as a Live Corpus for Spoken Transliteration Name Access; 11(3): 183-200

Lin, Su-Chu

see Li, Shih-Min, 11(3): 245-280

Liu, Shih-Hung

see Kuo, Jen-Wei, 11(3): 201-222

Liu, Wenju

see Tang, Yun, 11(1): 73-86

Lun, Caesar

see Wu, Yan, 11(2): 137-158

Lv, Qiang

see Yao, Jianmin, 11(3): 297-314

M

Ma, Bin

and Haizhou Li. A Comparative Study of Four Language Identification Systems; 11(2): 159-182

Mackie, Lisa

see Dalrymple, Mary, 11(4): 315-332

 \mathbf{o}

Otake, Rui

and Kei Yoshimoto. Multiply Quantified Internally Headed Relative Clause in Japanese: A Skolem term Based Approach; 11(4): 333-348

Q

Qu, Yunqian

see Yao, Jianmin, 11(3): 297-314

S

Soong, Frank K.

see Lee, Tan, 11(1): 17-36

Sun, Guang-Lu

Chang-Ning Huang, Xiao-Long Wang, and Zhi-Ming Xu. Chinese Chunking Based on Maximum Entropy Markov Models; 11(2): 115-136

T

Tai, Chia-Hung

see Li, Shih-Min, 11(3): 245-280

Tang, Yun

Wenju Liu, Yiyan Zhang, and Bo Xu. A Fast Framework for the Constrained Mean Trajectory Segment Model by Avoidance of Redundant Computation on Segment; 11(1): 73-86

W

Wang, Hsin-Min

see Chueh, Chuang-Hua, 11(1): 37-56 see Kuo, Jen-Wei, 11(3): 201-222

Wang, Kun-Ching

see Wu, Bing-Fei, 11(1): 87-100

Wang, Xiao-Long

see Jiang, Wei, 11(4): 393-416 see Sun, Guang-Lu, 11(2): 115-136

Wu, Bing-Fei

and Kun-Ching Wang. Voice Activity Detection Based on Auto-Correlation Function Using Wavelet Transform and Teager Energy Operator; 11(1): 87-100

Wu, Yan

Xiukun Li, and Caesar Lun. A Structural-Based Approach to Cantonese-English Machine Translation; 11(2): 137-158

 \mathbf{X}

Xu, Bo

see Bai, Junmei, 11(1): 57-72 see Tang, Yun, 11(1): 73-86

Xu, Zhi-Ming

see Sun, Guang-Lu, 11(2): 115-136

Y

Yao, Jianmin

Yunqian Qu, Qiang Lv, Qiaoming Zhu, and Jing Zhang. Performance Analysis and Visualization of Machine Translation Evaluation; 11(3): 297-314

Yoshimoto, Kei

see Otake Rui, 11(4): 333-348

 \mathbf{Z}

Zhang, Jing

see Yao, Jianmin, 11(3): 297-314

Zhang, Shilei

see Bai, Junmei, 11(1): 57-72

Zhang, Shuwu

see Bai, Junmei, 11(1): 57-72

Zhang, Yiyan

see Tang, Yun, 11(1): 73-86

Zhao, Tiejun

see Han, Xiwu, 11(2): 101-114

Zhu, Qiaoming

see Yao, Jianmin, 11(3): 297-314

Zhu, Yu

and Tan Lee. Using Duration Information in Cantonese Connected-Digit Recognition; 11(1): 1-16

SUBJECT INDEX

Α

Acoustic Segment Models

A Comparative Study of Four Language Identification Systems. Ma, B., 11(2): 159-182

Ambiguities

A Probe into Ambiguities of Determinative-Measure Compounds. Li, S.-M., 11(3): 245-280

Analysis

Performance Analysis and Visualization of Machine Translation Evaluation. Yao, J., 11(3): 297-314

Audio Segmentation

Robust Target Speaker Tracking in Broadcast TV Streams. Bai, J., 11(1): 57-72

Austronesian

Tokenization and Morphological Analysis for Malagasy. Dalrymple, M., 11(4): 315-332

Auto-Correlation

Voice Activity Detection Based on Auto-Correlation Function Using Wavelet Transform and Teager Energy Operator. Wu, B.-F., 11(1): 87-100

Automatic Language Identification

A Comparative Study of Four Language Identification Systems. Ma, B., 11(2): 159-182

Automatic Speech Recognition

Modeling Cantonese Pronunciation Variations for Large-Vocabulary Continuous Speech Recognition. Lee, T., 11(1): 17-36

В

Broadcast News

An Empirical Study of Word Error Minimization Approaches for Mandarin Large Vocabulary Continuous Speech Recognition. Kuo, J.-W., 11(3): 201-222

\mathbf{C}

Cantonese

Modeling Cantonese Pronunciation Variations for Large-Vocabulary Continuous Speech Recognition. Lee, T., 11(1): 17-36

Using Duration Information in Cantonese Connected-Digit Recognition. Zhu, Y., 11(1): 1-16

Chinese

Two-Fold Filtering for Chinese Subcategorization Acquisition with Diathesis Alternations Used as Heuristic Information. Han, X., 11(2): 101-114

Chinese Chunking

Chinese Chunking Based on Maximum Entropy Markov Models. Sun, G.-L., 11(2): 115-136

Chunking Specification

Chinese Chunking Based on Maximum Entropy Markov Models. Sun, G.-L., 11(2): 115-136

Clustering

Performance Analysis and Visualization of Machine Translation Evaluation. Yao, J., 11(3): 297-314

Combinatory Categorial Grammar

Multiply Quantified Internally Headed Relative Clause in Japanese: A Skolem term Based Approach. Otake, R., 11(4): 333-348

Computer-Aided Translation

Data Management in QRLex, an Online Aid System for Volunteer translators'. Bey, Y., 11(4): 349-376

Connected-Digit Recognition

Using Duration Information in Cantonese Connected-Digit Recognition. Zhu, Y., 11(1): 1-16

Continuous Speech Recognition

An Empirical Study of Word Error Minimization Approaches for Mandarin Large Vocabulary Continuous Speech Recognition. Kuo, J.-W., 11(3): 201-222

D

Determinative-Measure Compounds

A Probe into Ambiguities of Determinative-Measure Compounds. Li, S.-M., 11(3): 245-280

Diachronic Analysis

Using a Small Corpus to Test Linguistic Hypotheses: Evaluating 'People' in the State of the Union Addresses. Ahrens, K., 11(4): 377-392

Diathesis Alternation

Two-Fold Filtering for Chinese Subcategorization Acquisition with Diathesis Alternations Used as Heuristic Information. Han, X., 11(2): 101-114

Discriminative Training

An Empirical Study of Word Error Minimization Approaches for Mandarin Large Vocabulary Continuous Speech Recognition. Kuo, J.-W., 11(3): 201-222

Disyllabic Words

Tonal Errors of Japanese Students Learning Chinese: A Study of Disyllabic Words. Chang, K.-J., 11(3): 281-296

Duration Features

Using Duration Information in Cantonese Connected-Digit Recognition. Zhu, Y., 11(1): 1-16

\mathbf{E}

EM Algorithm

Sense Extraction and Disambiguation for Chinese Words from Bilingual Terminology Bank. Bai, M.-H., 11(3): 223-244

Entropy

Robust Target Speaker Tracking in Broadcast TV Streams. Bai, J., 11(1): 57-72

Example Base (EB)

A Structural-Based Approach to Cantonese-English Machine Translation. Wu, Y., 11(2): 137-158

Example-Based Machine Translation (EBMT)

A Structural-Based Approach to Cantonese-English Machine Translation. Wu, Y., 11(2): 137-158

Explicit Duration Modeling

Using Duration Information in Cantonese Connected-Digit Recognition. Zhu, Y., 11(1): 1-16

F

Feature Template

Chinese Chunking Based on Maximum Entropy Markov Models. Sun, G.-L., 11(2): 115-136

Filter

Two-Fold Filtering for Chinese Subcategorization Acquisition with Diathesis Alternations Used as Heuristic Information. Han, X., 11(2): 101-114

Fnite-State Morphology

Tokenization and Morphological Analysis for Malagasy. Dalrymple, M., 11(4): 315-332

G

Gender

Using a Small Corpus to Test Linguistic Hypotheses: Evaluating 'People' in the State of the Union Addresses. Ahrens, K., 11(4): 377-392

Generalized Skolem Term

Multiply Quantified Internally Headed Relative Clause in Japanese: A Skolem term Based Approach. Otake, R., 11(4): 333-348

GMM

Robust Target Speaker Tracking in Broadcast TV Streams. Bai, J., 11(1): 57-72

H

Helping Volunteer Translators

Data Management in QRLex, an Online Aid System for Volunteer translators'. Bey, Y., 11(4): 349-376

Hidden Markov Models

Using Duration Information in Cantonese Connected-Digit Recognition. Zhu, Y., 11(1): 1-16

I

Internally Headed Relative Clause

Multiply Quantified Internally Headed Relative Clause in Japanese: A Skolem term Based Approach. Otake, R., 11(4): 333-348

J

Japanese

Multiply Quantified Internally Headed Relative Clause in Japanese: A Skolem term Based Approach. Otake, R., 11(4): 333-348

Japanese Students Learning Chinese

Tonal Errors of Japanese Students Learning Chinese: A Study of Disyllabic Words. Chang, K.-J., 11(3): 281-296

L

Language

Using a Small Corpus to Test Linguistic Hypotheses: Evaluating 'People' in the State of the Union Addresses. Ahrens, K., 11(4): 377-392

Language Modeling

A Maximun Entropy Approach for Semantic Language Modeling. Chueh, C.-H., 11(1): 37-56

Latent Semantic Analysis

A Maximun Entropy Approach for Semantic Language Modeling. Chueh, C.-H., 11(1): 37-56

Linguistique Ressources

Data Management in QRLex, an Online Aid System for Volunteer translators'. Bey, Y., 11(4): 349-376

\mathbf{M}

Machine Learning

A Pragmatic Chinese Word Segmentation Approach Based on Mixing Models. Jiang, W., 11(4): 393-416

Machine Translation

Performance Analysis and Visualization of Machine Translation Evaluation. Yao, J., 11(3): 297-314

Malagasy

Tokenization and Morphological Analysis for Malagasy. Dalrymple, M., 11(4): 315-332

Mandarin Digit String Recognition

A Fast Framework for the Constrained Mean Trajectory Segment Model by Avoidance of Redundant Computation on Segment. Tang, Y., 11(1): 73-86

Maximum Entropy

A Maximun Entropy Approach for Semantic Language Modeling. Chueh, C.-H., 11(1): 37-56

Maximum Entropy Markov Models

Chinese Chunking Based on Maximum Entropy Markov Models. Sun, G.-L., 11(2): 115-136

Maximum Entropy Model

A Pragmatic Chinese Word Segmentation Approach Based on Mixing Models. Jiang, W., 11(4): 393-416

Memory Translation

Data Management in QRLex, an Online Aid System for Volunteer translators'. Bey, Y., 11(4): 349-376

Minimum Phone Error

An Empirical Study of Word Error Minimization Approaches for Mandarin Large Vocabulary Continuous Speech Recognition. Kuo, J.-W., 11(3): 201-222

Morphological Analyzer

Tokenization and Morphological Analysis for Malagasy. Dalrymple, M., 11(4): 315-332

N

Natural Language Processing

Performance Analysis and Visualization of Machine Translation Evaluation. Yao, J., 11(3): 297-314

N-Gram

A Pragmatic Chinese Word Segmentation Approach Based on Mixing Models. Jiang, W., 11(4): 393-416

P

Parallel Phone Recognizer

A Comparative Study of Four Language Identification Systems. Ma, B., 11(2): 159-182

PARGRAM

Tokenization and Morphological Analysis for Malagasy. Dalrymple, M., 11(4): 315-332

Part-of-Speech Ambiguities

A Probe into Ambiguities of Determinative-Measure Compounds. Li, S.-M., 11(3): 245-280

Performance

Performance Analysis and Visualization of Machine Translation Evaluation. Yao, J., 11(3): 297-314

Politics

Using a Small Corpus to Test Linguistic Hypotheses: Evaluating 'People' in the State of the Union Addresses. Ahrens, K., 11(4): 377-392

Pronunciation Variation

Modeling Cantonese Pronunciation Variations for Large-Vocabulary Continuous Speech Recognition. Lee, T., 11(1): 17-36

Q

Quantification

Multiply Quantified Internally Headed Relative Clause in Japanese: A Skolem term Based Approach. Otake, R., 11(4): 333-348

R

Rough Sets

A Pragmatic Chinese Word Segmentation Approach Based on Mixing Models. Jiang, W., 11(4): 393-416

Rule-Based Machine Translation (RBMT)

A Structural-Based Approach to Cantonese-English Machine Translation. Wu, Y., 11(2): 137-158

S

SCF

Two-Fold Filtering for Chinese
Subcategorization Acquisition with Diathesis
Alternations Used as Heuristic Information.
Han. X., 11(2): 101-114

Segment Model

A Fast Framework for the Constrained Mean Trajectory Segment Model by Avoidance of Redundant Computation on Segment. Tang, Y., 11(1): 73-86

Sense Ambiguities

A Probe into Ambiguities of Determinative-Measure Compounds. Li, S.-M., 11(3): 245-280

Sense Tagging

Sense Extraction and Disambiguation for Chinese Words from Bilingual Terminology Bank. Bai, M.-H., 11(3): 223-244

Small Corpora

Using a Small Corpus to Test Linguistic Hypotheses: Evaluating 'People' in the State of the Union Addresses. Ahrens, K., 11(4): 377-392

Smoothing Algorithm

Chinese Chunking Based on Maximum Entropy Markov Models. Sun, G.-L., 11(2): 115-136

Speaker Tracking

Robust Target Speaker Tracking in Broadcast TV Streams. Bai, J., 11(1): 57-72

Speech Recognition

A Fast Framework for the Constrained Mean Trajectory Segment Model by Avoidance of Redundant Computation on Segment. Tang, Y., 11(1): 73-86

A Maximun Entropy Approach for Semantic Language Modeling. Chueh, C.-H., 11(1): 37-56

T

Teager Energy

Voice Activity Detection Based on Auto-Correlation Function Using Wavelet Transform and Teager Energy Operator. Wu, B.-F., 11(1): 87-100

Tonal Errors

Tonal Errors of Japanese Students Learning Chinese: A Study of Disyllabic Words. Chang, K.-J., 11(3): 281-296

Ū

Universal Phone Recognizer

A Comparative Study of Four Language Identification Systems. Ma, B., 11(2): 159-182

V

Vector Space Modeling

A Comparative Study of Four Language Identification Systems. Ma, B., 11(2): 159-182

Visualization

Performance Analysis and Visualization of Machine Translation Evaluation. Yao, J., 11(3): 297-314

Voice Activity Detection

Voice Activity Detection Based on Auto-Correlation Function Using Wavelet Transform and Teager Energy Operator. Wu, B.-F., 11(1): 87-100

W

Wavelet

Voice Activity Detection Based on Auto-Correlation Function Using Wavelet Transform and Teager Energy Operator. Wu, B.-F., 11(1): 87-100

Web Search for Translation

Data Management in QRLex, an Online Aid System for Volunteer translators'. Bey, Y., 11(4): 349-376

Word Alignment

Sense Extraction and Disambiguation for Chinese Words from Bilingual Terminology Bank. Bai, M.-H., 11(3): 223-244

Word Cluster

A Pragmatic Chinese Word Segmentation Approach Based on Mixing Models. Jiang, W., 11(4): 393-416

Word Error Minimization

An Empirical Study of Word Error Minimization Approaches for Mandarin Large Vocabulary Continuous Speech Recognition. Kuo, J.-W., 11(3): 201-222

Word Segmentation

A Pragmatic Chinese Word Segmentation Approach Based on Mixing Models. Jiang, W., 11(4): 393-416

Word Segmentation Ambiguities

A Probe into Ambiguities of Determinative-Measure Compounds. Li, S.-M., 11(3): 245-280

Word Sense Disambiguation

Sense Extraction and Disambiguation for Chinese Words from Bilingual Terminology Bank. Bai, M.-H., 11(3): 223-244

WordNet

Sense Extraction and Disambiguation for Chinese Words from Bilingual Terminology Bank. Bai, M.-H., 11(3): 223-244