

Multi-dimensional Evaluation of Empathetic Dialogue Responses

Zhichao Xu^{1*} Jiepu Jiang²

¹ Kahlert School of Computing, University of Utah

² Google Research

zhichao.xu@utah.edu, jiepujiang@google.com

Abstract

Empathy is critical for effective and satisfactory conversational communication. Prior efforts to measure conversational empathy mostly focus on expressed communicative intents—that is, the way empathy is expressed. Yet, these works ignore the fact that conversation is also a collaboration involving both speakers and listeners. In contrast, we propose a multi-dimensional empathy evaluation framework to measure both *expressed intents from the speaker’s perspective* and *perceived empathy from the listener’s perspective*. We apply our analytical framework to examine internal customer-service dialogues. We find the two dimensions (expressed intent types and perceived empathy) are interconnected, while perceived empathy has high correlations with dialogue satisfaction levels.

To reduce the annotation cost, we explore different options to automatically measure conversational empathy: prompting LLMs and training language model-based classifiers. Our experiments show that prompting methods with even popular models like GPT-4 and Flan family models perform relatively poorly on both public and our internal datasets. In contrast, instruction-finetuned classifiers based on Flan-T5 family models outperform prior works and competitive baselines. We conduct a detailed ablation study to give more insights into instruction finetuning method’s strong performance.

1 Introduction

Empathy as a complex socio-emotional phenomenon plays a crucial role in forming and maintaining social interactions (Omdahl, 2014). Prior works in psychology and social science have highlighted the importance of empathy in human communications (Omdahl, 2014; Goodwin and Heritage, 1990; Goodwin et al., 2012; Suchman et al.,

1997, *inter alia*). As speech and text-based dialogues remain prevalent in human communication, many previous studies had developed computational approaches to analyze and measure empathy expressed in dialogues (Rashkin et al., 2019; Liu et al., 2021; Sharma et al., 2020, *inter alia*).

Prior efforts had proposed empathy frameworks grounded in psychology and social science theories. These frameworks were then adapted for specific applications or dataset domains. Correspondingly, researchers proposed data-driven approaches to analyze and measure empathy. Upon reviewing existing works, we found that they mostly adopted an individualistic conceptualization of empathy (Rashkin et al., 2019; Sharma et al., 2020; Welivita and Pu, 2020; Welivita et al., 2021) which positions empathy as a primarily individual mental process. These works mainly focused on modeling *expressed empathy* in dialogues. However, recent psychology research (Concannon and Tomalin, 2023; Zaki et al., 2008) argued that empathy is more fundamentally relational: instead of a static personality trait, empathy is a dynamic process, aiming to serve interpersonal communicative purposes. Van Dijke et al. (2020) emphasized empathy as a collaborative practice, involving participation by both parties and is shaped in social interactions. Thus, it is critical to further examine *perceived empathy* in a collaborative, dynamic dialogue setting.

In this study, we propose a novel conceptual framework to evaluate empathy in multi-round dialogues. Specifically, this framework measures both expressed and perceived empathy intents. Our proposed multi-dimensional evaluation framework includes four perceived empathy dimensions: (1) *perceived engagement*, (2) *perceived understand*, (3) *perceived sympathy* and (4) *perceived helpfulness*. To validate this framework’s practicality, we annotated an internal dataset of 2,000 customer service dialogue sessions. and performed a fine-grained analysis. Our findings show a strong correlation

*Work done during ZX’s internship at Google Research.

between perceived empathy and overall dialogue satisfaction ratings, affirming the framework’s efficacy in capturing empathetic traits.

The proposed empathy evaluation framework still requires subjective assessments from human experts, which are expensive and non-trivial to collect. To scale up evaluation without excessive reliance on annotated data, we investigate two model-based evaluation approaches: prompting LLMs and training language model-based classifiers. We show that prompting methods with popular LLMs such as GPT-4 and Flan family models perform poorly on our datasets, indicating the challenging nature of measuring conversational empathy. In contrast, traditional supervised fine-tuning yields better accuracy with labeled data. Notably, instruction-finetuned classifiers based on Flan-T5 family models (Chung et al., 2022) achieve the best performance. We also conduct a comprehensive ablation study of this method to provide insights into its strong performance. To summarize, our contributions are three-fold:

- We propose a novel multi-dimensional evaluation framework to measure conversational empathy from (1) expressed communicative intents and (2) perceived empathy aspects.
- We apply this proposed framework to analyze an internal customer service dataset. We find the two empathy dimensions are interconnected, while perceived empathy dimension directly affects conversation satisfaction.
- We comprehensively study the effectiveness of different model-based evaluation methods. On both public and internal datasets, instruction-finetuned classifiers based on Flan-T5 family models outperform prompting methods and other competitive baselines.

2 Related Work

Definition of empathy in literature. Empathy has been an influential concept in ethics and moral theory (Hoffman, 1996; Slote, 2007; Smith, 1959), social/developmental psychology (Hoffman, 1996; Batson et al., 2015) and other domains. Contributions from various domains result in different definitions, functions and proposed empathy components, posing a challenge to studying empathy (Coplan, 2011). Prior works (Elliott et al., 2011, 2018; Althoff et al., 2016; Sharma et al., 2020, *inter alia*) mainly consider empathy as an individual’s mental

process. Recent psychological studies highlight empathy as a collaborative practice involving participation by both parties (Van Dijke et al., 2020; Yalçın and DiPaola, 2020; Concannon and Tomalin, 2023, *inter alia*). Within this work, we adopt this interactional definition of empathy, as our aim is to measure and evaluate empathy in social scenarios such as real-time human-human conversation.

Measuring empathy in dialogues. The CL community has made much effort in algorithmically generating and measuring empathetic dialog communications. For example, Rashkin et al. (2019) collected an empathetic dialog dataset via crowdsourcing, with each dialogue created with a preassigned emotion label and rated by participants for empathy, relevance, and fluency. While they explored various empathetic dialog generation models, their empathy measurement relied on BLEU (Papineni et al., 2002), raising questions about the adequacy of reference-based metrics for empathy assessment. Sharma et al. (2020) focused on measuring expressed empathy intents in online mental support conversations, considering aspects like emotional reactions, interpretations, and explorations, but did not address perceived empathy. Similarly, other works (Welivita et al., 2021; Liu et al., 2021) measured expressed empathy intents without considering perceived empathy, albeit with some differences in their intent categories.

Previous work on measuring empathetic dialogue is limited in two aspects. First, many studies (Sharma et al., 2020; Welivita et al., 2021; Liu et al., 2021) focused solely on expressed empathy. Although Rashkin et al. (2019) collected empathy ratings from the listener’s perspective, their primary focus was not empathy measurement. Second, nearly all previous work (Sharma et al., 2020; Liu et al., 2021, *inter alia*) specifically focus on mental health support setting. Our work is different from prior works in two ways. Firstly, our measurement framework covers different forms of empathy expression (expressed empathy) and assesses how empathy is perceived by the listeners (perceived empathy). Secondly, we study model-based evaluation metrics on public datasets for online mental health support and an internal online customer support dataset. This internal task-oriented dialogue dataset can provide valuable insights into empathy measurement across different contexts.

3 Empathy Measurement Framework

Empathy as a collaborative practice. Empathy is critical in human communication for social interactions (Omdahl, 2014), varying in definition across psychology and social science literature (Hall and Schwartz, 2019; Yalçın and DiPaola, 2020, *inter alia*). Elliott et al. (2018) distinguishes *affective* and *cognitive* aspects of empathy. The *affective* aspect relates to the emotional stimulation in reaction to the experiences and feelings expressed by others, while the *cognitive* aspect is a more deliberate process of understanding and interpreting the experiences and feelings of others and communicating such understandings. However, this interpretation overlooks empathy’s role in interactive dialogues where multiple parties engage. Recent psychology works empathize empathy as a collaborative, interactive process (Van Dijke et al., 2020; Concannon and Tomalin, 2023, *inter alia*), urging studies across diverse social scenarios. Motivated by these insights, our study adopts this interactional definition of empathy—*empathy refers to an individual’s ability to perceive and understand the other’s emotional states and respond correspondingly*.

The proposed empathy evaluation framework. In our study, we define empathy as a collaborative practice involving both parties. We measure empathy in dialog interactions using a two-dimensional framework covering both *expressed empathy (communicative intents)* and *perceived empathy*:

- **Expressed Empathy (Communicative Intent):** we measure empathy from the speaker’s perspective by predicting the specific intents of the utterance as ways to convey empathy. This dimension aligns with previous work (Rashkin et al., 2019; Sharma et al., 2020; Welivita et al., 2021), where intents are often detailed and domain-specific.
- **Perceived Empathy:** We adapt the definition in recent psychology literature (Concannon and Tomalin, 2023; Yalçın, 2019; Yalçın and DiPaola, 2020, *inter alia*) for task-oriented dialogues. We propose to assess empathy from the listener’s perspective, predicting whether an utterance is perceived as empathetic. This assessment breaks perceived empathy into four fine-grained aspects:
 - **Engagement** measures the degree to which the listener perceives the speaker as being involved in the conversation. Low engagement in the conversation can lead to the listener feeling indifferent and lacking empathy.

Table 1: Comparison between previous works and our empathy measurement framework.

	Expressed Empathy	Perceived Empathy
Rashkin et al. (2019)	✗	✓(Uni-dimensional)
Sharma et al. (2020)	✓(3 intents)	✗
Welivita et al. (2021)	✓(8 intents)	✗
Liu et al. (2021)	✓(7 intents)	✗
Our framework	✓(16 intents)	✓(4 dimensions)

- **Understanding** measures how well the listener feels the speaker understands their situation, feelings or problems. A lack of understanding can diminish perceived empathy.
- **Sympathy** captures the listener’s perception of the speaker’s ability to empathize and react appropriately. A lack of sympathy can weaken perceived empathy.
- **Helpfulness** determines whether the listener finds the speaker’s communication to be helpful in addressing the conversation’s core issues. While not directly related to empathy, in task-oriented dialogues, where addressing problems is the objective, helpfulness can affect perceived empathy.

The four perceived empathy aspects are interconnected and build upon each other. **Engagement** serves as the foundation, leading to **Understanding**, which in turn forms the basis for **Sympathy** and **Helpfulness**. **Sympathy** addresses emotional needs, while **Helpfulness** addresses practical needs. Our framework, unlike previous ones, covers both expressed and perceived empathy simultaneously. It offers a multi-faceted approach to measuring perceived empathy, as summarized in Table 1.

Applying the proposed framework to analyze real-world dataset. Our framework can reveal nuanced connections between the two dimensions in measuring dialogue empathy. Table 2 reports results from an internal commercial dataset on online customer support dialogues. We annotated this dataset using our two-dimensional framework (annotation details in Section 5.1 and Appendix B). First, a UX researcher identified 16 different intents using a grounded theory approach based on manual analysis of 100 conversations. Human raters then annotated these 16 expressed intents and 4 perceived empathy aspects for utterances sampled from 2,000 conversations (we sampled one utterance for each conversation and judged that utterance only). For each utterance, raters assessed intent presence (yes/no) and each of the 4 perceived empathy aspects using a Likert-scale from 1 to 5,

Table 2: Relationship between expressed intents and perceived empathy dimensions and user satisfaction (each column reports the mean value of the perceived empathy dimension’s ratings when an intent appears or not); \diamond , \dagger , and \ddagger indicate a statistical significance of ratings without intent, compared to ratings with the intent, at $p < 0.05$, 0.01, and 0.001, respectively. We report the standard deviation in Table 9 in Appendix.

Expressed Intent	Perceived Engagement		Perceived Understand		Perceived Sympathy		Perceived Helpfulness		Conversation Satisfaction	
	w/ INT	w/o INT	w/ INT	w/o INT	w/ INT	w/o INT	w/ INT	w/o INT	w/ INT	w/o INT
ask contact	3.97	3.99	3.90	3.96 \dagger	3.05	3.08 \diamond	3.83	3.87 \diamond	3.72	3.74
ask details	4.01	3.98	3.95	3.95	3.07	3.08	3.89	3.86	3.75	3.74
ask confirm	4.00	3.99	3.96	3.95	3.06	3.07	3.92	3.86 \diamond	3.85	3.73 \ddagger
aware problem	4.03	3.97 \ddagger	4.03	3.91 \ddagger	3.12	3.06 \ddagger	3.92	3.84 \ddagger	3.85	3.69 \ddagger
describe problem	4.04	3.98 \ddagger	4.02	3.94 \ddagger	3.15	3.06 \ddagger	3.93	3.85 \ddagger	3.88	3.72 \ddagger
express sympathy	4.07	3.98 \ddagger	4.01	3.94 \ddagger	3.48	3.04 \ddagger	3.87	3.86	3.82	3.74
express reassurance	4.06	3.97 \ddagger	4.01	3.94 \ddagger	3.17	3.05 \ddagger	3.93	3.85 \ddagger	3.84	3.72 \ddagger
express apology	3.97	3.99	3.96	3.95	3.12	3.07 \diamond	3.84	3.87	3.69	3.75
answer question	4.08	3.98 \ddagger	4.05	3.94 \ddagger	3.08	3.07	4.02	3.85 \ddagger	3.92	3.73 \ddagger
clarify	4.06	3.99	4.11	3.95 \ddagger	3.14	3.07	4.06	3.86 \ddagger	3.99	3.74 \ddagger
explain	4.09	3.99 \ddagger	4.08	3.95 \ddagger	3.03	3.08	4.07	3.86 \ddagger	4.00	3.73 \ddagger
excuse	3.96	3.99	3.97	3.95	3.08	3.07	3.78	3.87	3.56	3.75 \ddagger
inform action	4.06	3.98 \ddagger	4.03	3.94 \ddagger	3.08	3.07	3.98	3.85 \ddagger	3.90	3.72 \ddagger
instruct action	4.02	3.98 \diamond	3.97	3.95	3.08	3.07	3.91	3.86 \diamond	3.75	3.74
tentative solution	4.10	3.98 \diamond	4.06	3.95 \ddagger	3.16	3.07 \diamond	4.00	3.86 \ddagger	3.87	3.74 \diamond
contact other	3.95	3.99	3.88	3.95 \diamond	3.05	3.08	3.74	3.87 \ddagger	3.66	3.75

where higher ratings indicate higher degrees. They also annotated user satisfaction for the whole conversation if they were the customer. We acknowledge that raters, as a third-party to these conversations, may not perfectly assess perceived empathy dimensions, but direct feedback from the customers also has limitations such as response biases.

Results in Table 2 show that the two dimensions are connected but sufficiently distinct. We report the ratings of the four perceived empathy aspects (each column) when each intent (each row) appears or not (“w/ INT” and “w/o INT”), and test whether ratings are significantly different by intent occurrence. First, we observed that some expressed empathy intents lead to significantly higher levels of perceived empathy in certain aspects, suggesting the value of conveying such intents to improve conversational empathy. Second, each perceived empathy aspect is connected with a distinct set of expressed intents and most expressed communicative intents are only related to a subset of the four perceived aspects. Lastly, perceived empathy aspects differ from overall user satisfaction, yet have Spearman correlation coefficients of 0.410, 0.396, 0.099 and 0.580, all significant at 0.0001 level except perceived sympathy—indicating high correlation. In summary, these findings suggest the nuanced and multi-faceted nature of empathy measurement: two dimensions (expressed intents and perceived empathy aspects) are related but suf-

ficiently different, and perceived empathy aspects are directly related to conversation satisfaction.

4 Empathy Measurement Models

This section describes model-based metrics to measure conversational empathy. Similar to previous studies (Sharma et al., 2020; Lee et al., 2022; Kim et al., 2021, *inter alia*), we leverage language models to build classifiers to distinguish between empathetic and non-empathetic utterances in dialogues.

Measuring conversational empathy is an intrinsically challenging task because: (1) empathy is often communicated implicitly (Suchman et al., 1997; Li et al., 2023; Concannon and Tomalin, 2023), posing challenges for state-of-the-art language models (Ruis et al., 2022); (2) empathy expression styles and intents are often domain specific; and (3) the nuance between expressed and perceived empathy is often subtle and depends on the two parties’ social roles (Suchman et al., 1997; Deppermann, 2011; Kupetz, 2014, *inter alia*). For example, asking clarification questions may be perceived as empathetic in a dialogue between a therapist and a patient, but can be neutral in task-oriented dialogues such as customer service dialogues.

4.1 Problem Definition and Notations

We address conversational empathy measurement as a classification problem. Denote a dialogue as \mathcal{D} consisting of a few utterances u_i , $\mathcal{D} =$

$\{u_1, u_2, \dots, u_{|\mathcal{D}|}\}$, we aim to learn a function $f_\theta : U \rightarrow Y$ parameterized by θ that maps the i -th utterance $u_i \in \mathcal{D}$ to a corresponding label y in the label space Y . Such labels can be the presence of expressed communicative intents or perceived empathy aspects. Given the limitation of the maximum input length of language models, we use a sliding approach similar to existing works (Cao et al., 2019; Welivita et al., 2021). In practice, function f takes as input the targeted utterance u_i together with its j preceding utterances and j' proceeding utterances as a concatenated natural language sequence, i.e. $\text{Concat}(u_{i-j}, \dots, u_{i-1}, u_i, u_{i+1}, \dots, u_{i+j'})$. Such decision choice echos the interactional empathy interpretation—the meaning and the effect of an utterance (whether it is perceived as empathetic or not) depends on its context with both the speaker and the listener, alongside their social roles.

4.2 Language Model-based Classifiers

Supervised finetuning. We include four encoder models: BERT-Large (Devlin et al., 2019) and RoBERTa-Large (Liu et al., 2019), in addition to the encoder part of Flan-T5 (Chung et al., 2022): Flan-T5-Enc- $\{\text{Large}, \text{XL}\}$. We randomly initialize a classification head (linear layer) and finetune on labeled training set.

For instruction-finetuning methods, we map the labels to natural language verbalizers, and instruction finetune the model to predict corresponding verbalizers. We include two Flan-T5 models: Flan-T5- $\{\text{Large}, \text{XL}\}$. We design the natural language instructions to include the following parts: (1) **intent** describes what tasks we want the language model to perform. In our case, the task is to predict one specific utterance’s expressed communicative intent or perceived empathy. (2) **definition** describes the definition of the communicative intent we want the language model to predict and can be skipped if the communicative intent is simple and self-explanatory. (3) **domain** describes the dialogue domain, such as mental therapy or customer service dialogue. (4) **options** refers to what options (verbalizers) should the language model predict from, such as an expressed empathy intent appears or not. Table 3 shows an example of such natural language instruction schema. Complete instruction tuning templates are given in Appendix E. **Prompting method.** We use a similar prompting format as instruction finetuning methods, and experiment with two open source instruction fine-

tuned encoder-decoder language models—Flan-T5-XXL (Chung et al., 2022) and Flan-UL2 (Tay et al., 2022). We also use a proprietary model GPT-4-0613 (OpenAI, 2023). For GPT-4, we use zero-shot and few-shot prompting while for Flan-T5-XXL and Flan-UL2, we only use zero-shot due to their limited 512 context length.

5 Experimental Setup

5.1 Datasets

We use two public empathy dialogue understanding datasets and our internal dataset. Detailed datasets statistics are given in Appendix C and Table 12.

Empathy Mental Health (EMH) (Sharma et al., 2020) is collected from mental health-focused subreddits and consists of 3.1k single-round, asynchronous dialogues on online mental health support. This dataset is a multi-label classification dataset where each dialogue is annotated on 3 expressed empathy dimensions at 3 levels.

Emotion Support Conversation (ESConv) (Liu et al., 2021) is collected with crowdworkers chatting in help-seeker and supporter roles, to simulate the scenario of synchronous peer-to-peer mental counseling and support. The dataset consists of 1.3k multi-round dialogues and is annotated with 3 mental support stages and 7 fine-grained mental support strategies. The dataset was originally designed for multi-class classification for the 7 communicative strategies (intents), and we adapt it to multi-label classification setting.

Empathy Evaluation (Empeval) is our internal dataset (due to privacy concerns, we cannot release the annotated dataset, but we try to present a holistic view to assist reproducibility). This dataset includes 1,833 anonymized conversations sampled from a company’s customer support logs, where the conversations are between customers and human representatives. All personal identifiers have been removed. On average, each conversation has 41.4 utterances, and each utterance has 7.4 tokens measured by T5 models’ WordPiece tokenizer. When we built the dataset, we randomly sampled 2,000 conversations from the log and used an internal human annotation platform to judge the conversations. The annotation questions are provided in Tables 10 and 11. Each conversation were annotated by two different raters recruited from an internal annotation platform. 167 non-English conversations were discarded. On average, the two raters have achieved 90.23% agreement rate and 0.615 Cohen’s kappa

Table 3: An example illustration of the natural language instruction schema. This example is from Empathy Mental Health (EMH) dataset (Sharma et al., 2020) with the communicative intent of emotional reactions.

Emotional Reactions	You are a crowdsourcing annotator. Now read the following definition and a corresponding dialogue between an emotional support seeker and an emotional supporter provider, then answer the corresponding question.
	Definition: emotional reaction is a common strategy in online mental support. It refers to the supporter expressing emotions such as warmth, compassion, and concern about what was experienced by the help seeker after listening to the help seeker’s utterance in a dialogue. A weak communication addresses those emotions without explicit reference, e.g. ‘Everything will be fine’, while strong communication specifies the emotion, e.g. ‘I feel really sorry for you.’
	{Dialogue}
	Question: by saying {utterance}, what is the extent of emotional reactions expressed by the supporter?
	Respond with strong, weak or no communication .

on the judgments—indicating a moderate rating consistency. For expressed communicative intents, we mark the intent as `True` when both annotators mark it as `True`. For the four perceived empathy dimensions, we convert the numerical annotations to binary labels by marking as `True` when both annotators give a score higher than 4.

For all three datasets, we use five different train-test splits of 80-20 on the dialogue level, then we split the dialogues into utterances and conduct utterance-level training and predictions. We use the standard practice for multi-label classification problems—for each label, we train a classifier. Therefore for each fold we train 3, 7 and 20 classifiers for EMH, ESConv and Empeval, respectively, the reported results are averaged over 5 splits.

5.2 Compared Methods

Prior methods. A few prior studies aim to design model-based metrics to measure conversational empathy, we include following methods:

Sharma et al. (2020) use a bi-encoder model initialized with RoBERTa-Base (Liu et al., 2019), to jointly predict listener’s communicative intent and extract rationales. The method is designed for single-round conversations thus we also report the single-round performances on our two multi-round dialogue datasets ESConv and Empeval.

Welivita et al. (2021) use a customized structure based on RoBERTa-Base (Liu et al., 2019). The model additionally uses an utterance level attention to aggregate hidden states of utterances within a dialogue window to be used by the classifier.

Li et al. (2023) uses a sentence-level encoder method based on RoBERTa-Large with continued in-domain pretraining as (Gururangan et al., 2020).

Language model-based classifiers. As previously discussed, we include six supervised finetuning methods: BERT-Large, RoBERTa-Large, Flan-T5-Enc{Large, XL}, Flan-T5-{Large,XL}.

Prompting methods. We include Flan-T5-XXL

Zero-shot, Flan-UL2 Zero-shot, GPT-4 {Zero-shot, Few-shot}. For GPT-4 Few-shot, we use a prompt template where each class has one in-context example, i.e. 3-shot for EMH dataset and 2-shot for ESConv. Due to privacy reason, we did not conduct GPT-4 experiments on internal Empeval dataset.

5.3 Evaluation Metrics

We report Macro Precision, Macro Recall, Macro F1 and accuracy for each prediction task. For each dataset, we report the mean values of each metric across different communicative intents/strategies, full results are given in Appendix F.

5.4 Implementation Details

Instruction and prompt templates. One of the authors manually writes the natural language instructions used for instruction finetuning and the prompt templates for prompting methods. We experiment with three different sets of prompting templates for prompting method, and select the performant one on a held-out development set of 100 instances. All the templates for instruction finetuning and prompting are given in Appendix E.

Loss functions. We notice longtail distributions of labels on all three datasets, due to the nature of human-human dialogues and categorization of communicative empathy. In addition to the standard cross-entropy loss function, we additionally include two other loss functions: Focal loss (Lin et al., 2017) and LDAM loss (Cao et al., 2019) to tackle class imbalance problem. The main performance reported is still based on standard cross-entropy loss and we use these two additional loss functions as an ablation study (detailed in Section 6.2).

Training details, hyperparameters and implementations. We use a preceding window of 3 and a proceeding window of 3 for all methods, including supervised ones and prompting methods, thus the input to language model includes up to 7 utterances except for the ones at the start or end

Table 4: Main results on three datasets. We mark the best number within each section as **bold** and denote the best number in each column with †. Full results are referred to Appendix F.

Datasets	EMH				ESConv				Empeval			
	Macro Pre.	Macro Rec.	Macro F1	ACC.	Macro Pre.	Macro Rec.	Macro F1	ACC.	Macro Pre.	Macro Rec.	Macro F1	ACC.
PRIOR METHODS												
Sharma et al. (2020)	72.5	70.7	71.4	85.8	83.2	68.1	70.7	90.9	70.1	68.4	68.6	88.4
Welivita et al. (2021)	68.5	68.7	67.8	85.2	80.2	72.9	74.6	90.8	70.7	69.7	69.9	89.1
Li et al. (2023)	75.3	70.9	72.7	86.3	78.8	72.1	74.4	90.8	72.7	70.7	71.0	89.5
ENCODER MODELS												
BERT-Large	76.9	73.8	75.1	87.5	75.5	71.7	73.1	90.8	76.7	74.6	75.9	91.1
RoBERTa-Large	77.5	75.8	76.0	87.5	71.8	71.4	71.4	90.6	78.5	73.8	75.5	91.5
Flan-T5-Enc-Large	73.7	74.8	74.1	88.5	77.0	71.9	72.8	90.9	74.0	71.4	72.6	91.5
Flan-T5-Enc-XL	77.4	76.1	76.6	88.4	76.7	73.1	73.5	90.9	78.3	74.5	75.4	90.7
INSTRUCTION FINETUNED ENCODER-DECODER MODELS												
Flan-T5-Large	78.7 †	74.1	74.8	88.2	76.8	74.8 †	75.3 †	91.2	80.5	75.8	77.2	92.1
Flan-T5-XL	77.8	76.6 †	77.0 †	88.9 †	78.6 †	73.5	75.1	91.6 †	81.7 †	76.8 †	78.3 †	92.5 †
PROMPTING METHODS												
Flan-T5-XXL Zero-shot	45.5	49.3	42.9	62.6	62.8	71.8	61.5	77.1	66.1	69.4	64.3	79.7
Flan-UL2 Zero-shot	32.0	34.6	13.6	18.7	60.8	69.4	52.4	59.5	63.0	71.1	57.0	68.3
GPT-4 Zero-shot	46.2	51.5	45.4	65.1	66.4	74.3	67.3	82.5	-	-	-	-
GPT-4 Few-shot	48.3	54.3	45.5	61.3	63.3	73.6	61.2	73.5	-	-	-	-

of the dialogue. We additionally include an ablation study on using no preceding utterances and find it mildly hurts performance (Section 6.2). For supervised methods, our implementation is based on a mixture of PyTorch and JAX. For prior methods in Section 5.2, we adapt from their official codebases respectively. We use official GPT-4 API (GPT-4-0613)¹. More training details is referred to Appendix D.

6 Result and Analysis

6.1 Main Results

We present the main results in Table 4. **We notice that prompting methods—although require no or less labeled training instances, have lower performance compared to supervised methods.** For example, on EMH dataset, GPT-4 Zero-shot only achieves 45.4% Macro F1 and 65.1% accuracy, while GPT-4 Few-shot achieves 45.5% and 61.3%. On the other hand, encoder models still perform competitively, outperforming prompting methods by a large margin and the improvement is consistent across all datasets. For example, on EMH dataset, the best encoder model Flan-T5-Enc-XL achieves 76.6% Macro F1 and 88.4% accuracy. This observation is consistent with recent works on designing challenging datasets for LLMs (Ravichander et al., 2022) and testing their understanding capabilities for implicatures conveyed in communications (Ruis et al., 2022). From

¹<https://platform.openai.com/docs/guides/gpt/chat-completions-api>

another perspective, this also indicates the challenging nature of empathy understanding task—LLMs still struggle to understand empathy despite being provided with the exact definition in prompts, while supervised fine-tuning still outperforms prompting methods with sufficient training samples.

Interestingly, GPT-4 Zero-shot outperforms Few-shot in terms of accuracy on both EMH and ESConv dataset, which contradicts prior works’ observation that adding few-shot examplers help improve performance (Kojima et al., 2022; Wei et al., 2022; Min et al., 2022). We hypothesize that our task—dialogue understanding is different from tasks evaluated by prior works in the following aspects: (1) empathy dialogue understanding is relatively challenging for the language models. Here challenging means it requires background knowledge and expertise which might not be prevalent in the language model’s pretraining corpus. (2) dialogue understanding leads to long input length to the language model. As suggested by recent works (Liu et al., 2021, *inter alia*), processing long sequences is still challenging for LLMs.

Instruction finetuned models achieve the best performance compared to encoder models and prompting methods, the improvement is consistent on all datasets. On 2 out of 3 datasets, Flan-T5-Large (770M) achieves better performance compared to the best encoder model, only worse than Flan-T5-Enc-XL (1.2B) on EMH dataset. Further, Flan-T5-XL (3B) achieves the best performance compared to all other methods. We draw the conclusion that instruction-finetuned methods are bet-

Table 5: Ablation study on the effect of loss function. The results are averaged over 20 predictive tasks on Empeval. We highlight the best number in each column.

Loss Function	Macro Pre.	Macro Rec.	Macro F1	ACC.
Cross Entropy Loss	80.5	75.8	77.2	92.1
LDAM Loss	79.8	76.8	77.5	92.3
Focal Loss	79.5	77.3	78.0	92.1

Table 7: Ablation study on the effect of adding proceeding context. The results are based on focal loss, averaged over 20 predictive tasks on Empeval dataset. We highlight the best number in each column.

Classifier Input	Macro Pre.	Macro Rec.	Macro F1	ACC.
w/o proceedings	79.2	74.8	75.6	91.6
w/ proceedings	79.5	77.3	78.0	92.1

ter suited to be used for measuring conversational empathy.

6.2 Ablation Studies

Here we explore several ablations to understand how different design choices affect instruction finetuned encoder-decoder model’s performance. Unless otherwise explicitly mentioned, the results reported in this subsection are based on Flan-T5-Large (770M) on our internal Empeval dataset.

Choice of loss functions. Most real-world datasets on empathy dialogue understanding are of longtail distribution, We examine whether different choices of loss functions can improve the model’s performance. From Table 5 we can see that LDAM loss and Focal loss indeed improve classification performance on less frequent classes—evidenced by improved Macro recall and Macro F1, while still being competitive in overall accuracy. This finding also suggests the possibility of further improving performance by carefully choosing loss function and corresponding hyperparameters tuning.

Effect of model sizes. In Table 6 we show a comparison between different sizes of instruction-finetuned encoder-decoder models. We can notice that as the model size scales from Small (60M) to Large (770M), the performance gets a significant leap, then plateaus around Large. In fact, the 3B model has slightly worse Macro F1 compared to 770M model (77.5% vs 78%). We hypothesize 3B model’s slight worse performance might be because it quickly overfits the dataset.

Effect of proceeding contexts. As mentioned

Table 6: Ablation study on model sizes. The results are based on focal loss, averaged over 20 predictive tasks on Empeval. We highlight the best number in each column.

Backbone LM	Macro Precision	Macro Recall	Macro F1	ACC.
Flan-T5-Small (60M)	68.7	66.5	66.4	91.1
Flan-T5-Base (220M)	78.1	74.5	75.7	91.8
Flan-T5-Large (770M)	79.5	77.3	78.0	92.1
Flan-T5-XL (3B)	80.0	76.5	77.5	91.7

Table 8: Ablation study on the effect of adding natural language instructions. The results are based on focal loss, averaged over 20 predictive tasks on Empeval dataset. We highlight the best number in each column.

Instruction Type	Macro Precision	Macro Recall	Macro F1	ACC.
w/o instructions	76.1	71.3	72.4	91.1
w/ instructions	79.5	77.3	78.0	92.1

earlier, for our main results in Table 4 we use a context window of 3 preceding utterances and 3 proceeding utterances. In production systems, it is critical to monitor the dialogue state in real-time, where the proceeding utterances are not available.

From Table 7 we notice removing proceeding contexts hurts performance. The result is expected as the model uses less input information, and matches our motivation that empathy is a collaborative practice and context-dependent.

Effect of natural language instructions. The effect of natural language instructions is shown in Table 8. Adding instructions significantly improves classification performance on all metrics. This comparison highlights the importance of natural language instructions in instruction finetuning.

7 Conclusion and Future Work

In this study, we introduce a comprehensive framework for assessing conversational empathy, focusing on both expressed empathetic intentions and perceived empathy. We apply this framework to analyze our internal dataset and find that it effectively correlates expressed intentions, perceived empathy, and overall dialogue satisfaction.

This proposed conceptual evaluation framework requires subjective assessments from trained annotators, which can be expensive and non-trivial to collect. To explore automated empathy measurement models, we rigorously compare various methods against human judgments. Our instruction finetuning technique achieves the highest classification

performance, measured by F-score and accuracy compared to human-based judgments. While our discussion primarily centers on measuring empathy perception in human-human conversations, an important future direction is extending this analysis to human-machine interactions.

Limitations and Potential Risks

This paper studies the empathy evaluation problem in the context of human-human communication. A natural extension is to apply our framework to dialogue applications, and the findings in this paper may be subject to change in human-AI dialogues. Due to limited bandwidth, we only experiment with one proprietary model—GPT-4-0613. Including more latest proprietary models such as GPT-4o, Gemini (Gemini et al., 2023), and Claude will make the results more comprehensive.

To the best of our knowledge, this study does not involve potential risks.

References

- Tim Althoff, Kevin Clark, and Jure Leskovec. 2016. Large-scale analysis of counseling conversations: An application of natural language processing to mental health. *Transactions of the Association for Computational Linguistics*, 4:463–476.
- C Daniel Batson, David A Lishner, Eric L Stocks, et al. 2015. The empathy-altruism hypothesis. *The Oxford handbook of prosocial behavior*, pages 259–281.
- Jie Cao, Michael Tanana, Zac Imel, Eric Poitras, David Atkins, and Vivek Srikanth. 2019. Observing dialogue in therapy: Categorizing and forecasting behavioral codes. In *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics*, pages 5599–5611, Florence, Italy. Association for Computational Linguistics.
- Hyung Won Chung, Le Hou, Shayne Longpre, Barret Zoph, Yi Tay, William Fedus, Eric Li, Xuezhi Wang, Mostafa Dehghani, Siddhartha Brahma, et al. 2022. Scaling instruction-finetuned language models. *arXiv preprint arXiv:2210.11416*.
- Sauna Concannon and Marcus Tomalin. 2023. Measuring perceived empathy in dialogue systems. *AI & SOCIETY*, pages 1–15.
- Amy Coplan. 2011. Understanding empathy.
- Arnulf Deppermann. 2011. The study of formulations as a key to an interactional semantics. *Human studies*, 34:115–128.
- Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. 2019. BERT: Pre-training of deep bidirectional transformers for language understanding. In *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers)*, pages 4171–4186, Minneapolis, Minnesota. Association for Computational Linguistics.
- Robert Elliott, Arthur C Bohart, Jeanne C Watson, and Leslie S Greenberg. 2011. Empathy. *Psychotherapy*, 48(1):43.
- Robert Elliott, Arthur C Bohart, Jeanne C Watson, and David Murphy. 2018. Therapist empathy and client outcome: An updated meta-analysis. *Psychotherapy*, 55(4):399.
- Team Gemini, Rohan Anil, Sebastian Borgeaud, Yonghui Wu, Jean-Baptiste Alayrac, Jiahui Yu, Radu Soricut, Johan Schalkwyk, Andrew M Dai, Anja Hauth, et al. 2023. Gemini: a family of highly capable multimodal models. *arXiv preprint arXiv:2312.11805*.
- Charles Goodwin and John Heritage. 1990. Conversation analysis. *Annual review of anthropology*, 19(1):283–307.
- Marjorie H Goodwin, Asta Cekaite, Charles Goodwin, and E Tulbert. 2012. Emotion as stance. *Emotion in interaction*, 16:41.
- Suchin Gururangan, Ana Marasović, Swabha Swayamdipta, Kyle Lo, Iz Beltagy, Doug Downey, and Noah A. Smith. 2020. Don't stop pretraining: Adapt language models to domains and tasks. In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, pages 8342–8360, Online. Association for Computational Linguistics.
- Judith A Hall and Rachel Schwartz. 2019. Empathy present and future. *The Journal of social psychology*, 159(3):225–243.
- Martin L Hoffman. 1996. Empathy and moral development. *The annual report of educational psychology in Japan*, 35:157–162.
- Hyunwoo Kim, Byeongchang Kim, and Gunhee Kim. 2021. Perspective-taking and pragmatics for generating empathetic responses focused on emotion causes. In *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*, pages 2227–2240, Online and Punta Cana, Dominican Republic. Association for Computational Linguistics.
- Takeshi Kojima, Shixiang Shane Gu, Machel Reid, Yutaka Matsuo, and Yusuke Iwasawa. 2022. Large language models are zero-shot reasoners. *Advances in neural information processing systems*, 35:22199–22213.
- Maxi Kupetz. 2014. Empathy displays as interactional achievements—multimodal and sequential aspects. *Journal of Pragmatics*, 61:4–34.

- Young-Jun Lee, Chae-Gyun Lim, and Ho-Jin Choi. 2022. Does gpt-3 generate empathetic dialogues? a novel in-context example selection method and automatic evaluation metric for empathetic dialogue generation. In *Proceedings of the 29th International Conference on Computational Linguistics*, pages 669–683.
- Anqi Li, Lizhi Ma, Yaling Mei, Hongliang He, Shuai Zhang, Huachuan Qiu, and Zhenzhong Lan. 2023. [Understanding client reactions in online mental health counseling](#). In *Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 10358–10376, Toronto, Canada. Association for Computational Linguistics.
- Tsung-Yi Lin, Priya Goyal, Ross Girshick, Kaiming He, and Piotr Dollár. 2017. Focal loss for dense object detection. In *Proceedings of the IEEE international conference on computer vision*, pages 2980–2988.
- Siyang Liu, Chujie Zheng, Orianna Demasi, Sahand Sabour, Yu Li, Zhou Yu, Yong Jiang, and Minlie Huang. 2021. [Towards emotional support dialog systems](#). In *Proceedings of the 59th Annual Meeting of the Association for Computational Linguistics and the 11th International Joint Conference on Natural Language Processing (Volume 1: Long Papers)*, pages 3469–3483, Online. Association for Computational Linguistics.
- Yinhan Liu, Myle Ott, Naman Goyal, Jingfei Du, Mandar Joshi, Danqi Chen, Omer Levy, Mike Lewis, Luke Zettlemoyer, and Veselin Stoyanov. 2019. Roberta: A robustly optimized bert pretraining approach. *arXiv preprint arXiv:1907.11692*.
- Sewon Min, Xinxu Lyu, Ari Holtzman, Mikel Artetxe, Mike Lewis, Hannaneh Hajishirzi, and Luke Zettlemoyer. 2022. [Rethinking the role of demonstrations: What makes in-context learning work?](#) In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 11048–11064, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Becky Lynn Omdahl. 2014. *Cognitive appraisal, emotion, and empathy*. Psychology Press.
- R OpenAI. 2023. Gpt-4 technical report. *arXiv*, pages 2303–08774.
- Kishore Papineni, Salim Roukos, Todd Ward, and Wei-Jing Zhu. 2002. BLEU: a method for automatic evaluation of machine translation. In *Proceedings of the 40th annual meeting of the Association for Computational Linguistics*, pages 311–318.
- Hannah Rashkin, Eric Michael Smith, Margaret Li, and Y-Lan Boureau. 2019. [Towards empathetic open-domain conversation models: A new benchmark and dataset](#). In *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics*, pages 5370–5381, Florence, Italy. Association for Computational Linguistics.
- Abhilasha Ravichander, Matt Gardner, and Ana Marasovic. 2022. [CONDAQA: A contrastive reading comprehension dataset for reasoning about negation](#). In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 8729–8755, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Adam Roberts, Hyung Won Chung, Anselm Levskaya, Gaurav Mishra, James Bradbury, Daniel Andor, Sharan Narang, Brian Lester, Colin Gaffney, Afroz Mohiuddin, Curtis Hawthorne, Aitor Lewkowycz, Alex Salcianu, Marc van Zee, Jacob Austin, Sebastian Goodman, Livio Baldini Soares, Haitang Hu, Sasha Tsvyashchenko, Aakanksha Chowdhery, Jasmijn Bastings, Jannis Bulian, Xavier Garcia, Jianmo Ni, Andrew Chen, Kathleen Kenealy, Jonathan H. Clark, Stephan Lee, Dan Garette, James Lee-Thorp, Colin Raffel, Noam Shazeer, Marvin Ritter, Maarten Bosma, Alexandre Passos, Jeremy Maitin-Shepard, Noah Fiedel, Mark Omernick, Brennan Saeta, Ryan Sepassi, Alexander Spiridonov, Joshua Newlan, and Andrea Gesmundo. 2022. [Scaling up models and data with t5x and seqio](#). *arXiv preprint arXiv:2203.17189*.
- Laura Ruis, Akbir Khan, Stella Biderman, Sara Hooker, Tim Rocktäschel, and Edward Grefenstette. 2022. Large language models are not zero-shot communicators. *arXiv preprint arXiv:2210.14986*.
- Ashish Sharma, Adam Miner, David Atkins, and Tim Althoff. 2020. [A computational approach to understanding empathy expressed in text-based mental health support](#). In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 5263–5276, Online. Association for Computational Linguistics.
- Michael Slote. 2007. *The ethics of care and empathy*. Routledge.
- Adam Smith. 1959. *The theory of moral sentiments*. Penguin.
- Anthony L Suchman, Kathryn Markakis, Howard B Beckman, and Richard Frankel. 1997. A model of empathic communication in the medical interview. *Jama*, 277(8):678–682.
- Yi Tay, Mostafa Dehghani, Vinh Q Tran, Xavier Garcia, Dara Bahri, Tal Schuster, Huaixiu Steven Zheng, Neil Houlsby, and Donald Metzler. 2022. Unifying language learning paradigms. *arXiv preprint arXiv:2205.05131*.
- Jolanda Van Dijke, Inge van Nistelrooij, Pien Bos, and Joachim Duyndam. 2020. Towards a relational conceptualization of empathy. *Nursing Philosophy*, 21(3):e12297.
- Jason Wei, Xuezhi Wang, Dale Schuurmans, Maarten Bosma, Fei Xia, Ed Chi, Quoc V Le, Denny Zhou, et al. 2022. Chain-of-thought prompting elicits reasoning in large language models. *Advances in Neural Information Processing Systems*, 35:24824–24837.

Anuradha Welivita and Pearl Pu. 2020. [A taxonomy of empathetic response intents in human social conversations](#). In *Proceedings of the 28th International Conference on Computational Linguistics*, pages 4886–4899, Barcelona, Spain (Online). International Committee on Computational Linguistics.

Anuradha Welivita, Yubo Xie, and Pearl Pu. 2021. A large-scale dataset for empathetic response generation. In *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*, pages 1251–1264.

Özge Nilay Yalçın. 2019. Evaluating empathy in artificial agents. In *2019 8th International Conference on Affective Computing and Intelligent Interaction (ACII)*, pages 1–7. IEEE.

Özge Nilay Yalçın and Steve DiPaola. 2020. Modeling empathy: building a link between affective and cognitive processes. *Artificial Intelligence Review*, 53(4):2983–3006.

Jamil Zaki, Niall Bolger, and Kevin Ochsner. 2008. It takes two: The interpersonal nature of empathic accuracy. *Psychological science*, 19(4):399–404.

A Additional Information on Conversation Analysis

In Table 9, we report the mean and standard error of the perceived empathy dimension, when an intent is present or not.

B Annotation of Empeval

We show the annotation questions in Table 10 and Table 11. The collected dialogues are used for academic purposes with agreements from the users. Our annotation process is approved by our internal ethics review board.

C More Details of Datasets

EMH dataset (Sharma et al., 2020) is a multi-label classification dataset, where each dialogue session is annotated on three expressed empathy dimensions: *emotional reactions*, *interpretations* and *explorations* at three different levels: *no communicative intent*, *weak communicative intent* and *strong communicative intent*.

ESConv (Liu et al., 2021) is annotated with 3 coarse-grained mental support stages: *explorations*, *comforting* and *action*, and seven fine-grained mental support strategies: *question*, *restatement or paraphrasing*, *reflection of feelings*, *self-disclosure*, *affirmation and reassurance*, *providing suggestions* and *information*.

We present the statistics of dataset in Table 12. Both public datasets’ licenses allow for usage for academic purposes.

D Additional Training Details

For prior methods, we adapt their official implementations for our predictive tasks. For the four encoder models (BERT-Large, RoBERTa-Large, Flan-T5-Enc-Large, Flan-T5-Enc-XL), our implementation is based on PyTorch. For two instruction-finetuned encoder-decoder models, i.e. Flan-T5-Large and Flan-T5-XL, we use T5X framework (Roberts et al., 2022) based on JAX.

For all models, we use AdamW optimizer, a smaller learning rate of 5e-6 and train in total 30 epochs. Additional early stopping is used to avoid overfitting.

For instruction finetuning encoder-decoder models, we use the same zero-shot template as we use for prompting methods, and train the model to generate the corresponding verbalizers. In testing, we use the rank classification strategy, i.e. we choose the label with the highest probability assigned to the corresponding verbalizer token(s).

E Prompt Template

An author of this paper manually crafted a set of prompt templates and validate the performance on a held-out validation set to pick the highest-performing ones. We show the prompt template we use for Empathy Mental Health dataset in Table 13, ESConv dataset in Table 14 and Empeval in Table 15.

F Full Results

We report the full results for Empathy Mental Health dataset in Table 17 and ESConv dataset in Table 18 and Table 19.

Table 9: Relationship between expressed intents and perceived empathy dimensions and user satisfaction (each column reports the mean and standard error of the perceived empathy dimension's ratings when an intent appears (True) or not (False)); \diamond , \dagger , and \ddagger indicate a statistical significance of ratings when the intent appears or not at $p < 0.05$, 0.01 , and 0.001 , respectively.

Expressed Intent	Perceived Enthusiasm		Perceived Understand		Perceived Sympathy		Perceived Helpfulness		Conversation Satisfaction	
	Intent=True	Intent=False	Intent=True	Intent=False	Intent=True	Intent=False	Intent=True	Intent=False	Intent=True	Intent=False
ask contact	3.97 (0.01)	3.99 (0.01)	3.90 (0.02)	3.96 (0.01) \dagger	3.05 (0.01)	3.08 (0.01) \diamond	3.83 (0.02)	3.87 (0.01) \diamond	3.72 (0.03)	3.74 (0.01)
ask details	4.01 (0.01)	3.98 (0.01)	3.95 (0.02)	3.95 (0.01)	3.07 (0.01)	3.08 (0.01)	3.89 (0.02)	3.86 (0.01)	3.75 (0.03)	3.74 (0.01)
ask confirm	4.00 (0.02)	3.99 (0.01)	3.96 (0.02)	3.95 (0.01)	3.06 (0.02)	3.07 (0.01)	3.92 (0.03)	3.86 (0.01) \diamond	3.85 (0.04)	3.73 (0.01) \ddagger
aware problem	4.03 (0.01)	3.97 (0.01) \ddagger	4.03 (0.01)	3.91 (0.01) \ddagger	3.12 (0.01)	3.06 (0.01) \ddagger	3.92 (0.01)	3.84 (0.01) \ddagger	3.85 (0.02)	3.69 (0.01) \ddagger
describe problem	4.04 (0.01)	3.98 (0.01) \ddagger	4.02 (0.01)	3.94 (0.01) \ddagger	3.15 (0.02)	3.06 (0.01) \ddagger	3.93 (0.01)	3.85 (0.01) \ddagger	3.88 (0.02)	3.72 (0.01) \ddagger
express sympathy	4.07 (0.02)	3.98 (0.01) \ddagger	4.01 (0.02)	3.94 (0.01) \ddagger	3.48 (0.04)	3.04 (0.00) \ddagger	3.87 (0.03)	3.86 (0.01)	3.82 (0.04)	3.74 (0.01)
express reassurance	4.06 (0.01)	3.97 (0.01) \ddagger	4.01 (0.01)	3.94 (0.01) \ddagger	3.17 (0.02)	3.05 (0.01) \ddagger	3.93 (0.02)	3.85 (0.01) \ddagger	3.84 (0.02)	3.72 (0.01) \ddagger
express apology	3.97 (0.02)	3.99 (0.01)	3.96 (0.02)	3.95 (0.01)	3.12 (0.02)	3.07 (0.01) \diamond	3.84 (0.02)	3.87 (0.01)	3.69 (0.03)	3.75 (0.01)
answer question	4.08 (0.02)	3.98 (0.01) \ddagger	4.05 (0.03)	3.94 (0.01) \ddagger	3.08 (0.03)	3.07 (0.01)	4.02 (0.03)	3.85 (0.01) \ddagger	3.92 (0.04)	3.73 (0.01) \ddagger
clarify	4.06 (0.05)	3.99 (0.01)	4.11 (0.05)	3.95 (0.01) \ddagger	3.14 (0.06)	3.07 (0.01)	4.06 (0.05)	3.86 (0.01) \ddagger	3.99 (0.07)	3.74 (0.01) \ddagger
explain	4.09 (0.03)	3.99 (0.01) \dagger	4.08 (0.03)	3.95 (0.01) \ddagger	3.03 (0.03)	3.08 (0.01)	4.07 (0.03)	3.86 (0.01) \ddagger	4.00 (0.05)	3.73 (0.01) \ddagger
excuse	3.96 (0.04)	3.99 (0.01)	3.97 (0.04)	3.95 (0.01)	3.08 (0.04)	3.07 (0.01)	3.78 (0.06)	3.87 (0.01)	3.56 (0.08)	3.75 (0.01) \diamond
inform action	4.06 (0.02)	3.98 (0.01) \ddagger	4.03 (0.02)	3.94 (0.01) \ddagger	3.08 (0.02)	3.07 (0.01)	3.98 (0.02)	3.85 (0.01) \ddagger	3.90 (0.03)	3.72 (0.01) \ddagger
instruct action	4.02 (0.02)	3.98 (0.01) \diamond	3.97 (0.02)	3.95 (0.01)	3.08 (0.02)	3.07 (0.01)	3.91 (0.02)	3.86 (0.01) \diamond	3.75 (0.03)	3.74 (0.01)
tentative solution	4.10 (0.04)	3.98 (0.01) \ddagger	4.06 (0.04)	3.95 (0.01) \ddagger	3.16 (0.04)	3.07 (0.01) \diamond	4.00 (0.04)	3.86 (0.01) \ddagger	3.87 (0.06)	3.74 (0.01) \diamond
contact other	3.95 (0.03)	3.99 (0.01)	3.88 (0.03)	3.95 (0.01) \diamond	3.05 (0.02)	3.08 (0.01)	3.74 (0.04)	3.87 (0.01) \ddagger	3.66 (0.05)	3.75 (0.01)

Table 10: Annotation questions for Empeval dataset — expressed communicative intents.

Ask Contact	Did the highlighted messages ask the customer for contact information (e.g., name, email, phone number, ID)? • Yes • No
Ask Details	Did the highlighted messages ask the customer to provide problem details (excluding contact information)? • Yes • No
Ask Confirmation	Did the highlighted messages ask the customer to confirm or clarify problem details (excluding contact information)? • Yes • No
Aware Problem	Did the highlighted messages express that the agent was aware of the customer’s problem? • Yes • No
Describe Problem	Did the highlighted messages describe, repeat, or paraphrase the customer’s problem? (e.g., “I understand you have problems with refund.”) • Yes • No
Express Sympathy	Did the highlighted messages express sympathy to the customer? (e.g., “I am sorry that your refund was denied. I know how frustrating this feels.”) • Yes • No
Express Reassurance	Did the highlighted messages express reassurance and support to the customer? (e.g., “Please don’t worry. I will try my best to help you.”) • Yes • No
Express Apology	Did the highlighted messages express apology to the customer? (e.g., “I really apologize for the inconveniences.”) • Yes • No
Answer Question	Did the highlighted messages answer the customer’s questions? • Yes • No
Clarify	Did the highlighted messages clarify the customer’s confusions or misunderstandings? • Yes • No
Explain	Did the highlighted messages explain why the problem happened? • Yes • No
Excuse	Did the highlighted messages explain why the problem could not be solved? • Yes • No
Inform Action	Did the highlighted messages inform the customer that the agent had taken actions to solve the problem? • Yes • No
Instruct Action	Did the highlighted messages provide specific instructions that the customer could take to solve the problem? • Yes • No
Tentative Solution	Did the highlighted messages offer a tentative solution to the customer? • Yes • No
Contact Others	Did the highlighted messages ask the customer to contact someone else for the issue? • Yes • No

Table 11: Annotation questions for Empeval dataset — perceived empathy dimensions.

Perceived Enthusiasm	<p>If I were the customer, I would believe the agent was enthusiastic to help me after receiving the highlighted messages.</p> <ul style="list-style-type: none"> • Strongly disagree • Disagree • Neither • Agree • Strongly agree
Perceived Helpfulness	<p>If I were the customer, I would believe the agent helped me effectively after receiving the highlighted messages.</p> <ul style="list-style-type: none"> • Strongly disagree • Disagree • Neither • Agree • Strongly agree
Perceived Sympathy	<p>If I were the customer, I would believe the agent sympathized with my feelings properly after receiving the highlighted messages.</p> <ul style="list-style-type: none"> • Strongly disagree • Disagree • Neither • Agree • Strongly agree
Perceived Understanding	<p>If I were the customer, I would believe the agent understood my problem or request accurately after receiving the highlighted messages.</p> <ul style="list-style-type: none"> • Strongly disagree • Disagree • Neither • Agree • Strongly agree

Table 12: Dataset statistics, as ESConv and Empeval have binary labels, we mark them as strong intent and no intent.

	# No Intent	# Weak Intent	# Strong Intent
<i>Empathy Mental Health (EMH)</i>			
Emotional Reactions	2,037	895	152
Interpretations	1,626	114	1,344
Explorations	2,604	104	376
<i>ESConv</i>			
Question	14,557	N.A.	3,799
Affirmation & Reassurance	15,533	N.A.	2,823
Providing Suggestions	15,408	N.A.	2,948
Information	17,142	N.A.	1,214
Self-disclosure	16,645	N.A.	1,711
Restatement or Paraphrase	17,267	N.A.	1,089
Reflection of Feelings	16,922	N.A.	1,434
<i>Empeval</i>			
Ask Contact	1,552	N.A.	281
Ask Details	1,553	N.A.	280
Ask Confirmation	1,692	N.A.	141
Aware Problem	1,038	N.A.	795
Describe Problem	1,505	N.A.	328
Express Sympathy	1,658	N.A.	175
Express Reassurance	1,447	N.A.	386
Express Apology	1,588	N.A.	245
Answer Question	1,654	N.A.	179
Clarify	1,773	N.A.	60
Explain	1,771	N.A.	62
Excuse	1,761	N.A.	72
Inform Action	1,576	N.A.	257
Instruct Action	1,553	N.A.	280
Tentative Solution	1,736	N.A.	97
Contact Others	1,678	N.A.	155
Perceived Enthusiasm	121	N.A.	1,712
Perceived Helpfulness	208	N.A.	1,625
Perceived Sympathy	1,568	N.A.	265
Perceived Understanding	400	N.A.	1,433

Table 13: Prompt template for Empathy Mental Health (EMH) dataset.

Emotional Reactions	<p>You are a crowdsourcing annotator. Now read the following definition and a corresponding dialogue between an emotional support seeker and an emotional supporter provider, then answer the corresponding question.</p> <p>Definition: emotional reactions is a common strategy in online mental support. It refers to the supporter expressing emotions such as warmth, compassion, and concern about what was experienced by the help seeker after listening to the help seeker’s utterance in a dialogue.</p> <p>A weak communication address those emotions without explicit reference, e.g. ‘Everything will be fine’, while strong communication specifies the emotion, e.g. ‘I feel really sorry for you.’</p> <p>{Dialogue}</p> <p>Question: by saying {utterance}, what is the extent of emotional reactions expressed by the supporter? Respond with strong, weak or no communication.</p>
Interpretations	<p>You are a crowdsourcing annotator. Now read the following definition and a corresponding dialogue between an emotional support seeker and an emotional supporter provider, then answer the corresponding question.</p> <p>Definition: interpretations is a common strategy in online mental support. It refers to the supporter communicating an understanding of feelings and experiences inferred from the help seeker’s utterance in the dialogue. A weak communication of interpretations contains a mention of the understanding, e.g. ‘I understand how you feel’, while a strong communication specifies the inferred feeling or experience, e.g. ‘This must be terrifying’ or communicates understanding through describing similar experiences, e.g. ‘I also have the same experience’.</p> <p>{Dialogue}</p> <p>Question: by saying {utterance}, what is the extent of interpretations expressed by the supporter? Respond with strong, weak or no communication.</p>
Interpretations	<p>You are a crowdsourcing annotator. Now read the following definition and a corresponding dialogue between an emotional support seeker and an emotional supporter provider, then answer the corresponding question.</p> <p>Definition: explorations is a common strategy in online mental support. It refers to the supporter tries to improve the understanding of the help seeker by exploring the feelings and experiences not explicitly stated in the previous context of the dialogue. A weak communication of explorations is usually to ask a generic question, e.g. ‘What happened’, while a strong communication of explorations is to explicitly mention the help seeker’s experiences and feelings which the supporter wants to explore, e.g. ‘Are you feeling lonely right now?’.</p> <p>{Dialogue}</p> <p>Question: by saying {utterance}, what is the extent of explorations expressed by the supporter? Respond with strong, weak or no communication.</p>

Table 14: Prompt template for ESConv dataset.

Question	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and a therapist, then answering a corresponding question. {Dialogue} Question: by saying {utterance}, is the therapist asking the customer a question? Respond with yes or no.</p>
Affirmation & Reassurance	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and a therapist, then answering a corresponding question. {Dialogue} Question: by saying {utterance}, is the therapist showing affirmation or encouraging the customer? Respond with yes or no.</p>
Providing Suggestions	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and a therapist, then answering a corresponding question. {Dialogue} Question: by saying {utterance}, is the therapist providing suggestions to the customer? Respond with yes or no.</p>
Information	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and a therapist, then answering a corresponding question. {Dialogue} Question: by saying {utterance}, is the therapist providing the customer with additional background information or facts? Respond with yes or no.</p>
Self disclosure	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and a therapist, then answering a corresponding question. {Dialogue} Question: by saying {utterance}, is the therapist saying they share the same feeling or experience as the customer? Respond with yes or no.</p>
Restatement or Paraphrasing	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and a therapist, then answering a corresponding question. {Dialogue} Question: by saying {utterance}, is the therapist trying to paraphrase or clarify what the customer just talked about? Respond with yes or no.</p>
Reflection of Feelings	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and a therapist, then answering a corresponding question. {Dialogue} Question: by saying {utterance}, is the therapist trying to say they can understand what the customer is currently feeling or experiencing? Respond with yes or no.</p>

Table 15: Prompt template for Empeval dataset, part 1.

Ask Contact	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and an agent, then answering a corresponding question.</p> <p>{Dialogue}</p> <p>Question: by saying {utterance}, is the agent trying to ask the contact information of the customer? Respond with yes or no.</p>
Ask Details	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and an agent, then answering a corresponding question.</p> <p>{Dialogue}</p> <p>Question: by saying {utterance}, is the agent trying to ask the customer about the problem for more details? Respond with yes or no.</p>
Ask Confirmation	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and an agent, then answering a corresponding question.</p> <p>{Dialogue}</p> <p>Question: by saying {utterance}, is the agent trying to ask the customer to confirm or clarify the details of the problem? Respond with yes or no.</p>
Aware Problem	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and an agent, then answering a corresponding question.</p> <p>{Dialogue}</p> <p>Question: by saying {utterance}, is the agent trying to say they are aware of the problem? Respond with yes or no.</p>
Describe Problem	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and an agent, then answering a corresponding question.</p> <p>{Dialogue}</p> <p>Question: by saying {utterance}, is the agent trying to describe, repeat or paraphrase the customer's question? Respond with yes or no.</p>
Express Sympathy	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and an agent, then answering a corresponding question.</p> <p>{Dialogue}</p> <p>Question: by saying {utterance}, is the agent trying to express sympathy to the customer or to comfort the customer? Respond with yes or no.</p>
Express Reassurance	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and an agent, then answering a corresponding question.</p> <p>{Dialogue}</p> <p>Question: by saying {utterance}, is the agent trying to express reassurance and support to the customer? Respond with yes or no.</p>
Express Apology	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and an agent, then answering a corresponding question.</p> <p>{Dialogue}</p> <p>Question: by saying {utterance}, is the agent trying to apologize for what caused the customer's unpleasant experience? Respond with yes or no.</p>
Answer Question	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and an agent, then answering a corresponding question.</p> <p>{Dialogue}</p> <p>Question: by saying {utterance}, is the agent trying to answer the questions raised by the customer? Respond with yes or no.</p>
Clarify	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and an agent, then answering a corresponding question.</p> <p>{Dialogue}</p> <p>Question: by saying {utterance}, is the agent trying to clarify confusions or misunderstandings in the preceding context of the dialogue? Respond with yes or no.</p>

Table 16: Prompt template for Empeval dataset, part 2.

Explain	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and an agent, then answering a corresponding question.</p> <p>{Dialogue}</p> <p>Question: by saying {utterance}, is the agent trying to explain why the problem described by the customer happened? Respond with yes or no.</p>
Excuse	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and an agent, then answering a corresponding question.</p> <p>{Dialogue}</p> <p>Question: by saying {utterance}, is the agent trying to explain why the problem described by the customer cannot be solved? Respond with yes or no.</p>
Inform Action	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and an agent, then answering a corresponding question.</p> <p>{Dialogue}</p> <p>Question: by saying {utterance}, is the agent trying to say that actions has been taken to solve the problem? Respond with yes or no.</p>
Instruct Action	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and an agent, then answering a corresponding question.</p> <p>{Dialogue}</p> <p>Question: by saying {utterance}, is the agent trying to provide specific instructions to the customer? Respond with yes or no.</p>
Tentative Solution	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and an agent, then answering a corresponding question.</p> <p>{Dialogue}</p> <p>Question: by saying {utterance}, is the agent trying to provide the Customer with some temporary solutions? Respond with yes or no.</p>
Contact Others	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and an agent, then answering a corresponding question.</p> <p>{Dialogue}</p> <p>Question: by saying {utterance}, is the agent trying to ask the customer to contact others for support or help? Respond with yes or no.</p>
Perceived Enthusiasm	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and an agent, then answering a corresponding question.</p> <p>{Dialogue}</p> <p>Question: Given the above dialogue, can we say the agent is enthusiastic and eager to help the customer? Respond with yes or no.</p>
Perceived Helpfulness	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and an agent, then answering a corresponding question.</p> <p>{Dialogue}</p> <p>Question: Given the above dialogue, can we say the agent has effectively helped the customer to solve the problem? Respond with yes or no.</p>
Perceived Sympathy	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and an agent, then answering a corresponding question.</p> <p>{Dialogue}</p> <p>Question: Given the above dialogue, can we say the agent showed sympathy during the communications with the customer? Respond with yes or no.</p>
Perceived Understanding	<p>You are a crowdsourcing annotator. Now read the following dialogue between a customer and an agent, then answering a corresponding question.</p> <p>{Dialogue}</p> <p>Question: Given the above dialogue, can we say the agent has fully understood the problem encountered or raised by the customer? Respond with yes or no.</p>

Table 17: Full results on Empathy Mental Health dataset.

	Precision	Recall	F1	Precision	Recall	F1	Precision	Recall	F1	Macro-Precision	Macro-Recall	Macro-F1	Accuracy
Emotional Reactions	No Intent			Weak Intent			Strong Intent						
PRIOR METHODS													
Sharma et al. (2020)	0.824	0.878	0.850	0.715	0.643	0.677	0.815	0.688	0.746	0.785	0.736	0.758	0.794
Welivita et al. (2021)	0.835	0.829	0.832	0.638	0.603	0.620	0.500	0.719	0.590	0.658	0.717	0.681	0.792
Li et al. (2023)	0.854	0.862	0.858	0.709	0.724	0.716	0.917	0.688	0.786	0.827	0.758	0.787	0.808
ENCODER MODELS													
BERT-Large	0.869	0.875	0.872	0.731	0.739	0.735	0.889	0.750	0.814	0.830	0.788	0.807	0.825
RoBERTa-Large	0.879	0.909	0.894	0.787	0.744	0.765	0.800	0.750	0.774	0.822	0.801	0.811	0.847
Flan-T5-Enc-Large	0.858	0.912	0.884	0.780	0.694	0.734	0.767	0.719	0.742	0.802	0.775	0.787	0.831
Flan-T5-Enc-XL	0.851	0.927	0.889	0.798	0.694	0.742	0.840	0.656	0.737	0.830	0.759	0.789	0.838
INSTRUCTION FINETUNED ENCODER-DECODER MODELS													
Flan-T5-Large	0.907	0.883	0.901	0.766	0.837	0.800	0.800	0.750	0.774	0.824	0.823	0.825	0.861
Flan-T5-XL	0.900	0.888	0.894	0.775	0.791	0.783	0.788	0.813	0.800	0.821	0.830	0.825	0.853
PROMPTING METHODS													
Flan-T5-XXL Zero-shot	0.792	0.726	0.758	0.435	0.378	0.404	0.244	0.688	0.361	0.491	0.597	0.508	0.612
Flan-UL2 Zeroshot	1.000	0.003	0.005	0.133	0.133	0.133	0.075	0.969	0.139	0.403	0.368	0.092	0.095
Interpretations	No Intent			Weak Intent			Strong Intent						
PRIOR METHODS													
Sharma et al. (2020)	0.840	0.883	0.861	0.000	0.000	0.000	0.850	0.834	0.842	0.563	0.572	0.567	0.834
Welivita et al. (2021)	0.874	0.852	0.863	0.000	0.000	0.000	0.843	0.853	0.848	0.572	0.568	0.570	0.826
Li et al. (2023)	0.860	0.868	0.864	0.000	0.000	0.000	0.858	0.845	0.852	0.573	0.571	0.572	0.831
ENCODER-ONLY MODELS													
BERT-Large	0.920	0.861	0.890	0.235	0.211	0.222	0.823	0.894	0.857	0.659	0.655	0.656	0.856
RoBERTa-Large	0.952	0.774	0.854	0.154	0.316	0.207	0.805	0.932	0.864	0.637	0.674	0.641	0.828
Flan-T5-Enc-Large	0.902	0.883	0.892	0.000	0.000	0.000	0.839	0.921	0.878	0.580	0.601	0.590	0.872
Flan-T5-Enc-XL	0.925	0.837	0.888	0.294	0.263	0.278	0.820	0.943	0.877	0.679	0.681	0.681	0.865
INSTRUCTION FINETUNED ENCODER-DECODER MODELS													
Flan-T5-Large	0.953	0.791	0.864	0.400	0.105	0.167	0.763	0.966	0.852	0.705	0.621	0.628	0.845
Flan-T5-XL	0.946	0.842	0.891	0.222	0.211	0.216	0.823	0.939	0.877	0.664	0.664	0.662	0.864
PROMPTING METHODS													
Flan-T5-XXL Zero-shot	0.664	0.664	0.664	0.048	0.474	0.087	0.628	0.225	0.332	0.447	0.454	0.361	0.470
Flan-UL2 Zero-shot	0.000	0.000	0.000	0.020	0.158	0.036	0.495	0.870	0.631	0.172	0.343	0.222	0.378
Explorations	No Intent			Weak Intent			Strong Intent						
PRIOR METHODS													
Sharma et al. (2020)	0.979	0.974	0.976	0.783	0.643	0.706	0.723	0.825	0.771	0.828	0.814	0.818	0.945
Welivita et al. (2021)	0.979	0.970	0.975	0.824	0.500	0.622	0.671	0.860	0.754	0.825	0.777	0.784	0.938
Li et al. (2023)	0.976	0.983	0.979	0.850	0.607	0.708	0.754	0.807	0.780	0.860	0.799	0.822	0.950
ENCODER MODELS													
BERT-Large	0.974	0.985	0.979	0.727	0.571	0.640	0.754	0.754	0.754	0.819	0.770	0.791	0.945
RoBERTa-Large	0.972	0.985	0.974	0.857	0.643	0.735	0.772	0.772	0.772	0.867	0.800	0.828	0.950
Flan-T5-Enc-Large	0.987	0.976	0.981	0.719	0.821	0.767	0.780	0.807	0.793	0.828	0.868	0.847	0.953
Flan-T5-Enc-XL	0.985	0.972	0.978	0.690	0.714	0.702	0.762	0.842	0.800	0.812	0.843	0.827	0.948
INSTRUCTION FINETUNED ENCODER-DECODER MODELS													
Flan-T5-Large	0.977	0.973	0.975	0.833	0.536	0.652	0.681	0.825	0.746	0.831	0.778	0.791	0.940
Flan-T5-XL	0.977	0.983	0.980	0.818	0.643	0.720	0.750	0.790	0.769	0.849	0.805	0.823	0.949
PROMPTING METHODS													
Flan-T5-XXL Zero-shot	0.908	0.894	0.901	0.107	0.214	0.143	0.270	0.175	0.213	0.428	0.428	0.419	0.796
Flan-UL2 Zero-shot	1.000	0.010	0.019	0.021	0.214	0.039	0.133	0.754	0.226	0.385	0.326	0.095	0.088

Table 18: Full results on Esconv dataset, part 1.

	Precision	Recall	F1	Precision	Recall	F1	Macro-Precision	Macro-Recall	Macro-F1	Accuracy
Question	No Intent			Have Intent						
PRIOR METHODS										
Sharma et al. (2020)	0.949	0.931	0.940	0.761	0.814	0.787	0.855	0.873	0.863	0.906
Welivita et al. (2021)	0.956	0.917	0.936	0.732	0.842	0.783	0.844	0.880	0.860	0.901
Li et al. (2023)	0.949	0.933	0.941	0.767	0.813	0.789	0.858	0.873	0.865	0.908
ENCODER MODELS										
BERT-Large	0.949	0.941	0.945	0.788	0.815	0.801	0.869	0.878	0.873	0.914
RoBERTa-Large	0.943	0.938	0.941	0.776	0.789	0.783	0.860	0.864	0.862	0.907
Flan-T5-Enc-Large	0.952	0.928	0.940	0.758	0.828	0.791	0.855	0.878	0.866	0.907
Flan-T5-Enc-XL	0.950	0.938	0.944	0.781	0.819	0.799	0.866	0.878	0.872	0.912
INSTRUCTION FINETUNED ENCODER-DECODER MODELS										
Flan-T5-Large	0.957	0.930	0.943	0.766	0.846	0.804	0.861	0.888	0.874	0.912
Flan-T5-XL	0.956	0.929	0.942	0.763	0.844	0.802	0.860	0.887	0.872	0.911
PROMPTING METHODS										
Flan-T5-XXL Zero-shot	0.990	0.755	0.857	0.520	0.973	0.678	0.755	0.864	0.767	0.802
Flan-UL2 Zero-shot	0.965	0.847	0.902	0.612	0.887	0.725	0.789	0.867	0.813	0.856
Affirmation & Reassurance	No Intent			Have Intent						
PRIOR METHODS										
Sharma et al. (2020)	0.873	0.980	0.923	0.698	0.244	0.362	0.786	0.612	0.643	0.863
Welivita et al. (2021)	0.885	0.962	0.922	0.626	0.339	0.440	0.756	0.651	0.681	0.863
Li et al. (2023)	0.886	0.959	0.921	0.614	0.344	0.441	0.750	0.652	0.681	0.862
ENCODER MODELS										
BERT-Large	0.904	0.927	0.915	0.509	0.435	0.469	0.706	0.681	0.692	0.854
RoBERTa-Large	0.907	0.920	0.914	0.502	0.459	0.479	0.704	0.690	0.696	0.852
Flan-T5-Enc-Large	0.874	0.982	0.925	0.642	0.187	0.290	0.758	0.585	0.607	0.864
Flan-T5-Enc-XL	0.874	0.982	0.925	0.642	0.187	0.290	0.758	0.585	0.607	0.864
INSTRUCTION FINETUNED ENCODER-DECODER MODELS										
Flan-T5-Large	0.914	0.907	0.910	0.529	0.550	0.538	0.721	0.728	0.724	0.850
Flan-T5-XL	0.911	0.920	0.916	0.555	0.525	0.540	0.733	0.723	0.728	0.858
PROMPTING METHODS										
Flan-T5-XXL Zero-shot	0.866	0.945	0.904	0.442	0.230	0.303	0.654	0.588	0.603	0.831
Flan-UL2 Zero-shot	0.924	0.463	0.617	0.220	0.799	0.345	0.572	0.631	0.481	0.516
Providing Suggestions	No Intent			Have Intent						
PRIOR METHODS										
Sharma et al. (2020)	0.897	0.949	0.922	0.619	0.433	0.510	0.758	0.691	0.716	0.865
Welivita et al. (2021)	0.920	0.912	0.916	0.563	0.587	0.575	0.741	0.750	0.745	0.859
Li et al. (2023)	0.912	0.927	0.919	0.585	0.537	0.560	0.749	0.732	0.740	0.864
ENCODER MODELS										
BERT-Large	0.911	0.923	0.917	0.584	0.545	0.564	0.748	0.734	0.740	0.861
RoBERTa-Large	0.937	0.884	0.910	0.543	0.698	0.611	0.740	0.791	0.760	0.853
Flan-T5-Enc-Large	0.909	0.941	0.925	0.634	0.521	0.572	0.772	0.731	0.748	0.872
Flan-T5-Enc-XL	0.932	0.911	0.921	0.593	0.660	0.625	0.762	0.786	0.773	0.870
INSTRUCTION FINETUNED ENCODER-DECODER MODELS										
Flan-T5-Large	0.934	0.908	0.921	0.580	0.663	0.619	0.757	0.786	0.770	0.869
Flan-T5-XL	0.924	0.927	0.925	0.608	0.597	0.603	0.766	0.762	0.764	0.874
PROMPTING METHODS										
Flan-T5-XXL Zero-shot	0.963	0.718	0.823	0.366	0.856	0.513	0.665	0.787	0.668	0.740
Flan-UL2 Zero-shot	0.975	0.474	0.638	0.253	0.936	0.399	0.614	0.705	0.518	0.548
Information	No Intent			Have Intent						
PRIOR METHODS										
Sharma et al. (2020)	0.951	0.990	0.970	0.492	0.155	0.235	0.722	0.573	0.603	0.943
Welivita et al. (2021)	0.953	0.979	0.966	0.365	0.203	0.261	0.659	0.591	0.613	0.935
Li et al. (2023)	0.954	0.964	0.959	0.282	0.237	0.257	0.618	0.600	0.608	0.922
ENCODER-ONLY MODELS										
BERT-Large	0.954	0.974	0.964	0.385	0.259	0.310	0.669	0.616	0.637	0.931
RoBERTa-Large	0.958	0.967	0.962	0.385	0.327	0.354	0.671	0.647	0.658	0.928
Flan-T5-Enc-Large	0.961	0.946	0.953	0.314	0.391	0.348	0.637	0.668	0.651	0.912
Flan-T5-Enc-XL	0.961	0.946	0.953	0.314	0.391	0.348	0.637	0.668	0.651	0.912
INSTRUCTION FINETUNED ENCODER-DECODER MODELS										
Flan-T5-Large	0.956	0.977	0.967	0.398	0.251	0.308	0.677	0.614	0.637	0.936
Flan-T5-XL	0.956	0.985	0.970	0.490	0.246	0.328	0.723	0.616	0.649	0.943
PROMPTING METHODS										
Flan-T5-XXL Zero-shot	0.963	0.877	0.918	0.175	0.438	0.250	0.569	0.658	0.584	0.852
Flan-UL2 Zero-shot	0.962	0.834	0.893	0.139	0.448	0.212	0.550	0.641	0.553	0.812

Table 19: Full results on Esconv dataset, part 2.

	Precision	Recall	F1	Precision	Recall	F1	Macro-Precision	Macro-Recall	Macro-F1	Accuracy
Self-disclosure	No Intent			Have Intent						
PRIOR METHODS										
Sharma et al. (2020)	0.952	0.981	0.966	0.741	0.527	0.616	0.846	0.754	0.791	0.937
Welivita et al. (2021)	0.965	0.968	0.966	0.685	0.663	0.674	0.825	0.815	0.820	0.939
Li et al. (2023)	0.957	0.978	0.967	0.734	0.579	0.647	0.845	0.779	0.807	0.940
ENCODER-ONLY MODELS										
BERT-Large	0.963	0.962	0.962	0.625	0.631	0.628	0.794	0.796	0.795	0.932
RoBERTa-Large	0.963	0.965	0.964	0.646	0.634	0.640	0.804	0.799	0.802	0.935
Flan-T5-Enc-Large	0.974	0.951	0.962	0.605	0.744	0.668	0.789	0.848	0.815	0.932
Flan-T5-Enc-XL	0.970	0.957	0.964	0.626	0.708	0.665	0.798	0.833	0.814	0.935
INSTRUCTION FINETUNED ENCODER-DECODER MODELS										
Flan-T5-Large	0.975	0.962	0.968	0.673	0.758	0.713	0.824	0.860	0.840	0.943
Flan-T5-XL	0.969	0.970	0.970	0.709	0.705	0.707	0.839	0.837	0.838	0.945
PROMPTING METHODS										
Flan-T5-XXL Zero-shot	0.959	0.842	0.897	0.300	0.652	0.411	0.630	0.747	0.654	0.824
Flan-UL2 Zero-shot	0.962	0.774	0.858	0.246	0.708	0.365	0.604	0.741	0.612	0.768
Restatement or Paraphrase	No Intent			Have Intent						
PRIOR METHODS										
Sharma et al. (2020)	0.952	0.996	0.974	0.790	0.222	0.346	0.871	0.609	0.660	0.949
Welivita et al. (2021)	0.960	0.992	0.976	0.750	0.367	0.492	0.855	0.679	0.734	0.954
Li et al. (2023)	0.960	0.988	0.974	0.661	0.362	0.468	0.811	0.675	0.721	0.950
ENCODER-ONLY MODELS										
BERT-Large	0.961	0.983	0.972	0.613	0.411	0.492	0.787	0.697	0.732	0.947
RoBERTa-Large	0.962	0.982	0.972	0.611	0.429	0.504	0.787	0.705	0.738	0.947
Flan-T5-Enc-Large	0.961	0.991	0.976	0.742	0.398	0.518	0.851	0.695	0.747	0.953
Flan-T5-Enc-XL	0.961	0.991	0.976	0.742	0.398	0.518	0.851	0.695	0.747	0.953
INSTRUCTION FINETUNED ENCODER-DECODER MODELS										
Flan-T5-Large	0.964	0.990	0.977	0.729	0.429	0.540	0.846	0.709	0.758	0.956
Flan-T5-XL	0.962	0.992	0.977	0.763	0.397	0.523	0.863	0.695	0.750	0.956
PROMPTING METHODS										
Flan-T5-XXL Zero-shot	0.972	0.828	0.894	0.192	0.630	0.294	0.582	0.729	0.594	0.816
Flan-UL2 Zero-shot	0.973	0.195	0.325	0.069	0.918	0.128	0.521	0.556	0.226	0.239
Reflection of Feelings	No Intent			Have Intent						
PRIOR METHODS										
Sharma et al. (2020)	0.935	0.998	0.965	0.813	0.099	0.177	0.874	0.549	0.571	0.934
Welivita et al. (2021)	0.941	0.991	0.966	0.639	0.202	0.307	0.790	0.597	0.636	0.934
Li et al. (2023)	0.944	0.979	0.961	0.485	0.252	0.332	0.715	0.616	0.649	0.927
ENCODER-ONLY MODELS										
BERT-Large	0.940	0.978	0.958	0.487	0.254	0.333	0.713	0.616	0.646	0.922
RoBERTa-Large	0.923	1.000	0.960	0.000	0.000	0.000	0.461	0.500	0.480	0.923
Flan-T5-Enc-Large	0.942	0.976	0.959	0.506	0.289	0.368	0.724	0.633	0.663	0.923
Flan-T5-Enc-XL	0.949	0.961	0.955	0.450	0.380	0.412	0.699	0.671	0.684	0.916
INSTRUCTION FINETUNED ENCODER-DECODER MODELS										
Flan-T5-Large	0.949	0.966	0.957	0.427	0.330	0.372	0.688	0.648	0.665	0.920
Flan-T5-XL	0.946	0.978	0.962	0.493	0.279	0.356	0.720	0.628	0.659	0.928
PROMPTING METHODS										
Flan-T5-XXL Zero-shot	0.971	0.514	0.672	0.113	0.798	0.198	0.542	0.656	0.435	0.535
Flan-UL2 Zero-shot	0.964	0.637	0.767	0.129	0.694	0.217	0.547	0.666	0.492	0.641