

Augmenting Transformers with KNN-Based Composite Memory for Dialog

Angela Fan
Facebook AI Research
Université de Lorraine
LORIA
angelafan@fb.com

Claire Gardent
CNRS/LORIA
claire.gardent@loria.fr

Chloé Braud
CNRS/IRIT
chloe.braud@irit.fr

Antoine Bordes
Facebook AI Research
abordes@fb.com

Abstract

Various machine learning tasks can benefit from access to external information of different modalities, such as text and images. Recent work has focused on learning architectures with large memories capable of storing this knowledge. We propose augmenting generative Transformer neural networks with KNN-based Information Fetching (KIF) modules. Each KIF module learns a read operation to access fixed external knowledge. We apply these modules to generative dialog modeling, a challenging task where information must be flexibly retrieved and incorporated to maintain the topic and flow of conversation. We demonstrate the effectiveness of our approach by identifying relevant knowledge required for knowledgeable but engaging dialog from Wikipedia, images, and human-written dialog utterances, and show that leveraging this retrieved information improves model performance, measured by automatic and human evaluation.

1 Introduction

Machine learning approaches to various tasks, such as game-playing or dialog, are often dependent on external information. This information can take multimodal forms, including structured knowledge bases, free text, and images, and also comes in overwhelmingly large quantities. A pressing challenge is to create models that can identify which specific elements of multiple information sources are relevant in a particular context, and incorporate them into standard archi-

tectures on each task. In this work, we focus on human-machine dialog and how to efficiently retrieve external knowledge that is relevant to the dialog. We consider two scenarios and for each scenario, retrieve two types of knowledge: (i) knowledge about similar dialog contexts and (ii) external knowledge used to ground the conversation into real world information.

Knowledge about similar dialog contexts allows for a hybrid retrieval/generative approach to dialog where the system response is generated based not only on a representation of the current dialog context and of the relevant world knowledge, but also based on a response retrieved from a similar dialog context. The retrieved knowledge can be viewed as providing information about structure and dialog sentences, or utterances: which response is likely given a similar context?

External knowledge is also retrieved to improve the semantic content of the dialog model. In one scenario, Wizard of Wikipedia (Dinan et al. 2018), general topics are provided to crowdworkers, who are asked to have in-depth and specific conversations about these topics by referencing specific Wikipedia sentences as knowledge. In this scenario, external knowledge is retrieved from a pre-selected set of Wikipedia sentences associated with the current dialog topic. Retrieval aims to select the sentence that is most relevant at each step of the dialog and thereby to ground system responses in relevant world knowledge (e.g., by referring to Star Wars when talking about science fiction).

In the other scenario, Engaging ImageChat (Shuster et al., 2020), crowdworkers are provided with images and asked to have a conversation

inspired by or about the image. In this case, the retrieved external knowledge is images and their associated dialogs. By retrieving images that are similar to the image being talked about, we aim to enrich system responses with knowledge about what is typically mentioned when describing similar images (e.g., when talking about an image with dogs, mentioning their breed).

Our work on incorporating different types and modalities of knowledge is related to methods that strive to add external memory, such as knowledge bases, to neural networks. Previous work has explored incorporating large external memories into neural network layers (Weston et al., 2015; Sukhbaatar et al., 2015, 2019; Lample et al., 2019). Many existing approaches focus on using attention over the memory slots, which is computationally intensive and becomes less effective as the size of the memory grows. In this work, we propose representing multiple sources of external information as fixed encodings and using K Nearest Neighbors (KNN) search to fetch relevant information. KNN search is computationally efficient and scalable, and libraries like `faiss` (Johnson et al., 2019) allow KNN to be easily used on GPUs and integrated into neural networks. Further, the external memories are pre-encoded, so the information encoding is only computed once. As the external memories are kept fixed, they do not require any training to learn the memories along with the model. We can thus scale easily to larger memories by learning only the KNN-based read operation to identify relevant information from the memory.

Our core contribution proposes an efficient, KNN-based Information Fetching (KIF) module that can access relevant external knowledge, combine knowledge from different sources, and integrate this information into standard sequence to sequence architectures. We apply these flexible modules to two dialog datasets that challenge generative models to leverage external information to write coherent, on-topic responses. Both of our chosen tasks require models to leverage external information, such as information from Wikipedia or images, to engage in the conversation. We show that relevant information can be identified from hundreds of thousands of candidates in a multimodal, multi-knowledge-source setting to improve the performance of generative dialog models. Further, the output of the KIF modules is interpretable as specific human-readable know-

ledge elements are selected, allowing users to better understand the information the generative model conditions upon when writing the subsequent utterance. On both datasets, we achieve state-of-the-art results compared to generative models and find there is no statistically significant difference in the interestingness or human preference of our model output compared to state-of-the-art retrieval models.

2 Related Work

We discuss related work on learning to incorporate external knowledge into neural networks and efficiently access relevant information. We then describe work in generative dialog that incorporates knowledge.

2.1 Incorporating External Knowledge

Augmenting neural networks with memory, or longer-term components that can be accessed with read and write operations, has been explored in various proposed architectures. For example, Memory Networks (Weston et al., 2015; Sukhbaatar et al., 2015, 2019) introduce attention mechanisms over large external memories. Neural cache models (Grave et al., 2017b) simplify these to access previous memories with a dot product. Previous work has also studied how to read and write into these memory architectures (Rae et al., 2016; Graves et al., 2014; Joulin and Mikolov, 2015). In contrast, we focus on how to read large memories.

Another line of research has focused on computational scalability for larger external memories to allow efficient access of information. For example, Chandar et al. (2016) propose a hierarchical memory network rather than a flat one and Rae et al. (2016) learn sparse operations to read and write. Lample et al. (2019) focus on learning memories of up to one million slots and how to efficiently access the slots using product keys. Khandelwal et al. (2019) use nearest neighbor operations to augment language models by performing retrieval at the token level—in contrast, we focus on multimodal retrieval of multiple pieces of knowledge based on an entire dialog context. Beyond explicit memory representations, it may be possible to store information implicitly during training time by memorizing common patterns present in text (Petroni et al., 2019). We focus on learning

to fetch relevant information from multiple explicit external multimodal knowledge sources and integrate them into one network. Further, our work allows the retrieved information to be interpreted as each memory slot is an explicit fact that can be read as text, rather than a learned vector such as in Lample et al. (2019).

Work has also focused on computationally efficient softmax operations (Mnih and Hinton, 2009; Grave et al., 2017a; Chen et al., 2016). Many approximate softmax techniques use KNN-like operations to form clusters, and the overall softmax operation is constrained by the slow calculation of the exponential. Our usage of KNN benefits from efficient and scalable libraries such as `faiss` and `nmslib`.

2.2 Generative Dialog

We develop a general architecture for incorporating external information and apply it to the case of generative dialog models. Previous work in dialog has leveraged knowledge as necessary information to accomplish the task. For example, airline and restaurant booking tasks often use API calls to access information about reservation times and availability (Bordes et al., 2017). In contrast, our work focuses on how to incorporate unstructured knowledge, such as free text found on the Web. Previous work has used architectures that attend over the available knowledge and identify relevant pieces of information, which scales poorly with large quantities of information (Dinan et al., 2018; Qin et al., 2019; Lian et al., 2019). We replace the use of attention over external information with the output of a KNN module. Other work has investigated incorporating information retrieval in language modeling and question answering (Chen et al., 2017; Fan et al., 2019; Seo et al., 2019; Guu et al., 2020), while we focus on dialog applications and flexibly incorporating knowledge from multiple, multimodal sources.

On the modeling side, work has explored both generative (Serban et al. 2016a, 2016b) and retrieval based models (Zhang et al., 2018), which identify the best utterance from the training set to return as the dialog response. This often leverages self-attention or cross-attention mechanisms (Humeau et al., 2019). Further work has explored hybrid models, for example, using the output of a retrieval model as input for a generative

model (Dinan et al., 2018; Weston et al., 2018; Cai et al., 2019; Zhu et al., 2020). Some of this work has specialized to use both types of models to generate conversations in an ensemble (Song et al., 2016) or to specifically improve consistency (Song et al., 2020). We extend these approaches by augmenting generative models with retrieval-like operations based on KNN search, allowing dialog models to flexibly incorporate various sources of external knowledge at the same time and scale to large quantities of retrieval candidates.

3 KNN-based Information Fetching Modules

Broadly, the KIF module assumes an encoder model M can access inputs $\mathbf{X} = \{x_1, x_2, \dots, x_n\}$. For example, \mathbf{X} can be a collection of sentences, and x_i represents an individual sentence. In a setting without additional supporting information, the encoder will process an input x_i and produce the encoder output $M(x_i)$. If x_i is a sequence such as a sentence, then $M(x_i)$ is a representation of the variable size of the sequence length by the fixed size encoder M 's hidden size. However, in many tasks, additional information is present, represented as $\mathbf{E} = \{e_1, e_2, \dots, e_m\}$. We encode each element of \mathbf{X} and \mathbf{E} into a vector representation using the encoder. To identify the closest information in \mathbf{E} that is relevant to x_i , our general approach will be to use KNN by comparing the representation of x_i with the representation of each element in the set \mathbf{E} . KNN is a fully differentiable operation (Plötz and Roth, 2018), so can be incorporated in a straightforward way into neural models. The most relevant information in \mathbf{E} will then be available in the model. We display a KIF-Augmented model 1 in Figure 1 and describe how the KIF module operates.

One challenge to overcome is that the representation of all elements of the knowledge source \mathbf{E} are pre-computed and kept fixed, creating $M(\mathbf{E})$ —we do not backpropagate to affect the embeddings of the pre-encoded knowledge. In the early stages of training, the model receives large amounts of loss, which would affect the quality of the pre-encoded embeddings if we backpropagated to them. Further, encoding the fixed external knowledge once and re-using it allows for greater scalability. However, this lack of backpropagation can introduce a mismatch




Figure 1: **KIF** modules fetch relevant information from multimodal external knowledge. External knowledge sources E_1 and E_2 are pre-encoded by encoder M (green). In the model, input x_i is encoded by encoder M' (blue) to produce $M'(x_i)$. KIF modules (orange) operate on $M'(x_i)$ and identify the nearest neighbors encoded in $M(E_1)$ and $M(E_2)$ using KNN. Identified relevant elements from E_1 and E_2 are re-encoded by M' in a gating mechanism with a weighted sum (represented by $\sigma(\text{WS}1_i) \cdot \text{WS}1_i$, where WS stands for weighted sum), then concatenated to $M'(x_i)$. Full description with notation can be found in Section 3.

between the encoding of E and the encodings produced by a model that is training, as the training model has constantly changing representations because the weights are being learned. We use M to represent the original encoder model used to encode E and M' to represent the constantly training model that is encoding X . The model must learn a function to align $M'(x_i)$ to the pre-encoded elements of the external memory $M(E)$.

To circumvent this misalignment, we learn a mapping operator $f_E(M'(x_i))$ that trains to map elements of the model’s representation of X , or $M'(X)$, into the additional information representation space $M(E)$. Concretely, $f_E(M'(x_i))$ is a multilayer perceptron with ReLU nonlinearities. From the input elements of X , $f_E(M'(x_i))$ learns representations of an output close to the corresponding projection of X into E . This can be interpreted as learning a read operation on a fixed external memory. If there was no change to the encoding of the model compared to the pre-computed knowledge, then the ideal mapping operator would be the identity function (as M' would equal M). However, as the model changes significantly during the training process, the nonlinear mapping capability of $f_E(M'(x_i))$ is essential to be able to identify the correct knowledge E from the input X .

Thus, a model augmented with KIF will incorporate external knowledge in the following manner. First, we find the k nearest elements

to $f_E(M'(x_i))$ in $M(E)$, based on KNN search with inner product. Then, the relevant elements identified by KNN are re-encoded by M' . For example, if element e_j is retrieved by KIF, it would produce $M'(e_j)$. We use the optimized `faiss` library for KNN search, which can conduct billion-scale KNN efficiently on GPUs.

The KNN output for an element x_i is produced by using `faiss` to search for the k nearest representations to $f_E(M'(x_i))$ in $M(E)$. Note that as the encoders M and M' produce output representations of variable length (for example, in the case where x_i is a variable length sequence, such as a sentence), we average across the length dimension to produce a fixed-size representations r to conduct the KNN search.

$$r_{x_i} = \text{Avg}(f_E(M'(x_i))) \quad (1)$$

$$\mathbf{R}_E = \{\text{Avg}(M(e)) \mid e \in E\} \quad (2)$$

$$\text{KNN}_{x_i} = \text{KNearest}(k, r_{x_i}, \mathbf{R}_E) \quad (3)$$

Then, the KIF module output for an element x_i is the set of all re-encoded representations of the KNN-retrieved knowledge:

$$\text{KIF}_{x_i} = \{M'(e) \mid e \in \text{KNN}_{x_i}\} \quad (4)$$

These elements are weighted by their normalized nearest neighbor scores and then summed. This is subsequently concatenated to $M'(x_i)$ to form the final encoder output:

$$[M'(x_i), \text{WeightedSum}(\text{KIF}_i)] \quad (5)$$

This can be easily extended to using multiple modules simultaneously. For instance, two sources of external information, E_1 and E_2 , can be combined by identifying the top candidates of each information source. The weighted sum of the KIF output on each information source is concatenated with the encoded input $M'(x_i)$. The KIF output dimensionality is the same size as the hidden size of $M'(x_i)$, so they can be directly concatenated.

Finally, different sources of information may not be required for every prediction and some information sources can be more important than others. To allow the model to make more fine-grained decisions about what information to use from what source, and how much of it, we add a gating mechanism using a sigmoid function around each weighted sum of KNN representations. $KIF1_i$ and $KIF2_i$ denote the KIF module from Equation (4) applied to E_1 and E_2 , respectively.

$$WS1_i = \text{WeightedSum}(KIF1_i) \quad (6)$$

$$WS2_i = \text{WeightedSum}(KIF2_i) \quad (7)$$

which produces the final encoder output, a concatenation of $M'(x_i)$ with the output of multiple KIF modules:

$$[M'(x_i), \sigma(WS1_i) \cdot WS1_i, \sigma(WS2_i) \cdot WS2_i] \quad (8)$$

This concatenation represents the output of the encoder M' and can be used for various purposes, such as providing the encoder output to a decoder in a sequence to sequence model.

4 Applying KIF to Dialog Tasks

We describe how to apply KIF to the task of generative dialog, a setting where models must generate engaging and on-topic responses. We investigate dialog for two reasons: First, dialog agents must be able to consult relevant information to maintain the topic of the conversation. Second, retrieval-based agents have strong performance compared to generative ones, due to their ability to copy dialog utterances from the training set. Using KIF, we can incorporate the benefits of retrieval architectures into generative, knowledge-based models.

4.1 KIF for Generative Dialog

In dialog, x_i represents the text of the conversation i . A conversation consists of multiple back-and-forth *utterances* (or turns). For example, a conversation could consist of 4 turns: $x_i = [x_{i,1}, x_{i,2}, x_{i,3}, x_{i,4}]$ where $x_{i,4}$ is the direct utterance the model should respond to, and the earlier utterances are the *conversation context*.

Standard generative dialog models use a Transformer neural network as the encoder M and want to produce an output that is an appropriate response to the conversation. However, in many cases, the conversation history alone does not include all of the information required to produce an appropriate response. For example, if a model needs to chat about a specific movie, it can be helpful to provide the model with more information about that movie so a more interesting dialog response could be produced. To incorporate knowledge, models often concatenate a knowledge source E such as Wikipedia to x_i and use attention modules to identify the most relevant knowledge. However, this approach is computationally intensive when handling large quantities of information. Further, attention mechanisms have been found to operate poorly over long sequences, as the mechanism becomes blurry due to the softmax and struggles to make fine-grained decisions (Fan et al., 2018b). The same is true for hierarchical approaches, which lack scalability.

We augment Transformer sequence to sequence (seq2seq) networks on the encoder side with KIF to improve generative dialog models. We experiment on two dialog tasks, Wizard of Wikipedia (Dinan et al., 2018) and Engaging ImageChat (Shuster et al., 2020). In both datasets, models must leverage information external to the dialog history alone—in Wizard of Wikipedia, the chat requires access to knowledgeable facts and in Engaging ImageChat, discussion about a specific image. As models must process multiple inputs and ground responses in the knowledgeable facts or images, these tasks challenge existing seq2seq approaches.

4.2 Wizard of Wikipedia

The goal of the Wizard of Wikipedia dataset is to train knowledgeable agents that can chat in any domain. The dataset contains 1,365 various topics discussed in 18,430 dialogs in the training set,

totalling 166,787 training utterances. Each topic is a general concept, such as *dogs* or *ice cream*, and is included as the first utterance of the conversation. The conversation is meant to be in-depth and detailed, so individual utterances must reference specific knowledge as a basis for the utterance. The knowledge takes the form of Wikipedia sentences. For example, the chat utterance *I love Toy Story! It was released in 1995* would reference the Wikipedia sentence *Toy Story is a 1995 American computer-animated buddy comedy [...]*. For each utterance, a set of sentences are identified by an information retrieval system, and the crowdworker selected one knowledge sentence as the basis for their utterance.

Knowledge Sources. Our model for Wizard of Wikipedia has access to two sources of external information, E_1 and E_2 :

- E_1 is *Wikipedia Knowledge* provided by the dataset as evidence to support knowledgeable chitchat (initially curated by the information retrieval system used in Dinan et al. [2018]). The scale of this KNN search is to filter through an average of 34 sentences. The KIF module uses dialog features to fetch relevant knowledge to condition upon to generate the subsequent utterance.
- E_2 is *Training Utterances*. To incorporate the benefits of retrieval-based dialog models to the generative setting, we use KIF to identify relevant utterances from the training set and take their *responses* as input. If many conversations about dogs have already occurred, models should be able to take advantage of these human-written examples to improve their generations. For example, likely conversation could occur about the breed of the dog, daily routine with a pet, and similar topics. There are around 170K dialog utterances as inputs to KNN search. This can be interpreted as incorporating the benefits of retrieval models by identifying an utterance with similar structure as the text the model would like to generate. We do not allow the module to fetch the correct response of the current conversation context.

Access to these two sources of knowledge can be seen as learning a template and a topic separately. Sample templates can be identified from the training utterances, and topic-specific

information learned by accessing the Wikipedia knowledge.

Additional KNN Features. To better identify relevant training utterances from the large quantity available, we break down x_i into conversation sub-features for a more fine-grained match in the KNN search step. By conducting KNN on more features, we can achieve higher quality retrieval. We leverage the nature of dialog to decide these features.

We concatenate the encoding of the most recent dialog utterance (e.g., $x_{i,\text{last}}$) with the encoding of the dialog context from the current conversation and the turn number t , such that $M'(x_{i,\text{last}}), M'(x_{i,-\text{last}}), t$ is the representation used for KNN search. Concretely, if the model is trying to produce the 5th turn of the conversation, then $x_{i,\text{last}}$ is the most recent utterance from the dialog partner, $x_{i,-\text{last}}$ would be the last 3 turns of exchange, and t would be 4. Note that the turn number is represented as a standalone number. These are known to be salient conversation features. The most recent dialog utterance is the direct turn the model is responding to, and the dialog context may provide additional clues. The turn number is important, as earlier turns are often generic (e.g., *how are you doing today*) and later turns are more specific.

4.3 Engaging ImageChat

The goal of Engaging ImageChat is to create agents capable of chitchatting about images selected from the YFFC100M dataset (Thomee et al., 2016). The dataset contains 186,782 dialogs in the training set, each about a unique image, totalling 355,862 utterances. Agents are assigned one of 215 personalities (e.g., *sweet, caring, excited*) to increase engagingness. Previous work (Shuster et al., 2020, 2019) identified that both crowdworkers and models, when provided with personalities, produced more diverse, interesting responses, as evaluated by humans.

We use a multimodal neural network designed to handle both image input and text input. Following Shuster et al. (2020), the images are encoded using a pre-trained ResNeXt network (Xie et al., 2017). To extract the final image representation, we project the 2048-dimensional output of the image encoder to 512-dimensions using a deep multilayer perceptron with ReLU activation units. The conversation history, which

includes the one-word personality, is encoded with a Transformer encoder network. The image and conversation are integrated using the Multimodal-Sum-Combiner module proposed in Shuster et al. (2020).

Knowledge Sources. Our model for Engaging ImageChat has access to two sources of external information, E_1 and E_2 :

- E_1 is *Chat on Similar Images*. Although there are over 180K different images in this dataset, many of the images are similar. For example, conversations associated with two pictures of dogs could be relevant to each other. The model is able to use KIF directly on the current image features to fetch from around 180K different images and return 6 turns of related chat for each fetched image. Fetching from E_1 consists of identifying related image chats, or conversations on related topics.
- E_2 is *Training Utterances*. Similar to the motivation for the previous dataset, we allow the model to identify training utterances that could be useful for responding in the current conversation. The scale of this fetching task is large: 350K dialog utterances. This could be interpreted as identifying utterances with similar structure to what the model would like to generate, and is complementary to the topic-based related image chats.

Additional KNN Features. To identify relevant information from training utterances, we use the same dialog features as Wizard of Wikipedia in the KNN search step, with one modification: We add the *personality* provided by the dataset. We represent the personality feature as the personality word, such as *caring*, and embed it with the encoder M' . As utterances from speakers with the same personality are more likely to be similar, this feature improves the quality of the fetched information. For example, conversations with the *sweet* personality often include similar text such as *aww, that's wonderful*. We use two additional features for the KNN search: t , the turn number, and p , the personality. This feature is explicitly used in Shuster et al. (2020) to improve the engagingness and flow of the conversation. Similar to Wizard of Wikipedia, we represent the conversation turn t as a number. The Transformer model is used to encode text x_i and produce a representation of the text,

then the turn number t and personality p are represented separately. As the personality is a word, we use the same Transformer to encode it. The concatenation of features used for KNN search is: $M'(x_{i,\text{last}}), M'(x_{i,-\text{last}}), t, p$.

5 Experimental Setup

5.1 Implementation Details

Parameter Settings. We use `parl.ai` (Miller et al., 2017) to implement our models. The data for both datasets used is available for download from `parl.ai` as well. We use byte-pair encoding (Sennrich et al., 2016) to represent the text to better handle the rare word problem (Dinan et al., 2018; Fan et al., 2018a). Our generative Transformer models have 8 encoder layers and 8 decoder layers, with FFN size 2048, embedding dimension 512, and 4 attention heads. We optimize using Adam (Kingma and Ba) and the inverse square root learning schedule (Vaswani et al., 2017) with 10k warmup updates. The initial learning rate is 0.0001 and we optimize for model perplexity. We use a dropout of 0.5 and set gradient clipping to 0.1. We set $k = 5$ for all cases. For both datasets, we model a vocabulary size of 54,944 based on the BPE-based vocabulary from the Reddit pre-training. We tuned the learning rate and batchsize hyperparameters together.

Pre-training. We pre-train the Transformer seq2seq model used for both datasets on 250M comments from Reddit. The Reddit dataset was made available by pushshift.io. The comments are parsed to maintain conversational threads of users responding to each other, so the encoder network has been exposed to conversational context at training time. Note that the Reddit dataset does not include aspects such as personality, as those are unique to specific datasets such as Engaging ImageChat. The context size in pre-training is set to 512 tokens. The ResNeXt encoder used to model images for the Engaging ImageChat dataset was pre-trained on 3.5 billion images (Mahajan et al., 2018).

5.2 Evaluation

Generation. We generate with beam search, setting the beam size to 4. We use 3-gram blocking. This technique disallows repeated n -grams from being generated multiple times and reduces repetition.

Automatic Metrics. Following Dinan et al. (2018), we compute $F1$, a metric of unigram overlap, between the generated utterance and the human-written reference utterance from the dataset. For generative models, utterances are generated using beam search. For retrieval models, the next utterance is predicted by ranking the entire set of training utterances, and the highest scoring utterance is chosen.

In Wizard of Wikipedia, there are two test sets: A set of *seen* topics, or topics that have been seen at training time with new test-time dialogs. The second set is *unseen*, or topics that have not been encountered at all during training time. We evaluate on both subsets.

Human Evaluation. We follow the setup and use the analysis questions proposed in the Acute-Eval dialog evaluation system (Li et al., 2019). For reproducibility, we adopt this existing evaluation setting that has been applied to several dialog datasets. We use the question wording suggested by Acute-Eval and follow their self-chat procedure and interface. As one of the original datasets assessed in this system was Wizard of Wikipedia, their evaluation setting extends naturally to ours. We collect 100 human-bot conversational dialogs on a crowdsourcing platform for both datasets. The dialogs are eight turns long. Then, we show pairs of the collected conversations side by side, one conversation with a human and model A and the other conversation with a human and model B. We ask annotators the following questions:

- Who would you prefer to talk to for a long conversation?
- If you had to say one of the speakers is interesting and one is boring, who would you say is more interesting?
- Which speaker sounds more human?
- Which speaker has more coherent responses in the conversation?
- If you had to say that one speaker is more knowledgeable and one is more ignorant, who is more knowledgeable? (Wizard of Wikipedia only)

We measure the percentage of time one model was chosen over the other, taking the majority agreement between three evaluators. To reduce variance, dialogs paired in the evaluation were

collected on the same topic for Wizard of Wikipedia and collected on the same image and personalities for Engaging ImageChat. Topic and images selected for evaluation are unique and taken randomly from the test set.

5.3 Baselines

We compare Transformers augmented with KIF to other existing approaches on Wizard of Wikipedia and Engaging ImageChat. The best approaches, judged by human evaluation, are retrieval models, the Retrieval Transformer Memory Network from Dinan et al. (2018) and the Retrieval Transformer from Shuster et al. (2020). These have been shown to be strong baselines compared with other retrieval techniques based on TF-IDF (Chen et al., 2017). Thus, we report the existing retrieval models for both datasets, but focus on comparing to other generative baselines.

We compare to three additional generative baselines. Note that in Wizard of Wikipedia, the construction of the dataset is that sentences of Wikipedia knowledge are provided with the utterances in a concatenated form. Models must identify the relevant information in this provided knowledge, or can access more Wikipedia knowledge beyond the provided sentences. The following baseline methods always have access to the information provided in the dataset already, but no additional Wikipedia knowledge beyond that.

- *Transformer Memory Networks.* To contrast the ability of KIF to existing work, we compare our models to published Transformer Memory Networks (Dinan et al., 2018). These models encode each piece of external information independently with a Transformer Encoder, and these are stored as memory slots. To access information in the memory slots, a model performs dot-product attention between the memory slots and the dialog context. In Dinan et al. (2018), the knowledge selection from Wikipedia was supervised with either (a) a two-stage model where the first model was trained to predict the right knowledge and a second model conditions on the predicted knowledge to generate the next utterance, or (b) an end-to-end model with an auxiliary loss for knowledge prediction accuracy.
- *Retrieve and Refine.* We implement a hybrid model (Weston et al., 2018) that incorporates

top retrieval candidates as additional input to Generative Transformer MemNets. In Retrieve and Refine, a fixed number of candidates are retrieved and concatenated to the conversational history in the encoder, making the input much longer. For both datasets, the Retrieve and Refine mechanism that fetches a fixed number of training utterances is added to the Generative Transformer MemNet with Reddit Pre-Training baseline.

Unlike the KIF-Augmented Transformer, the retrieval is conducted with a separate model so there is no backpropagation to affect the retrieval. With KIF, models can alter the retrieved candidates by learning the mapping operator. Further, a fixed amount of information is always retrieved, without the capability to easily rescale to focus on specific candidates. KIF modules have weighting mechanisms to focus more on certain information, and the modules are combined with gating so models can learn which knowledge sources are more important and adjust flexibly. Lastly, Retrieve and Refine is only used to retrieve one source of information: training set utterances.

- *Response Generation with MR.* We implement the model proposed in Qin et al. (2019), which encodes the conversation history and document contextually with a biLSTM before generating the next dialog utterance. The initial model was applied to a machine reading task where a knowledge document was provided along with the conversation history. For Wizard of Wikipedia, we replace the knowledge document with the Wikipedia sentences provided in the dataset. The model then uses the conversation to identify the most relevant information in the document using a cross-attention mechanism. For the Engaging ImageChat dataset, as there is no document provided with the dataset, we replace the expected document with the conversation history, and use the most recent utterance in the conversation to attend to the conversation history.

We make an additional improvement to this baseline: in Qin et al. (2019), the embeddings used pre-trained CoVE vectors (McCann et al., 2017). We found our Reddit pre-trained Transformer embeddings to work

more effectively as they are trained for dialog. Thus, we replace CoVE embeddings with domain-specific ones.

All of Transformer generative baselines are initialized with the same pre-training on Reddit that we use for our models for fair comparison on modeling quality.

6 Results

We describe the results of incorporating KIF modules into Transformer networks. We display an example conversation between a human and our model in Figure 4, and show the top scoring Wikipedia knowledge and Training Utterance fetched by KIF modules. We compare to various baselines using automatic and human evaluation, and discuss our experiments. We present various ablation settings to understand the key features that make our method function.

6.1 KIF is Effective for Incorporating Knowledge

Automatic Evaluation. Comparing KIF augmented Transformer networks to published baselines and Retrieve and Refine, we find improved results.

For Wizard of Wikipedia, the improvement in F1 score over the best baseline is around 8 points (see Table 1). A major contributing factor is the construction of the dataset—as each dialog turn is grounded in a specific knowledge sentence from Wikipedia, improving the ability to identify the relevant fact strongly improves performance. Contrasting the results from the *seen* and *unseen* test sets in Table 1, the improvement on *unseen* is worse—it is harder to fetch training utterances for unseen topics.

While Imagechat has no explicit dependency on knowledge, we still see a 2 point improvement compared to the Generative Transformer MemNet (with the additional Reddit pre-training), indicating that KIF can be generally useful (see Table 2). Compared to an even stronger baseline that we tune in this work, Retrieve and Refine, we see 1 point improvement.

Human Evaluation. Results are shown in Figure 2. On both datasets, we find there is large improvement over existing generative models (green bars) that is statistically significant for some of the evaluation questions. Evaluators agree that

Model	Test F1 (Seen)	Test F1 (Unseen)
Retrieval Baselines		
Retrieval Transformer MemNet (Dinan et al., 2018)	15.4	12.4
Generative Baselines		
2-Stage Generative MemNet (Dinan et al., 2018)	18.9	17.4
Generative Transformer MemNet (Dinan et al., 2018)	16.9	14.4
+ Reddit Pre-Training	17.6	16.3
Retrieve and Refine (Weston et al., 2018)	18.2	17.9
Response Generation with MR (Qin et al., 2019)	17.5	16.8
KIF-Augmented Transformer	25.9	22.3

Table 1: Results on the **Wizard of Wikipedia** dataset. We implement the Retrieve and Refine and Response Generation with MR approaches, all with Reddit Pre-Training, and evaluate them on Wizard of Wikipedia. The *Seen* test set consists of conversations on topics seen at training time, and the *Unseen* test set consists of conversations about new topics that were not in the training set.

Model	Test F1
Retrieval Baselines	
Retrieval Transformer (Shuster et al., 2020)	9.8 ¹
Generative Baselines	
Generative Transformer MemNet (Dinan et al., 2018)	7.1
+ Reddit Pre-Training	12.8
Retrieve and Refine (Weston et al., 2018)	13.6
Response Generation with MR (Qin et al., 2019)	13.2
KIF-Augmented Transformer	14.4

Table 2: Results on the **Engaging ImageChat** dataset. We implement the Generative Transformer Memory Network, Retrieve and Refine, and Response Generation with MR approaches, all with Reddit Pre-Training, and evaluate them on Engaging ImageChat.

KIF-augmented Transformers are generally more coherent and human-sounding compared to the Generative MemNet.

Comparison with existing retrieval models (shown in blue) is more nuanced. Along the lines of existing work (Zhang et al., 2018; Dinan et al., 2018), we find that retrieval-based models score very well in human evaluations that ask how human or interesting a dialog sounds. This is because retrieval models return human-written utterances from the training set and do not suffer from decoding mistakes present in generative

models. For example, on Engaging ImageChat, while our model has significantly improved over the generative baseline (see green bars in Figure 2, right), it does not beat retrieval based methods in sounding more human or being more interesting (see blue bars in Figure 2, right). As the Retrieval baseline returns human-written text for other humans to evaluate, we hypothesize that humans score each other’s writing quite well. Compared with generative models, which we focus on improving, retrieval models often produce longer text with more interesting, nuanced vocabulary usage, and do not make generation mistakes such as repetition. These factors often lead to the stronger performance of retrieval models.

A surprising result is that KIF-augmented Transformers are more human sounding than

¹In Shuster et al. (2020), retrieval Transformer models report Hits@N using a fixed candidate set of 99 distractor candidates and 1 true candidate. We compute F1 using their open-sourced model by scoring the entire training set of over 350K utterances with the model and taking the top scoring candidate as the response.




Figure 2: **Human Evaluation Results on Both Datasets.** More than 50% indicates the KNN Model is preferred. Stars indicate statistical significance at $p < 0.05$.

retrieval models on Wizard of Wikipedia. This is because the dataset’s utterances are long and factual due to the tendency of crowdworkers to copy Wikipedia. Sometimes humans chatting with the retrieval bot would respond *uh. . . that’s an interesting fact?* Otherwise, our model scores similarly to retrieval models, with most evaluations not having statistically significant difference.

We conduct a second evaluation on the Unseen Test Set of the Wizard of Wikipedia dataset. Results are shown in Figure 3. Trends are similar compared to the results on the Seen Test set, though the preference for the KIF-augmented Transformer is greater over the retrieval baseline. We hypothesize that because the Unseen Test Set is on entirely held out topics, the retrieval baseline can struggle to identify relevant utterances. In contrast, the KIF-augmented Transformer, similar to the generative baseline from Dinan et al. (2018), can use the generative capability to produce utterances.

Lastly, we conduct an additional study to examine the variance of the comparative dialog judgements. The evaluation study for Wizard of Wikipedia is repeated three times on different days, and evaluators who have answered on previous days are not allowed to evaluate again in any subsequent experiments. Overall, we find reasonable interannotator agreement rates, around 73% averaged across all evaluations, which is similar to the agreement rates reported in Li et al. (2019). We find there is greater variance on questions asking which dialog is *more human* and *more interesting*, most likely as different evaluators can interpret these in different ways. Further, we see that comparison with the Retrieval model has less variance compared to the Generative model, possibly because the Retrieval model’s human written text is devoid of




Figure 3: **Human Evaluation on the Unseen Test Set** of Wizard of Wikipedia. More than 50% indicates the KNN Model is preferred. Stars indicate statistical significance at $p < 0.05$.

mistakes. Overall, we find that the conclusions (and statistical significance) are stable across multiple evaluations.

6.2 Analysis of Fetched Knowledge

Example conversations from our KIF-augmented generative model are shown in Figure 4 on Wizard of Wikipedia. We find that relevant knowledge is identified that affects the *content* of the generated utterance. For example, the model finds knowledge sentences about Disney movies as the human conversationalist starts the conversation discussing Disney. The model leverages the fetched knowledge to write the content of the generated utterance. In a concrete example, the fetched sentence *disney announced intentions [...] after the success of the incredibles* leads the model to generate the utterance *i love the incredibles, they are my favorite disney movie*.

In contrast, the model uses the form of the fetched training utterance often as a template for writing a response. For example, the model copies the training utterance *Ohhh . . . what do people with color blindness do to cope with the effects?* and starts the model generation with *Ohhh ...* and continues with the question *i think toy story is a classic?* following the form of the selected training utterance.

Human: I love watching disney movies! Do you like Disney?
Model: I love disney, I love watching disney movies and different animations and characters that make them unique
Fetch Knowledge: *disney consumer products and interactive media - the company specializes in producing animated films*
Fetch Training Utterance: *i love music, I love going to music shows and dancing and having fun*

Human: What's your favorite disney movie? There are so many good ones.
Model: I love the incredibles, they are my favorite disney movie.
Fetch Knowledge: *disney announced intentions to develop additional superhero films after the success of the incredibles*
Fetch Training Utterance: *i love kiteboarding, it is one of my favorite activities on the water.*

Human: omg, me too! the second one just came out i think. I don't watch a lot of sequels though, I think the last one I saw was toy story.
Model: That's cool! I remember when toy story was first released in 1995.
Fetch Knowledge: *talk of a second film following toy story began around a month after the film's opening, in december 1995*
Fetch Training Utterance: *that's neat! i like so many of her songs! i remember when her first album was released in 2008.*

Human: I've actually never seen toy story before. Kind of embarrassing...
Model: Ohhh ... I think toy story is a classic? It was first released in 1999.
Fetch Knowledge: *toy story 2 is a 1999 american computer-animated comedy film produced by pixar animation studios for walt disney pictures*
Fetch Training Utterance: *Ohhh ... What do people with color blindness do to cope with the effects?*

Figure 4: **Conversation between Human and KIF-Augmented Transformer on Wizard of Wikipedia.** The top-scoring Wikipedia knowledge and training utterances fetched by KIF are displayed with model output.

Figure 5 displays the top-3 fetched training set utterances and knowledge sentences on the Wizard of Wikipedia dataset when responding to a human utterance. KIF modules can identify multiple relevant items. In response to the human question about *blue skies the 1946 movie* the model identifies both the comedy film and the band.

Finally, the elements retrieved by KIF modules provide a more interpretable understanding of what the model is conditioning upon to generate a dialog response. In Table 3, we display for the same dialog history, changing the model's fetched training utterance and knowledge sentence for our own examples. The model heavily incorporates our manual changes of the fetched information into the generated utterance. For example, changing the knowledge directly affects what the model generates as the favorite character—from *buzz lightyear* to *mr potato head* to *slinky dog*—while changing the fetched training utterance changes the form of the generated sentence.

6.3 Scaling KIF to Challenging Retrieval Settings

KIF modules can be used in more realistic and challenging settings for knowledge retrieval that

test the scalability of the module. In Figure 6(a), we compare the Generative Transformer MemNet Baseline with KIF-Augmented Transformers in three settings. The first is the standard Wikipedia sentences provided by the dataset (average 34 sentences). Then, we extend to providing the model with the full Wikipedia article (on average, 57 sentences) and finally to multiple Wikipedia articles (on average, totaling 205 sentences), identified using the conversation's topic. This increasing size of available knowledge could be realistic for settings where it is unclear what information is most relevant, if filtering steps to preprocess the data remove potentially relevant information, or if information synthesis from multiple knowledge sources is necessary to produce a high-quality generation. As the Wikipedia knowledge becomes more difficult to identify, performance decreases, but still outperforms the baseline that uses the dataset-provided set of 34 sentences.

Comparing the scaling capability of KIF to the standard Generative Transformer MemNet Baseline highlights the advantage of using KNN. The attention-based mechanism used in Dinan et al., 2018 struggles to identify salient information

Human:	Hey, how are you doing
Fetches Training Utterances:	<i>I'm great, thanks for asking. Craving some chocolate. Do you like chocolate? Hello, how is it going? I know some trivia about this movie Hello, it's lunch time here, and I'm in the mood for a great steak</i>
Model Response:	Hello, I'm great, thanks for asking
Human:	What are your hobbies?
Fetches Training Utterances:	<i>I work at an elementary school. I hope you find a job you love too [...] I have a hound, we just got her. Although, I grew up with Labrador Retrievers. I just love ice cream. I love the types with fruits and flavours. Do you like ice cream?</i>
Model Response:	I work at a tennis court. I like to play tennis. Do you like your hobby?
<hr/>	
Human:	hi buddy, what do you think about cinematography?
Gold Chosen Knowledge:	<i>cinematographers use a lens to focus reflected light from objects into a real image [...]</i>
Fetches Knowledge:	<i>cinematography is the art of motion-picture photography typically, a lens is used to repeatedly focus the light reflected from objects [...] the modern photographic camera evolved from the camera obscura</i>
Model Response:	I love cinematography, it is my hobby. It is a kind of motion-picture photography.
Human:	Speaking of blue skies, have you seen the 1946 movie starring bing crosby?
Gold Chosen Knowledge:	<i>blue skies is a 1946 american musical comedy film [...] and starring bing crosby [...]</i>
Fetches Knowledge:	<i>blue skies is a 1946 american musical comedy film [...] and starring bing crosby [...] blue skies the band has since broken up blue skies was was composed in 1926 as a last - minute addition to betsy the musical</i>
Model Response:	Oh cool, that's an American comedy film starring Bing Crosby. Do you like watching movies?

Figure 5: **Examples of Top-3 Fetched Training Utterances and Fetched Knowledge** when responding to a human chat from the dataset using a trained Wizard of Wikipedia model. Examples are taken from validation.

when given increasingly larger quantities of knowledge, unlike the KNN information fetch. We hypothesize the attention mechanism is challenged by softmax-ing over a larger quantity of inputs, as it can be difficult to make sharp distinctions.

6.4 Ablations

Importance of Multiple Knowledge Sources.

One benefit of the KIF module approach is that several modules can be combined, each capturing information from a different source. In both settings, Wizard of Wikipedia and Engaging ImageChat, two modules were used to incorporate multiple forms of knowledge—training utterances to capture the capability of a retrieval-based model and knowledge from Wikipedia or related chats based on image features. We perform here an ablation study to evaluate the impact of using only one source of information. As can be seen in Table 4, performance decreases when only one source of information is used (see Table 4).

For Engaging ImageChat, this study also underlines the importance of being able to fetch in a multimodal fashion. The general form

of the KIF module—requiring only a feature vector to find nearest neighbors from—allows fetching on multiple modalities such as text and images. In Table 4, using the Image-based KIF to fetch text from Related Images is important to reach the strongest performance (compare Training Utterances Only that uses text-based KIF and using both Training Utterances and Related Images).

Using Dialog Features for KNN Performance.

The quality of the KNN search is critical to the performance of KIF modules. As the external knowledge is kept fixed, KIF must be able to align the dialog context with the knowledge to identify relevant pieces of information. In Table 5, we show that matching on more features can improve the quality of the retrieved information. Using only the encoding of the immediate previous utterance can improve results on Wizard of Wikipedia by 7 F1 points, but this is further improved by also leveraging the encoding of context (+1.8 F1) and using the dialog turn number (+1 F1). These features are available in the datasets, and

Knowledge	Training Utterance	Generation
buzz lightyear 's name is in honor of astronaut edwin 'buzz' aldrin	my favorite character in that book series is hermione granger	cool! my favorite character in that movie is buzz lightyear
mr potato head is based on the real-life mr. potato head toy	my favorite character in that book series is hermione granger	my favorite character in that movie is real-life mr potato head
slinky dog is a toy dachschund with a metal slinky for a body	my favorite character in that book series is hermione granger	cool! my favorite character is the slinky dog
slinky dog is a toy dachschund with a metal slinky for a body	i really like the character hermione granger	cool! i really like slinky dog
slinky dog is a toy dachschund with a metal slinky for a body	my favorite character of all time has to be hermione granger	i love that movie, my favorite character has to be slinky dog the dachshund
slinky dog is a toy dachschund with a metal slinky for a body	i agree with you! that's my favorite character as well	i think so too! my favorite is slinky

Table 3: **Effect of Fetched Information on Generated Utterances.** The **top** section provides examples for a fixed training utterance, changing the knowledge—the generated text maintains the construction of the training utterance but changes the favorite character to match the knowledge. The **bottom** section provides examples for fixed knowledge but changing the training utterance—the generated text modifies its form to match the training utterance, but the favorite character information remains consistent.




Figure 6: **Ablations** on Wizard of Wikipedia. (a) KIF can **scale** to hundreds of relevant sentences (blue) while the baseline model, the Generative Transformer MemNet (gray), scales poorly (b) **Gating** can remove irrelevant information. In the 3 Sources case, one source of external information is unrelated. (c) **Performance as k varies.**

we leverage them to improve the relatedness of retrieved knowledge.

Multi-Hop Retrieval with KIF. Work in memory networks (Weston et al., 2015; Sukhbaatar et al., 2015) utilized multi-hop mechanisms. Such capacity could be useful when multiple sources are necessary or information is incrementally fetched. To emulate multi-hop memory mechanisms, we use KIF to retrieve relevant information for

$N = 2$ or $N = 3$ fixed hops. As the number of hops is fixed, the multi-hop operation remains differentiable. We do not allow the model to retrieve the same information in a second hop.

We experimented in two settings. First, the same KIF module is used multiple times to fetch different information, and then all of the fetched knowledge is concatenated. Results are shown in Table 6 (top). Second, we examine spreading the fetches into *different* KIF modules at various

Model	Test F1
<i>Wizard of Wikipedia</i>	
Training Utterances Only	18.1
Wiki Knowledge Only	23.9
Training Utterances and Wiki Knowledge	25.9
<i>Engaging ImageChat</i>	
Training Utterances Only	13.9
Related Images Only	13.8
Training Utterances and Related Images	14.4

Table 4: **Using Multiple KIF Modules on Multiple Sources** is important for improved performance.

Model	Valid F1
<i>Wizard of Wikipedia</i>	
Previous Utterance Only	24.6
+ dialog Context	26.4
+ Turn Embedding	27.4
<i>Engaging ImageChat</i>	
Previous Utterance Only	13.3
+ dialog Context	14.5
+ Turn Embedding + Personality	15.1

Table 5: **Important Features for KNN Search** using KIF. Salient conversation features improve performance on both datasets.

encoder depths. This could be interpreted as the model learning to access more information each layer. As the model progresses deeper, more abstract and high level representations are built, which could allow different knowledge to be retrieved. Results are shown in Table 6 (bottom).

In both multi-hop settings, no improvement in performance on the Wizard of Wikipedia dataset is observed. We hypothesize that this can be partially attributed to the construction of the dataset—as humans explicitly based their written dialog utterance on one knowledge sentence. Further, it is possible that concatenation brings together too much information for the model to incorporate, and thus adding additional fetches makes the retrieval more noisy.

Effect of Gating. We analyze the effect of the gating mechanism by evaluating the capability of the gate to identify and focus on salient information. On Wizard of Wikipedia, we concatenate a third source of information: dialog turns from a completely different corpus called PersonaChat

Model	Valid F1
KIF-Augmented Transformer	
One KIF Module fetches multiple times	
2 Fetches	26.9
3 Fetches	26.0
Multiple KIF Modules fetch once each	
2 Fetches	26.5
3 Fetches	25.9

Table 6: **Multi-hop with KIF** to retrieve information with multiple fetch steps.

(Zhang et al., 2018). This dataset looks quite different—short utterances without factual knowledge—and should be easy for the model to identify as distinct from Wizard of Wikipedia. As shown in Figure 6(b), if KIF on PersonaChat is included without gating, it has a harmful effect as the model includes irrelevant information. When equipped with gating, the model learns to use the gate to ignore some inputs, and can recover almost the full performance of a model without this irrelevant information source.

Size of K in KNN. Figure 6(c) shows the performance on Wizard of Wikipedia when varying the amount of knowledge. Being able to access multiple relevant pieces of information is helpful, but too much information can be harmful. This is likely because the weighted sum becomes blurry if too many sentences are incorporated.

7 Conclusion

We present a KNN-based Information Fetching module that learns to identify relevant information from external knowledge sources by learning a mapping-based read operation. KIF modules benefit from the scalability and efficiency of KNN search, enabling computation with large external memories. We show in the context of two dialog datasets that relevant knowledge can be identified and incorporated to create more engaging, high-quality dialog.

Acknowledgments

We thank the reviewers and action editor for their comments and insightful discussion. We thank Emily Dinan and Kurt Shuster for providing assistance to reproduce their original works.

References

- Antoine Bordes, Y-Lan Boureau, and Jason Weston. 2017. Learning end-to-end goal-oriented dialog. In *5th International Conference on Learning Representations, ICLR 2017, Toulon, France, April 24-26, 2017, Conference Track Proceedings*.
- Deng Cai, Yan Wang, Wei Bi, Zhaopeng Tu, Xiao-jiang Liu, and Shuming Shi. 2019. Retrieval-guided dialogue response generation via a matching-to-generation framework. In *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*, pages 1866–1875. **DOI:** <https://doi.org/10.18653/v1/D19-1195>
- Sarath Chandar, Sungjin Ahn, Hugo Larochelle, Pascal Vincent, Gerald Tesauro, and Yoshua Bengio. 2016. Hierarchical memory networks. *CoRR*, abs/1605.07427.
- Danqi Chen, Adam Fisch, Jason Weston, and Antoine Bordes. 2017. Reading Wikipedia to answer open-domain questions. In *Proceedings of the 55th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 1870–1879. **DOI:** <https://doi.org/10.18653/v1/P17-1171>, **PMCID:** PMC5579958
- Wenlin Chen, David Grangier, and Michael Auli. 2016. Strategies for training large vocabulary neural language models. In *Proceedings of the 54th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 1975–1985. **DOI:** <https://doi.org/10.18653/v1/P16-1186>
- Emily Dinan, Stephen Roller, Kurt Shuster, Angela Fan, Michael Auli, and Jason Weston. 2018. Wizard of Wikipedia: Knowledge-powered conversational agents. In *International Conference on Learning Representations*.
- Angela Fan, Claire Gardent, Chloé Braud, and Antoine Bordes. 2019. Using local knowledge graph construction to scale seq2seq models to multi-document inputs. In *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*, pages 4177–4187.
- Angela Fan, David Grangier, and Michael Auli. 2018a. Controllable abstractive summarization. In *Proceedings of the 2nd Workshop on Neural Machine Translation and Generation*, pages 45–54.
- Angela Fan, Mike Lewis, and Yann Dauphin. 2018b. Hierarchical neural story generation. In *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 889–898.
- Edouard Grave, Armand Joulin, Moustapha Cissé, David Grangier, and Hervé Jégou. 2017a. Efficient softmax approximation for GPUs. In *Proceedings of the 34th International Conference on Machine Learning-Volume 70*, pages 1302–1310.
- Edouard Grave, Armand Joulin, and Nicolas Usunier. 2017b. Improving neural language models with a continuous cache. In *5th International Conference on Learning Representations, ICLR 2017, Toulon, France, April 24-26, 2017, Conference Track Proceedings*.
- Alex Graves, Greg Wayne, and Ivo Danihelka. 2014. Neural Turing machines. *arXiv preprint arXiv:1410.5401*.
- Kelvin Guu, Kenton Lee, Zora Tung, Panupong Pasupat, and Ming-Wei Chang. 2020. Retrieval augmented language model pre-training. In *Proceedings of the International Conference on Machine Learning*, pages 5695–5704.
- Samuel Humeau, Kurt Shuster, Marie-Anne Lachaux, and Jason Weston. 2019. Poly-encoders: Architectures and pre-training strategies for fast and accurate multi-sentence scoring. In *International Conference on Learning Representations*.
- Jeff Johnson, Matthijs Douze, and Hervé Jégou. 2019. Billion-scale similarity search with GPUs. *IEEE Transactions on Big Data*. **DOI:** <https://doi.org/10.1109/TBDATA.2019.2921572>
- Armand Joulin and Tomas Mikolov. 2015. Inferring algorithmic patterns with stack-augmented recurrent nets. In *Advances*

- in *Neural Information Processing Systems*, pages 190–198.
- Urvashi Khandelwal, Omer Levy, Dan Jurafsky, Luke Zettlemoyer, and Mike Lewis. 2019. Generalization through memorization: Nearest neighbor language models. In *International Conference on Learning Representations*.
- Diederik P. Kingma and Jimmy Ba. Adam: A Method for Stochastic Optimization. In *3rd International Conference on Learning Representations, ICLR 2015, San Diego, CA, USA, May 7-9, 2015, Conference Track Proceedings*.
- Guillaume Lample, Alexandre Sablayrolles, Marc’Aurelio Ranzato, Ludovic Denoyer, and Hervé Jégou. 2019. Large memory layers with product keys. In *Advances in Neural Information Processing Systems*, pages 8548–8559.
- Margaret Li, Jason Weston, and Stephen Roller. 2019. ACUTE-EVAL: Improved dialogue evaluation with optimized questions and multi-turn comparisons. *arXiv preprint arXiv:1909.03087*.
- Rongzhong Lian, Min Xie, Fan Wang, Jinhua Peng, and Hua Wu. 2019. Learning to select knowledge for response generation in dialog systems. In *Proceedings of the 28th International Joint Conference on Artificial Intelligence*, pages 5081–5087. AAAI Press.
- Dhruv Mahajan, Ross Girshick, Vignesh Ramanathan, Kaiming He, Manohar Paluri, Yixuan Li, Ashwin Bharambe, and Laurens van der Maaten. 2018. Exploring the limits of weakly supervised pretraining. In *Proceedings of the European Conference on Computer Vision (ECCV)*, pages 181–196. **DOI:** https://doi.org/10.1007/978-3-030-01216-8_12
- Bryan McCann, James Bradbury, Caiming Xiong, and Richard Socher. 2017. Learned in translation: Contextualized word vectors. In *Advances in Neural Information Processing Systems*, pages 6294–6305.
- Alexander Miller, Will Feng, Dhruv Batra, Antoine Bordes, Adam Fisch, Jiasen Lu, Devi Parikh, and Jason Weston. 2017. parl.ai: A dialog research software platform. pages 79–84. <https://arxiv.org/abs/1705.06476>, **DOI:** <https://doi.org/10.18653/v1/D17-2014>
- Andriy Mnih and Geoffrey Hinton. 2009. A scalable hierarchical distributed language model. In *Advances in Neural Information Processing Systems*, pages 1081–1088.
- Fabio Petroni, Tim Rocktäschel, Sebastian Riedel, Patrick Lewis, Anton Bakhtin, Yuxiang Wu, and Alexander Miller. 2019. Language models as knowledge bases? In *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*, pages 2463–2473. **DOI:** <https://doi.org/10.18653/v1/D19-1250>
- Tobias Plötz and Stefan Roth. 2018. Neural nearest neighbors networks. In *Advances in Neural Information Processing Systems*, pages 1087–1098.
- Lianhui Qin, Michel Galley, Chris Brockett, Xiaodong Liu, Xiang Gao, Bill Dolan, Yejin Choi, and Jianfeng Gao. 2019. Conversing by reading: Contentful neural conversation with on-demand machine reading. In *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics*, pages 5427–5436.
- Jack Rae, Jonathan J. Hunt, Ivo Danihelka, Timothy Harley, Andrew W. Senior, Gregory Wayne, Alex Graves, and Timothy Lillicrap. 2016. Scaling memory-augmented neural networks with sparse reads and writes. In *Advances in Neural Information Processing Systems*, pages 3621–3629.
- Rico Sennrich, Barry Haddow, and Alexandra Birch. 2016. Neural machine translation of rare words with subword units. In *Proceedings of the 54th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 1715–1725. **DOI:** <https://doi.org/10.18653/v1/P16-1162>
- Minjoon Seo, Jinhyuk Lee, Tom Kwiatkowski, Ankur Parikh, Ali Farhadi, and Hannaneh Hajishirzi. 2019. Real-time open-domain

- question answering with dense-sparse phrase index. In *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics*, pages 4430–4441.
- Iulian V. Serban, Ryan Lowe, Laurent Charlin, and Joelle Pineau. 2016a. Generative deep neural networks for dialogue: A short review. *arXiv preprint arXiv:1611.06216*.
- Iulian V. Serban, Alessandro Sordani, Yoshua Bengio, Aaron Courville, and Joelle Pineau. 2016b. Building end-to-end dialogue systems using generative hierarchical neural network models. In *Thirtieth AAAI Conference on Artificial Intelligence*.
- Kurt Shuster, Samuel Humeau, Antoine Bordes, and Jason Weston. 2020. Image-chat: Engaging grounded conversations. In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, pages 2414–2429. **DOI:** <https://doi.org/10.18653/v1/2020.acl-main.219>
- Kurt Shuster, Samuel Humeau, Hexiang Hu, Antoine Bordes, and Jason Weston. 2019. Engaging image captioning via personality. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, pages 12516–12526. **DOI:** <https://doi.org/10.1109/CVPR.2019.01280>
- Haoyu Song, Yan Wang, Wei-Nan Zhang, Xiaojiang Liu, and Ting Liu. 2020. Generate, delete and rewrite: A three-stage framework for improving persona consistency of dialogue generation. *arXiv preprint arXiv:2004.07672*. **DOI:** <https://doi.org/10.18653/v1/2020.acl-main.516>, **PMID:** 32249355
- Yiping Song, Rui Yan, Xiang Li, Dongyan Zhao, and Ming Zhang. 2016. Two are better than one: An ensemble of retrieval-and generation-based dialog systems. *arXiv preprint arXiv:1610.07149*.
- Sainbayar Sukhbaatar, Edouard Grave, Guillaume Lample, Herve Jegou, and Armand Joulin. 2019. Augmenting self-attention with persistent memory. <https://arxiv.org/abs/1907.01470>
- Sainbayar Sukhbaatar, Jason Weston, Rob Fergus, et al. 2015. End-to-end memory networks. In *Advances in Neural Information Processing Systems*, pages 2440–2448.
- Bart Thomee, David A Shamma, Gerald Friedland, Benjamin Elizalde, Karl Ni, Douglas Poland, Damian Borth, and Li-Jia Li. 2016. YFCC100M: The new data in multimedia research. *Communications of the ACM*, 59(2):64–73. **DOI:** <https://doi.org/10.1145/2812802>
- Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N. Gomez, Łukasz Kaiser, and Illia Polosukhin. 2017. Attention is all you need. In *Advances in Neural Information Processing Systems*, pages 5998–6008.
- Jason Weston, Sumit Chopra, and Antoine Bordes. 2015. Memory networks. In *3rd International Conference on Learning Representations, ICLR 2015, San Diego, CA, USA, May 7-9, 2015, Conference Track Proceedings*.
- Jason Weston, Emily Dinan, and Alexander Miller. 2018. Retrieve and refine: Improved sequence generation models for dialogue. In *Proceedings of the 2018 EMNLP Workshop SCAI: The 2nd International Workshop on Search-Oriented Conversational AI*, pages 87–92. **DOI:** <https://doi.org/10.18653/v1/W18-5713>
- Saining Xie, Ross Girshick, Piotr Dollár, Zhuowen Tu, and Kaiming He. 2017. Aggregated residual transformations for deep neural networks. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pages 1492–1500.
- Saizheng Zhang, Emily Dinan, Jack Urbanek, Arthur Szlam, Douwe Kiela, and Jason Weston. 2018. Personalizing dialogue agents: I have a dog, do you have pets too? In *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 2204–2213. **DOI:** <https://doi.org/10.18653/v1/P18-1205>
- Yutao Zhu, Zhicheng Dou, Jian-Yun Nie, and Ji-Rong Wen. 2020. ReBoost: A retrieval-boosted sequence-to-sequence model for neural response generation. *Information Retrieval Journal*, 23(1):27–48. **DOI:** <https://doi.org/10.1007/s10791-019-09364-x>