

# INSIGHT-1 at SemEval-2016 Task 5: Deep Learning for Multilingual Aspect-based Sentiment Analysis

Sebastian Ruder<sup>1,2</sup>

Parsa Ghaffari<sup>2</sup>

John G. Breslin<sup>1</sup>

<sup>1</sup>Insight Centre for Data Analytics  
National University of Ireland, Galway  
firstname.lastname@insight-centre.org

<sup>2</sup>Aylien Ltd.  
Dublin, Ireland  
firstname@aylien.com

## Abstract

This paper describes our deep learning-based approach to multilingual aspect-based sentiment analysis as part of SemEval 2016 Task 5. We use a convolutional neural network (CNN) for both aspect extraction and aspect-based sentiment analysis. We cast aspect extraction as a multi-label classification problem, outputting probabilities over aspects parameterized by a threshold. To determine the sentiment towards an aspect, we concatenate an aspect vector with every word embedding and apply a convolution over it. Our constrained system (unconstrained for English) achieves competitive results across all languages and domains, placing first or second in 5 and 7 out of 11 language-domain pairs for aspect category detection (slot 1) and sentiment polarity (slot 3) respectively, thereby demonstrating the viability of a deep learning-based approach for multilingual aspect-based sentiment analysis.

## 1 Introduction

With access to the Internet becoming more prevalent, an increasing number of people express their opinions online in a plethora of lan-

guages. Sentiment analysis (Liu, 2012) enables us to derive shallow insights from these opinions related to their overall polarity. Often, however, e.g. in reviews, people do not express their opinion towards the entity as a whole, but refer to specific aspects such as the service in a restaurant.

Aspect-based sentiment analysis allows us to go deeper and determine sentiment towards such aspects of an entity. Past research in aspect-based sentiment analysis has largely focused on the English language, while SemEval 2016 Task 5 (Pontiki et al., 2016) for the first time provides a forum for multilingual aspect-based sentiment analysis.

Recently, deep learning-based approaches have demonstrated remarkable results for text classification and sentiment analysis (Kim, 2014). A cascade of non-linearities allows them to model complex functions such as sentiment compositionality, while their ability to process raw signals renders them language and domain independent. In spite of these factors, they have largely gone untested for aspect-based sentiment analysis, particularly in the multilingual setting.

In this paper, we introduce our deep-learning

based approach to aspect-based sentiment analysis as part of our participation in SemEval-2016 Task 5 Aspect-based Sentiment Analysis Slot 1 (Aspect Category Detection) and Slot 3 (Sentiment Polarity) .

## 2 Related work

Aspect-based sentiment analysis is traditionally split into an aspect extraction and a sentiment analysis subtask.

Previous approaches to aspect extraction framed the task as a multiclass classification problem and relied mostly on CRS that leveraged a plethora of common features, e.g. NER, POS tagging, parsing, semantic analysis, bag-of-words, as well as domain-dependent ones, such as word clusters learnt from Amazon and Yelp data, while previous sentiment analysis approaches have used different classifiers with a wide range of features based on n-grams, POS, negation words, and a large array of sentiment lexica (Pontiki et al., 2014; Pontiki et al., 2015).

Past deep learning-based approaches have focused mostly on the sentiment analysis subtask: Tang et al. (2015) use a target-dependent LSTM to determine sentiment towards a target word, while Nguyen and Shirai (2015) use a recursive neural network that leverages both constituency as well as dependency trees.

In contrast to previous approaches, our model neither relies on expensive feature engineering, availability of a parser, nor positional information, but solely on a language’s input signals.

## 3 Model

The model architecture we use is an extension of the CNN structure used by Collobert et al. (2011), which has been successfully used by many others (Kim, 2014).

The model takes as input a text, which is

padded to length  $n$ . We represent the text as a concatenation of its word embeddings  $x_{1:n}$  where  $x_i \in \mathbb{R}^k$  is the  $k$ -dimensional vector of the  $i$ -th word in the text.

The convolutional layer slides filters of different window sizes over the input embeddings. Each filter with weights  $w \in \mathbb{R}^{hk}$  generates a new feature  $c_i$  for a window of  $h$  words according to the following operation:

$$c_i = f(w \cdot x_{i:i+h-1} + b) \quad (1)$$

Note that  $b \in \mathbb{R}$  is a bias term and  $f$  is a non-linear function, ReLU (Nair and Hinton, 2010) in our case. The application of the filter over each possible window of  $h$  words or characters in the sentence produces the following feature map:

$$c = [c_1, c_2, \dots, c_{n-h+1}] \quad (2)$$

Max-over-time pooling in turn condenses this feature vector to its most important feature by taking its maximum value and naturally deals with variable input lengths.

A final softmax layer takes the concatenation of the maximum values of the feature maps produced by all filters and outputs a probability distribution over all output classes.

## 4 Methodology

### 4.1 Preprocessing

We lower-case and tokenize the corpus, where applicable, keeping the 10,000 most frequent words as the vocabulary for each language and domain. For Chinese, in preparation for the previous step, we additionally segment the corpus using the `mmseg` Python library.

### 4.2 Hyperparameters

We randomly split off 20% of each training data set as a validation set. We use this to optimize

**Listing 1:** Example sentence with aspect and sentiment annotations for the English laptops domain.

```
1 <sentence id="347:0">
2   <text>I bought it for really cheap also and its AMAZING.</text>
3   <Opinions>
4     <Opinion category="LAPTOP#PRICE" polarity="positive"/>
5     <Opinion category="LAPTOP#GENERAL" polarity="positive"/>
6   </Opinions>
7 </sentence>
```

hyperparameters via random search over a wide range of values.

For both tasks and all languages and domains, we use the following hyperparameters, which are similar to those reported by Kim (2014): mini-batch size of 10, maximum sentence length of 100 tokens, word embedding size of 300, dropout rate of 0.5, and 100 filter maps. We use filter lengths of 3, 4, and 5, and of 4, 5, and 6 for aspect extraction and aspect-based sentiment analysis respectively since these produced good results for the respective task.

English word embeddings are initialized with 300-dimensional GloVe vectors (Pennington et al., 2014) trained on 840B tokens of the Common Crawl corpus for the unconstrained submission. Word embeddings for the constrained submission, for all other languages, as well as for words not present in the pre-trained set of words are initialized randomly.

We train for 15 epochs using mini-batch stochastic gradient descent, the Adadelta update rule (Zeiler, 2012), and early stopping.

### 4.3 Aspect Category Detection

To extract aspects, e.g. `LAPTOP#PRICE` and `LAPTOP#GENERAL` from sentences as in Listing 1, we cast aspect extraction as a multi-label classification problem and train a convolutional

neural network (CNN) to output probability distributions over aspects, minimizing the cross-entropy loss. To model multi-label output as a probability distribution, we define an aspect  $a$ 's probability  $p$  given a sentence  $s$  as  $p(a|s) = 1/n$  if  $a$  appears in  $s$  and  $s$  contains  $n$  aspects, otherwise  $p(a|s) = 0$ . We define a threshold  $f$  and discard all aspects with  $p(a|s) < f$ . After training, we select  $f$  maximizing the F1 score on the validation set.

We observe that aspect distributions vary significantly depending on the domain and language. For instance, the English laptops domain contains 82 aspects, while the restaurants domain only contains 13 aspects.

In every domain, we thus replace all aspects that occur less than 5 times with an `OTHER` aspect.<sup>1</sup> E.g. this produces 51 aspects covering 98% of occurrences and all 13 aspects for the English laptops and restaurants domain respectively. For instance, in the English laptops domain, aspects such as `HARDWARE#MISCELLANEOUS` and `BATTERY#USABILITY`, which occur less than 5 times are replaced with `OTHER` during training. We add a `NONE` aspect to each sentence containing no aspect to enable the CNN

<sup>1</sup>We found that replacing all aspects with fewer than 5 occurrences yields the best trade-off between accuracy and recall.

to make no aspect prediction. During inference, every time the model predicts `OTHER`, the most frequent aspect replaced by `OTHER` for each domain is output instead. For the English laptops domain, this can be one of several aspects, e.g. `SOFTWARE#QUALITY` occurring four times. Finally, we discard all predicted `NONE` aspects.

We experimented with producing representations for the preceding and subsequent sentence to take context information into account, but this did not improve results.

#### 4.4 Sentiment Polarity

For aspect-based sentiment analysis, we feed the aspect vector together with the word embeddings of the input sentence into a CNN. To obtain the aspect vector, we follow an approach similar to the one used by Socher et al. (2013) to represent named entities: We split each aspect into its constituent tokens, e.g. `RESTAURANT#GENERAL`  $\rightarrow$  *restaurant, general*. We embed the tokens of all aspects in an embedding space. We then look up the embedding of each of the tokens and average them to retrieve the aspect vector. This way, the model should learn that aspects sharing the same entity, e.g. *restaurant* are correlated without the need to train several tiered models to classify between entities (*restaurant*) and attributes (*general*).

For aspect-based sentiment analysis in the English language, we embed aspect tokens in the same embedding space as word tokens to exploit the semantics of pre-trained embeddings. For all other languages, we keep the embedding spaces separate, as aspect tokens are in English and word tokens are in the respective languages. Translating aspect tokens into the source language did not provide any benefits, but the use of pre-trained embeddings in the source language could ameliorate this.

We have experimented with different variants of adding aspect embeddings to our model: We evaluated summation, concatenation, and multiplication of word vectors and aspect vectors before the convolution, and multiplication and concatenation of the max-pooled sentence vector and the aspect vector after the convolution. We find that concatenating each word vector with the aspect vector before the convolution yields the best results.

To summarize, for the sentence in Listing 1 and the aspect `LAPTOP#PRICE`, our model first pads the input sentence, then looks up the embeddings of each of the input words. It creates the aspect vector by splitting `LAPTOP#PRICE` into the aspect tokens *laptop* and *price*. For these, it looks up the embeddings in the aspect embedding space (which is the same as for word embeddings for English) and averages both embeddings. The resulting aspect vector is then concatenated with each word vector, which are then concatenated to produce a 100x600 sentence matrix. Convolutions, max-pooling and softmax are applied to this matrix as described in section 3.

We observe for some languages an incremental performance improvement when using additional average-pooling as reported by Tang et al. (2014). We further note that simply using a low-dimensional embedding space to embed aspects leads to superior results on a few occasions when no pre-trained word embeddings are used.

## 5 Evaluation

We have participated for all domains and languages in Slot 1: Aspect Category Detection and Slot 3: Sentiment Polarity. We report results for aspect extraction in Table 1 and results for aspect-based sentiment analysis in Table 2.

Lg.	Dom.	F1	Top F1	R.
EN	REST	68.108 U 58.303 C	73.031	9/30
SP	REST	61.370	70.588	5/9
FR	REST	53.592	61.207	4/6
RU	REST	62.802	64.825	2/7
DU	REST	56.000	60.153	2/6
TU	REST	49.123	61.029	5/5
AR	HOTE	52.114	52.114	1/3
EN	LAPT	45.863 U 41.458 C	51.937	10/22
DU	PHNS	45.551	45.551	1/4
CH	CAME	25.581	36.345	2/4
CH	PHNS	16.286	22.548	3/4

**Table 1:** F1 and rank of our system for aspect extraction for each language and domain in comparison to the best system. Lg.: Language. Dom.: Domain. R.: Rank. EN: English. SP: Spanish. FR: French. RU: Russian. TU: Turkish. AR: Arabic. DU: Dutch. CH: Chinese. REST: Restaurants. HOTE: Hotels. LAPT: Laptops. PHNS: Phones. CAME: Cameras. U: Unconstrained submission. C: Constrained submission.

### 5.1 Aspect Category Detection

Despite using only the input sentence as data, our system is able to achieve competitive performance for multilingual aspect extraction, placing first or second in 5 out of 11 language-domain pairs. However, for English, Spanish, French, and Turkish, the differential with regard to the best performing system still remains large. We observe that initializing the system with general-purpose pre-trained embeddings provides a significant performance boost, which is most pronounced in the English restaurants domain.

Consequently, we hypothesize that the most straightforward way to overcome this performance differential is to initialize the system with embeddings trained on a large mono-

lingual corpus in the target language. Incorporating domain information used by best-performing systems (Pontiki et al., 2015) by pre-training on a large in-domain corpus such as the dataset released as part of the Yelp Dataset Challenge<sup>2</sup> should further improve results.

The multi-label condition is currently enforced only after prediction through the application of a threshold, which may potentially discard promising aspects or retain erroneous ones, while the current normalization of aspect probabilities might lead to the loss of signals. To make the model more robust, the multi-label condition can be integrated more naturally into the architecture, e.g. by adapting the error function and using a trainable thresholding function as in (Zhang et al., 2006).

### 5.2 Sentiment Polarity

We report convincing results for multilingual aspect-based sentiment analysis, placing first or second for 7 out of 11 language-domain pairs. Again, the difference in performance compared to the best-performing system is largest for English, Spanish, French, and Turkish. To mitigate this, pre-trained word embeddings as described in 5.1 can be used.

However, without relying on dependency and constituency trees (Nguyen and Shirai, 2015) or positional information (Tang et al., 2015), the model falls short of being able to reliably triangulate aspects, particularly in sentences with opposing sentiments toward different aspects. Simply concatenating each word vector with the aspect vector does not seem to provide the model with enough expressiveness to model truly aspect-dependent sentiment. Training the model to associate different surface forms with their aspect instantiations should help to ame-

<sup>2</sup>[https://www.yelp.com/dataset\\_challenge](https://www.yelp.com/dataset_challenge)

Lg.	Dom.	Acc.	Top Acc.	R.
EN	REST	82.072 U 80.210 C	88.126	7/28
SP	REST	79.571	83.582	4/5
FR	REST	73.166	78.826	4/6
RU	REST	75.077	77.923	2/6
DU	REST	75.041	77.814	3/4
TU	REST	74.214	84.277	2/3
AR	HOTE	82.719	82.719	1/3
EN	LAPT	78.402 U 74.282 C	82.772	2/21
DU	PHNS	83.333	83.333	1/3
CH	CAME	78.170	80.457	2/5
CH	PHNS	72.401	73.346	2/5

**Table 2:** Accuracy and rank of our system for aspect-based for each language and domain in comparison to the best system. For legend, refer to Table 1.

liorate this.

## 6 Conclusion

In this paper, we have presented a deep learning-based approach to aspect-based sentiment analysis, which employs a convolutional neural network for aspect extraction and sentiment analysis as part of our submission to SemEval-2016 Task 5. We have demonstrated convincing results in the multilingual setting, which is particularly appropriate for neural networks due to their language and domain independence. We have evaluated our model, outlining weaknesses and potential future improvements.

## Acknowledgments

This project has emanated from research conducted with the financial support of the Irish Research Council (IRC) under Grant Number EBPPG/2014/30 and with Aylien Ltd. as Enterprise Partner. This publication has emanated

from research supported in part by a research grant from Science Foundation Ireland (SFI) under Grant Number SFI/12/RC/2289.

## References

- Ronan Collobert, Jason Weston, Leon Bottou, Michael Karlen, Koray Kavukcuoglu, and Pavel Kuksa. 2011. Natural Language Processing (almost) from Scratch. *Journal of Machine Learning Research*, 12(Aug):2493–2537.
- Yoon Kim. 2014. Convolutional Neural Networks for Sentence Classification. *Proceedings of the Conference on Empirical Methods in Natural Language Processing*, pages 1746–1751.
- Bing Liu. 2012. Sentiment Analysis and Opinion Mining. *Synthesis Lectures on Human Language Technologies*, 5(1):1–167.
- Vinod Nair and Geoffrey E Hinton. 2010. Rectified Linear Units Improve Restricted Boltzmann Machines. *Proceedings of the 27th International Conference on Machine Learning*, (3):807–814.
- Thien Hai Nguyen and Kiyooki Shirai. 2015. PhraseRNN : Phrase Recursive Neural Network for Aspect-based Sentiment Analysis. (September):2509–2514.
- Jeffrey Pennington, Richard Socher, and Christopher D Manning. 2014. Glove: Global Vectors for Word Representation. *Proceedings of the 2014 Conference on Empirical Methods in Natural Language Processing*, pages 1532–1543.
- Maria Pontiki, Dimitrios Galanis, John Pavlopoulos, Haris Papageorgiou, Ion Androutsopoulos, and Suresh Manandhar. 2014. SemEval-2014 Task 4: Aspect Based Sentiment Analysis. *Proceedings of the 8th International Workshop on Semantic Evaluation (SemEval 2014)*, pages 27–35.
- Maria Pontiki, Dimitris Galanis, Haris Papageorgiou, Suresh Manandhar, and Ion Androutsopoulos. 2015. SemEval-2015 Task 12: Aspect Based Sentiment Analysis. *Proceedings of the 9th International Workshop on Semantic Evaluation (SemEval 2015)*, pages 486–495.
- Maria Pontiki, Dimitrios Galanis, Haris Papageorgiou, Ion Androutsopoulos, Suresh Manandhar,

- Mohammad AL-Smadi, Mahmoud Al-Ayyoub, Yanyan Zhao, Bing Qin, Orphée De Clercq, Véronique Hoste, Marianna Apidianaki, Xavier Tannier, Natalia Loukachevitch, Evgeny Kotelnikov, Nuria Bel, Salud María Jiménez-Zafra, and Gülşen Eryiğit. 2016. SemEval-2016 Task 5: Aspect-Based Sentiment Analysis. In *Proceedings of the 10th International Workshop on Semantic Evaluation*, San Diego, California. Association for Computational Linguistics.
- Richard Socher, Danqi Chen, Christopher D. Manning, and Andrew Y. Ng. 2013. Reasoning With Neural Tensor Networks for Knowledge Base Completion. *Proceedings of the Advances in Neural Information Processing Systems 26 (NIPS 2013)*, pages 1–10.
- Duyu Tang, Furu Wei, Nan Yang, Ming Zhou, Ting Liu, and Bing Qin. 2014. Learning Sentiment-Specific Word Embedding. *Proceedings of the 52nd Annual Meeting of the Association for Computational Linguistics*, 1:1555–1565.
- Duyu Tang, Bing Qin, Xiaocheng Feng, and Ting Liu. 2015. Target-Dependent Sentiment Classification with Long Short Term Memory. *arXiv preprint arXiv:1512.01100*.
- Matthew D. Zeiler. 2012. ADADELTA: An Adaptive Learning Rate Method. *arXiv preprint arXiv:1212.5701*.
- Min-ling Zhang, Zhi-hua Zhou, and Senior Member. 2006. Multilabel Neural Networks with Applications to Functional Genomics and Text Categorization. *IEEE Transactions on Knowledge and Data Engineering*, 18(10):1338–1351.