

MT at NetApp – This is how we do it

Edith Bendermacher Pablo Vázquez


October 2015

Agenda

- 1) The journey of quality at NetApp
- 2) How do we leverage MT at NetApp NetApp's Content Classification model
- 3) MT infrastructure and Post Edit process
- 4) NetApp's QA Process
- 5) Automation




The history of NetApp and its quality expectation



Why do we need MT at NetApp - NetApp's Content Classification model

- 1) NetApp has different types of content
- 2) Not all content is created equally and requires same processing
- 3) Product manuals can leverage TMs better then highly creative marketing content
- 4) Process more for less

Two-year content classification objective



■ NetApp


NetApp[®]

Decision matrix:


Content survey	Is OK to RAW MT	Is OK to PE	Is HT
Content repository	Yes	Yes	Yes
File format and pre and post processing needs	Only if no DTP is needed	Only if is a small DTP effort	All levels of DTP
Languages	All* (7 Trained)	7 Languages	12 Core languages
MT engine quality (based on TMs leveraging) and reuse	Only High confidence	7 languages	All
Content type based on the content classification	Technical, low visibility, low traffic	Any technical	High visibility, banners, High touch Marketing, etc.,




Traditional workflows



PE workflows



Raw MT Process



NetApp's QA model

- 1) To comply with NetApp's high quality standards, additional step was added after PE
- 2) NetApp's GCMs conduct review and compile feedback
- 3) Feedback is being categorized and submitted to engine training team for retraining



Thank You!