

Composing Ci with Reinforced Non-autoregressive Text Generation

Yan Song

University of Science and Technology of China

clksong@gmail.com

Abstract

Composing Ci (also widely known as *Song Ci*), a special type of classical Chinese poetry, requires to follow particular format once their tune patterns are given. To automatically generate a well-formed Ci, text generation systems should strictly take into account pre-defined rigid formats (e.g., length and rhyme). Yet, most existing approaches regard Ci generation as a conventional sequence-to-sequence task and use autoregressive models, while it is challenging for such models to properly handle the constraints (according to tune patterns) of Ci during the generation process. Moreover, consider that with the format prepared, Ci generation can be operated by an efficient synchronous process, where autoregressive models are limited in doing so since they follow the character-by-character generation protocol. Therefore, in this paper, we propose to compose Ci through a non-autoregressive approach, which not only ensure that the generation process accommodates tune patterns by controlling the rhythm and essential meaning of each sentence, but also allow the model to perform synchronous generation. In addition, we further improve our approach by applying reinforcement learning to the generation process with the rigid constraints of Ci as well as the diversity in content serving as rewards, so as to further maintain the format and content requirement. Experiments on a collected Ci dataset confirm that our proposed approach outperforms strong baselines and previous studies in terms of both automatic evaluation metrics and human judgements.¹

1 Introduction

Ci is a special type of Chinese poetry and different from general poems, where their shape (including lengths and tunes) is determined by tune patterns (i.e., 词牌, also known as brand names) defining

¹Related code and resources of the paper are available at <https://github.com/synlp/CiGen>.

Tune Pattern	念奴娇 <i>Charm of a Singer</i>
Ci Poem	大江东去, <i>East flows the mighty river;</i> 浪淘尽, 千古风流人物。 <i>Sweeping away the heroes of times past;</i> 故垒西边, <i>This ancient rampart on its western shore</i> 人道是: 三国周郎赤壁。 <i>Is Zhou Yu's Red Cliff of</i> <i>Three Kingdoms's fame;</i> 乱石穿空, <i>Here jagged boulders pound the clouds,</i> 惊涛拍岸, 卷起千堆雪。 <i>Huge waves tear banks apart, and foam</i> <i>piles up a thousand drifts of snow;</i> 江山如画, <i>A scene fair as a painting,</i> 一时多少豪杰。 <i>Countless the brave men here in time gone by!</i>

Figure 1: The first half of an example Ci following the tune pattern “念奴娇”³ (*Charm of a Singer*), where all essential words in this Ci are highlighted in blue. Translations for each clause are provided for reference.⁴

the particular syllable and rhythm schemes that a Ci should stick to.² Over the past one thousand years, composing Ci has long been an interesting game and continued to present days for Chinese people to demonstrate one’s literary and artistic accomplishments. Given that Ci composition is challenging, to perform this task with artificial intelligence is meaningful since it is a good test for controlled natural language generation under specific constraints (i.e., the length and rhyme of Ci should follow the constraints given by the tune pattern).

²Originally, Ci emerged during the *Tang* Dynasty (618-907 A.D.), in response to the popularity of foreign musical tunes imported from the Inner Asia, and started its prevailing and was written all through the age in the *Song* Dynasty (960-1279 A.D.). Overall, there are more than 800 tune patterns known.

³“念奴” is the name of a famous singer in *Tang* Dynasty.

⁴This translation is from Mr. Xianyi Yang and Mrs. Gladys Yang, famous translators of Chinese and Western literature.




Figure 2: The overall architecture of our CiGEN with non-autoregressive Ci generation guided by essential words and enhanced by reinforcement learning (RL) with a given tune pattern \mathcal{Z} . The format information is obtained from the tune pattern; *ESS* word generator and Ci generator are used to compute the hidden vectors, namely, h_t^k and h_t^o , for generating essential (*ESS*) word (the red block) and candidate Ci (the yellow block), respectively; the generated *ESS* words and candidate Ci are combined to obtain the final Ci (the blue block), which is then used to compute the rewards (including format rewards, rhyme rewards, and diversity rewards) in RL. The dashed red arrows illustrate the rewards sent back from RL. The dashed blue arrow from the format representation to the Ci generator is used to illustrate the vanilla CiGEN, which only generates candidate Ci without the help of *ESS* words.

Recently, text generation models based on deep neural networks (e.g., LSTM (Hochreiter and Schmidhuber, 1997) and Transformer (Vaswani et al., 2017)) have been widely used for poem and Ci generation (Wang et al., 2016a; Yang et al., 2018a; Yi et al., 2018; Yeh et al., 2019; Li et al., 2020; Wu et al., 2021) and demonstrated their validity in doing so. Among previous studies, most mainly follow the conventional text generation paradigm which performs an autoregressive generation process by generating a poem or Ci in a character-by-character manner. However, since Ci is usually longer than classical poem, these autoregressive models face the challenge of losing semantic coherence in-between the beginning and end of a Ci when it is too long and thus might lead to inferior results because a high-quality Ci always requires good coherence in the topic. To illustrate, Figure 1 shows a well-known Ci with the tune pattern “念奴娇” (*Charm of a Singer*), where every sentence in this Ci are correlated to each other and stick to the main topic. Therefore, Ci shows the following two characteristics which are required to be addressed carefully during its generation process: (1) once the tune pattern is given, the rigid format of the Ci (i.e., the length and rhyme) is determined; (2) different parts in a Ci should show high relevance in semantics (e.g., stick

to a particular topic). These characteristics suggest that non-autoregressive models (whose effectiveness for text generation has already been demonstrated in machine translation (Gu et al., 2018), image captioning (Lee et al., 2018), and summarization (Qi et al., 2021)) have their potential to be appropriate choices for this task. Moreover, another advantage of non-autoregressive models is that they are able to generate different parts of a Ci synchronously, which is more efficient compared with autoregressive ones. Still, although non-autoregressive models show aforementioned superiority, there are further improvements needed for Ci composition, such as guiding the model to generate clauses strictly following the length and rhyme requirements of the tune pattern and providing more diversified generation results, which are normally hard to be controlled through conventional supervised/unsupervised functions. Consider that reinforcement learning (RL) is able to guide the parameter optimization process of a model through object-oriented rewards and it has been demonstrated to be effective in many natural language generation tasks such as dialogue generation (Li et al., 2016), paraphrase generation (Li et al., 2017), and image captioning (Qin and Song, 2022), it is expected to be also effective in helping the non-autoregressive models to generate Ci that better

follows the constraints of the tune pattern.

In this paper, we propose, CIGEN, a non-autoregressive model for Ci generation with a given tune pattern, where we employ a key word guided generation process to firstly generate essential (*ESS*) words (e.g., the ones highlighted in blue in Figure 1) that convey the important meaning for each part (e.g., sentence) and then generate the final full Ci. To further enhance the non-autoregressive model, we apply RL to Ci composition so as to accommodate the formats and rhyming constraints, which are generally hard to learn by the conventional supervised or unsupervised learning methods since it is not easy to design normal loss functions for them. In evaluation, we test our approach on a collected *Song* Ci dataset⁵, where our approach outperforms strong baselines and previous studies on both automatic and human evaluation metrics.

2 The Proposed Approach

Figure 2 illustrates the overall architecture of our CIGEN for Ci composition with the given tune pattern \mathcal{Z} , where the format (denoted as $\mathcal{X} = x_1, \dots, x_t, \dots, x_T$ with x_t presenting the format of the t -th character and T the number of characters) of Ci is obtained based on the tune pattern \mathcal{Z} and then used to generate the intermediate *ESS* words (denoted as $\hat{\mathcal{K}}$), and the candidate Ci (denoted as $\hat{\mathcal{V}} = \hat{v}_1, \dots, \hat{v}_t, \dots, \hat{v}_T$), then the generated *ESS* words and the candidate Ci are then combined to obtain the final Ci (denoted as $\hat{\mathcal{Y}} = \hat{y}_1, \dots, \hat{y}_t, \dots, \hat{y}_T$). Therefore, the process of the proposed non-autoregressive approach for Ci composition is formally expressed by

$$\hat{\mathcal{Y}} = C(\hat{\mathcal{V}}, \hat{\mathcal{K}}) \quad (1)$$

with

$$\begin{cases} \hat{\mathcal{V}} = f(\mathcal{X}, \hat{\mathcal{K}}) \\ \hat{\mathcal{K}} = f(\mathcal{X}) \\ \mathcal{X} = F(\mathcal{Z}) \end{cases} \quad (2)$$

where C refers to the combination of candidate Ci and *ESS* words, f denotes a general text generation process with the given input, F extracts the format of the Ci based on the given tune pattern. In the following text, we first illustrate the process to obtain the format representation from the tune pattern, then present the non-autoregressive model for guiding word driven Ci generation, and finally how we use RL enhancement to compose high-quality Ci.

⁵<https://github.com/lipiji/SongNet>

2.1 Format Representations

One characteristic of Ci is that its format is determined by the tune pattern. To represent the format information, we refer to a previous studie (Li et al., 2020) and use the combination of four types of *symbols* to represent the format $x_t = (r_t, p_t, s_t, g_t)$, where r_t , p_t , s_t , and g_t denote the **rhyme** (RHY), **intra-position** (INP), **clause-index** (CLI), and **global-position** (GLO) symbols, respectively. Table 1 presents the values of different symbols for the first three clauses (i.e., “大江东去，浪淘尽，千古风流人物。”) in the example in Table 1 for better illustration, and we elaborates the details of these symbols in the following texts.

Rhyme symbols Rhyme symbols are designed to illustrate whether the associated characters are required to follow the rhyme of the tune pattern. Specifically, the rhyme symbol r_t for x_t has three choices, namely, P (punctuation), R (rhyme), and O (other cases): $r_t = P$ if x_t should be a punctuation; $r_t = R$ if x_t should follow the rhyme, in which case x_{t+1} is a punctuation (for Ci, the character that directly precedes the punctuation has to follow the rhyme); $r_t = O$ otherwise.

Intra-position symbols Intra-position symbols p_t are used to represent the distance of x_t to the nearest following punctuation. That is, we define this symbol by measuring how far the next punctuation (denoted as $x_{t'}$) is to the x_t (where $t \leq t'$), and set its value to p_t to $b_{t'-t}$. Therefore, b_0 always denotes the punctuation, which enables our model to correctly recognize the boundary of clauses.

Clause-index symbols Local-position symbols are used to represent each character that the index of a clause it belongs to. Therefore, $s_t = c_j$ if the t -th character is in the j -th clause in a Ci.

Global-position symbols Global-position symbols g_t are designed to represent the global positional information for each character x_t and they are demonstrated to be powerful in many previous studies for text generation (Radford et al., 2019; Deng et al., 2020; Lewis et al., 2020; Raffel et al., 2020). In our approach, the global-position symbol g_t for the t -th character is t , i.e., $g_t = t$.

Once all symbol values are obtained for x_t , we map them to their corresponding embeddings, namely, rhyme embedding e_t^r , intra-position embedding e_t^p , clause-index embedding e_t^s , and global-position embedding e_t^g , where we follow the

Tune Pattern (\mathcal{Z})	念奴娇															
Format (\mathcal{X})	x_1	x_2	x_3	x_4	x_5	x_6	x_7	x_8	x_9	x_{10}	x_{11}	x_{12}	x_{13}	x_{14}	x_{15}	x_{16}
Rhythm Symbols (r_t)	<i>O</i>	<i>O</i>	<i>O</i>	<i>R</i>	<i>P</i>	<i>O</i>	<i>O</i>	<i>R</i>	<i>P</i>	<i>O</i>	<i>O</i>	<i>O</i>	<i>O</i>	<i>O</i>	<i>R</i>	<i>P</i>
Intra-position Symbols (p_t)	b_4	b_3	b_2	b_1	b_0	b_3	b_2	b_1	b_0	b_6	b_5	b_4	b_3	b_2	b_1	b_0
Clause-index Symbols (s_t)	c_1	c_1	c_1	c_1	c_1	c_2	c_2	c_2	c_2	c_3	c_3	c_3	c_3	c_3	c_3	c_3
Global-position Symbols (g_t)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Example Sentence	大 江 东 去 ， 浪 淘 尽 ， 千 古 风 流 人 物 。															

Table 1: The illustration of example values for four types of format symbols (i.e., rhythm symbols r_t , intra-position symbols p_t , clause-index symbols s_t , and global-position symbols g_t) associated with the characters in the first three clauses of the Ci shown in Figure 1 that follows the tune pattern “念奴娇” (*Charm of a Singer*).

positional embedding mechanism in Transformer (Vaswani et al., 2017) to compute our GLO embeddings. Afterwards, we directly concatenate (\oplus) the four types of embeddings and obtain the format embedding \mathbf{e}_t^x for the t -th character by

$$\mathbf{e}_t^x = \mathbf{e}_t^r \oplus \mathbf{e}_t^p \oplus \mathbf{e}_t^s \oplus \mathbf{e}_t^g \quad (3)$$

To summarize, since the four types of symbols reflect the characteristics of Ci from different aspects, the combination of them (i.e., the format representation \mathbf{e}_t^x) contains informative features and constraints given by the tune pattern and thus could be used to enhance a model for Ci composition.

2.2 Ci Composition with Essential Words

Although non-autoregressive models with aforementioned format representations are able to leverage the format constraints in composing Ci, it is still hard for them to automatically maintain semantic consistency. Consider that the overall emotional tone and topic of a Ci are generally carried by its essential words, we propose to enhance non-autoregressive models through a guided generation process with *ESS* words. Specifically, the model firstly generates the *ESS* words with the given tune pattern (i.e., the format representations) and then uses the generated *ESS* words to guide the rest generation process. Therefore, our model is able to learn the potential relation between the format and the overall emotion tone carried by the *ESS* words and leverage them for the later Ci composition.⁶

For *ESS* words generation, our model applies an encoder (denoted as f_1) to the format representation $\mathbf{E}^x = \mathbf{e}_1^x, \dots, \mathbf{e}_T^x$ and obtain a sequence of hidden vectors $\mathbf{H}^k = \mathbf{h}_1^k, \dots, \mathbf{h}_t^k, \dots, \mathbf{h}_T^k$ by

$$\mathbf{H}^k = f_1(\mathbf{E}^x) \quad (4)$$

It is worth noting that f_1 takes the matrix \mathbf{E}^x and computes the matrix \mathbf{H}^k through a single for-

⁶Actually, some particular formats and rhymes are frequently used to express certain types of emotions.

ward pass, which differs from conventional autoregressive approach that generates a single vector step by step. Then the hidden vector \mathbf{h}_t^k is then fed into a fully connected layer with the softmax classifier to predict the *ESS* character⁷ \hat{k}_t for the input x_t :

$$\hat{k}_t = \text{softmax}(\mathbf{W}_1 \cdot \mathbf{h}_t^k + \mathbf{b}_1) \quad (5)$$

where \mathbf{W}_1 and \mathbf{b}_1 are the trainable matrix and bias vector in the fully connected layer, respectively.

With *ESS* words, for Ci generation, we firstly map all generated *ESS* characters \hat{k}_t to their embeddings \mathbf{e}_t^k and then add the format representation \mathbf{e}_t^x to the resulting embeddings through

$$\mathbf{h}_t^I = \mathbf{e}_t^x + \mathbf{e}_t^k \quad (6)$$

Afterwards, similar to the generation process of *ESS* words, we use another encoder (which is denoted as f_2 and computes the output matrix via a process similar to f_1) to process the obtained $\mathbf{H}^I = \mathbf{h}_1^I, \dots, \mathbf{h}_t^I, \dots, \mathbf{h}_T^I$ and obtain the hidden vectors $\mathbf{H}^O = \mathbf{h}_1^O, \dots, \mathbf{h}_t^O, \dots, \mathbf{h}_T^O$ via

$$\mathbf{H}^O = f_2(\mathbf{H}^I) \quad (7)$$

where \mathbf{h}_t^O is fed into a fully connected layer with the softmax classifier to predict the character \hat{v}_t for each x_t in the candidate Ci:

$$\hat{v}_t = \text{softmax}(\mathbf{W}_2 \cdot \mathbf{h}_t^O + \mathbf{b}_2) \quad (8)$$

where \mathbf{W}_2 and \mathbf{b}_2 are the trainable matrix and bias vector. Finally, to take the advantage of the generated *ESS* words, we combine the *ESS* words and the candidate Ci based on the following rule:

$$\hat{y}_t = \begin{cases} \hat{v}_t & \text{if } \hat{k}_t = [\text{N}] \\ \hat{k}_t & \text{otherwise} \end{cases} \quad (9)$$

so as to obtain the final resulted Ci, $\hat{\mathcal{Y}}$.

Different from the conventional autoregressive

⁷An *ESS* character is either a general character that forms a *ESS* word or a special symbol “[N]” that indicates that at this position the character does not belong to any *ESS* words.

text generation approaches, for both *ESS* word and Ci generation, our model generates all characters synchronously, which allows our model to efficiently leverage context information in a one-time encoding and decoding process in Ci composition.

In the training process, we compare the generated *ESS* words and the final resulted Ci with the ground truth⁸ and compute the loss \mathcal{L}_K and \mathcal{L}_Y for them, respectively, which are further used to update the model parameters through backpropagation.

2.3 Enhancement with RL

Although using the non-autoregressive model conditioning on format and rhyme is able to generate more satisfying Ci than models without such restriction (e.g., systems designed for poetry generation), there are still gaps between the performance of automatically generated Ci and those composed by poets. To address this problem, we propose to incorporate reinforcement learning (RL) into our non-autoregressive model so as to further improve the quality of Ci composition. In doing so, we regard the entire generation process as a two-state reward maximization task. Therefore, in training each instance, the **agent** (i.e. the model) starts from the initial state S_0 , which is the input format, then selects an **action** (i.e. generated Ci $\hat{\mathcal{Y}}$) according to the **policy** (i.e. $\pi_\theta(S_0, \hat{\mathcal{Y}}) = p(\hat{\mathcal{Y}}; \theta)$ with θ denoting all model parameters), and receives a **reward** r and arrives at the terminal state. Specifically, the total reward is a linear combination of the **format**, **rhyme**, and **diversity** scores via

$$r = \lambda_1 r_f + \lambda_2 r_r + \lambda_3 r_{d_1} + \lambda_4 r_{d_2} \quad (10)$$

where λ_i ($i \in \{1, 2, 3, 4\}$) are hyper-parameters; r_f is the score for format, which is the number of correctly segmented sentences/clauses in $\hat{\mathcal{Y}}$; r_r is the score for rhyme which is the number of predicted characters that correctly follow the rhyme requirement of the given tune pattern; r_{d_1} and r_{d_2} are the scores for uni-gram and bi-gram diversities, respectively, which are the number of unique uni-grams and bi-grams in the generated Ci.

To solve the reward maximization problem, we follow the REINFORCE algorithm (Williams, 1992) with loss and corresponding gradient

$$L_{RL}(\theta) = -\mathbb{E}_{\pi_\theta}(r) = -\sum_{\hat{\mathcal{Y}}} p(\hat{\mathcal{Y}}; \theta) \cdot r(\hat{\mathcal{Y}}) \quad (11)$$

⁸For *ESS* words, one can use an off-the-shelf toolkit to automatically annotate them in different Ci and regard them as the ground truth to compute the loss in training.

	Ci #	Character #	ESS Word #
Train	17,733	1.2M	112.5K
Dev	1,071	67.5K	6.5K
Test	1,169	82.6K	7.5K

Table 2: The statistics of our experiment dataset in terms of the number of Ci, characters, and *ESS* words in the training, development, and test set, respectively.

and

$$\begin{aligned} \nabla_\theta L_{RL}(\theta) &= -\sum_{\hat{\mathcal{Y}}} p(\hat{\mathcal{Y}}; \theta) r(\hat{\mathcal{Y}}) \nabla_\theta \log p(\hat{\mathcal{Y}}; \theta) \\ &= -\mathbb{E}_{\pi_\theta}[\nabla_\theta \log p(\hat{\mathcal{Y}}; \theta) r(\hat{\mathcal{Y}})] \end{aligned} \quad (12)$$

respectively. The gradient is estimated by a single Monte-Carlo sampling $\hat{\mathcal{Y}} = \{\hat{y}_1, \dots, \hat{y}_T\}$ through

$$\nabla L_{RL}(\theta) \approx -\nabla_\theta \log p(\hat{\mathcal{Y}}; \theta) r(\hat{\mathcal{Y}}) \quad (13)$$

However, the estimation of gradient is of high variance. Therefore, we follow Rennie et al. (2017) and introduce a baseline function that is independent with the action $\hat{\mathcal{Y}}$. Therefore, the refined loss and gradient estimations are formalized as

$$L_{RL}(\theta) = -\mathbb{E}_{\hat{\mathcal{Y}} \sim \pi_\theta}(r(\hat{\mathcal{Y}}) - r(\hat{\mathcal{Y}}')) \quad (14)$$

and

$$\nabla L_{RL}(\theta) \approx -\nabla_\theta \log p(\hat{\mathcal{Y}}; \theta) (r(\hat{\mathcal{Y}}) - r(\hat{\mathcal{Y}}')) \quad (15)$$

respectively, where $\hat{\mathcal{Y}}'$ denotes the generated Ci selected using *top-k* sampling.

As a result, the overall training loss is formalized as a linear combination of all losses from the aforementioned steps, including L_K , L_Y , L_{RL} :

$$L = \alpha L_K + \beta L_Y + \gamma L_{RL} \quad (16)$$

where α , β , and γ are hyper-parameters to control the effect of L_K , L_Y , and L_{RL} , respectively.

3 Experiment Settings

3.1 Dataset

To evaluate the performance of our approach, we run experiments with *Song* Ci dataset⁹, where there is no official train/dev/test split for this dataset, so that we randomly split the data into training, development, and test sets, with the statistics reported in Table 2. Since no *ESS* word annotations are provided in the original dataset, we automatically annotate *ESS* words and regard them as the ground truth in training our model. In doing so,

⁹<https://github.com/lipiji/SongNet>.

Models	Diversity				Format		Rhyme		Speed
	MA-U	MI-U	MA-B	MI-B	MA	MI	MA	MI	
SongNet (Li et al., 2020)	72.34	2.18	97.05	34.09	99.84	99.81	62.97	62.84	0.40
CIGEN	37.08	0.06	92.59	2.60	99.77	99.75	44.65	43.15	43.03
CIGEN + ESS	56.12	0.22	95.60	9.76	99.88	99.87	54.61	53.87	42.94
CIGEN + ESS + RL	74.36	3.13	98.73	51.45	99.92	99.89	63.47	63.16	38.49

Table 3: Experimental results and inference speed of different non-autoregressive models, as well as that from our run of SongNet (Li et al., 2020), on the test set of *Song Ci* dataset. “+ ESS” and “+ RL” denote the non-autoregressive models enhanced with *ESS* words and RL, respectively; “MA” and “MI” are abbreviations for Macro-F1 and Micro-F1 scores, respectively; “U” and “B” denote the diversity F1 scores based on uni-grams and bi-grams, respectively; the speed of different models are computed via the number of generated *Ci* per second.

we randomly sample 1,000 *Ci* from the dataset and invite two annotators to manually mark *ESS* words that convey important meaning in each *Ci*. Next, we use the annotated *Ci* as training data to train a BERT-based¹⁰ (Devlin et al., 2019) *ESS* word annotator (which is similar to a named entity annotator) following the sequence labeling paradigm. Then, we apply the trained annotator to the entire dataset and obtain the “ground truth” *ESS* words. The statistics of the auto-annotated *ESS* words in the train/dev/test sets are also reported in Table 2.

3.2 Implementation Details

Since the quality of text representation plays an important role in many natural language processing tasks (Han et al., 2018; Radford et al., 2019; Tian et al., 2020; Lewis et al., 2020; Diao et al., 2020; Raffel et al., 2020), we use the well-performed Transformer (Vaswani et al., 2017) architecture for both *ESS* word and *Ci* generation.¹¹ Specifically, for both Transformer encoders (i.e., f_1 and f_2), we use 6 layers of multi-head attentions, with 12 heads and the dimension of the hidden vectors set to 768. For the λ in RL rewards, we treat the rewards from format, rhyme, and diversity equally with $\lambda_1 = \lambda_2 = \lambda_3 = \lambda_4 = 0.25$ in Eq. (10)). Besides, we use $k = 32$ for the *top-k* sampling to compute the refined loss (i.e., see Eq. (11)).¹² We train all models including the one with RL for 30 epochs over all training data. For evaluation, we follow previous studies (Li et al., 2020) and

¹⁰We use the BERT-base-Chinese obtained from <https://github.com/google-research/bert>.

¹¹It can be implemented with pre-trained encoders, e.g., we tried ZEN (Song et al., 2021) and it can obtain better results than training a Transformer from scratch according to human evaluation. One could infer from this setting that both f_1 and f_2 are interchangeable with other similar models.

¹²We tried different k values in the experiments and locate that $k = 32$ is optimal and achieves the best performance.

evaluate model performance from diversity, format, and rhyme using Macro-F1 (MA) and Micro-F1 (MF), where the diversity is evaluated based on the distinctness of uni-grams (U) and bi-grams (B).

4 Results and Analysis

4.1 Overall Results

Table 3 reports the experimental results of our approach with different settings: CIGEN is the model that uses only f_2 and treats the candidate *Ci* as the final one. CIGEN + *ESS* uses the *ESS* words to guide the *Ci* generation process, and CIGEN + *ESS* + RL is our full model which leverages both *ESS* words and RL. The results of our experiment using SongNet (Li et al., 2020) is also reported for comparison. We also present the inference speed (i.e., the number of generated *Ci* per second) of all models. Overall, there are several observations.

First, compared with CIGEN that directly generates *Ci*, the model enhanced by *ESS* word guided generation (i.e., CIGEN + *ESS*) achieves higher performance with respect to all evaluation metrics. This observation indicates that, CIGEN + *ESS* is able to learn from the *ESS* words that carry important semantic or topic information, and thus allows the model to generate a *Ci* with more coherent and meaningful expression. On the contrary, CIGEN does not benefit from the *ESS* words so that it leads to inferior performance in all evaluation metrics.

Second, comparing CIGEN + *ESS* and our full model CIGEN + *ESS* + RL, it is observed that the full model with RL further improves the performance of CIGEN + *ESS* on all evaluation metrics, which demonstrates the effectiveness of RL in *Ci* composition. A possible explanation can be elaborated as follows. With the modeling of format, rhyme, and diversity rewards through RL, the full

Models	Diversity				Format		Rhyme	
	MA-U	MI-U	MA-B	MI-B	MA	MI	MA	MI
CiGEN + ESS + RL	74.36	3.13	98.73	51.45	99.92	99.89	63.47	63.16
- Format (r_f)	73.05	2.31	97.77	45.05	<u>99.77</u>	<u>99.73</u>	62.51	62.43
- Rhyme (r_r)	73.91	2.20	97.86	45.49	99.82	99.80	<u>62.13</u>	<u>62.40</u>
- Uni-gram diversity (r_{d_1})	<u>71.71</u>	<u>2.14</u>	97.65	42.26	99.85	99.81	62.44	62.19
- Bi-gram diversity (r_{d_2})	71.73	2.16	<u>97.43</u>	<u>41.50</u>	99.79	99.76	62.48	62.90

Table 4: Experimental results of our full model **CiGEN + ESS + RL**, with one of the four types of rewards (i.e., format, rhyme, uni-gram and bi-gram diversity) ablated. E.g., “- Format (r_f)” means that format reward is ablated.

Models	Con.	Flu.	Mea.	Poe.	Avg.
CiGEN	2.30	1.55	1.55	1.80	1.80
CiGEN + ESS	2.75	1.75	1.90	2.10	2.13
CiGEN + ESS + RL	2.95	1.90	2.20	2.30	2.34

Table 5: Human evaluation results from different models with respect to four metrics, where higher scores (whose range is $[1, 3]$) refer to higher qualities. “Con.”, “Flu.”, “Mea.”, and “Poe.” denote the scores for *consistency*, *fluency*, *meaning*, and *poeticness*, respectively, and “Avg.” reports the average of them.

model is able to learn to force the generation process to satisfy the restrictions (e.g., format and rhyme constraints) of the given tune pattern and thus achieves higher performance than CiGen + ESS that does not target to such restrictions.

Third, our full model **CiGEN + ESS + RL** outperforms SongNet (Li et al., 2020) (which uses an autoregressive approach for Ci generation) with respect to all evaluation metrics. This observation not only demonstrates the effectiveness of our proposed approach, but also indicates that non-autoregressive models are also plausible solutions for composing Ci and format-specific text genres. In addition, benefiting from the nature of non-autoregressive approach (i.e., the model is able to generate all characters at the same time), our models are able to generate Ci around 100 times faster than SongNet, where the simplest CiGEN is the fastest one that is able to generate around 43 Ci in each second. This comparison demonstrates the superior efficiency of applying synchronous procedure to Ci composition and shows its great potential to be applied to real applications that in similar scenario and require high generation speed.

4.2 Effect of Different Rewards

In our full model with RL (i.e., “**CiGEN + ESS + RL**”), we compute the final reward r for RL by averaging the rewards from format (i.e., r_f), rhyme

(i.e., r_r), uni-gram diversity (i.e., r_{d_1}), and bi-gram diversity (i.e., r_{d_2}) (see Eq. (10)). To further investigate the effect of the designed rewards, we perform ablation study where one of the four types of reward is ablated. Table 4 reports the experimental results, where the best and the worst result for each evaluation metric are highlighted in boldface and underlines, respectively. There are several observations. First, overall, the ablation of any one of the reward types hurts model performance on all metrics, which demonstrates that all types of rewards contribute to the quality of Ci composition. Second, the ablation of a particular type of reward would strongly hurt the model performance on its corresponding metric. For example, the worst performance on rhyme evaluation metrics is achieved when rhyme reward (i.e., r_r) is ablated. So that each reward does confirm its value in helping generate better Ci from different aspects. To summarize, our observations demonstrate the effectiveness of the full model with RL to learn from all types of reward and thus to generate Ci satisfying different types of evaluation metrics.

4.3 Human Evaluation

Following previous studies (Li et al., 2018; He et al., 2012; Zhang and Lapata, 2014; Wang et al., 2016b; Yu et al., 2017), we further conduct human evaluation on those Ci generated from different models (i.e. CiGEN, CiGEN + ESS, and CiGEN + ESS + RL), where four different metrics (namely, *consistency*, *fluency*, *meaning*, and *poeticness*) are considered. To explain, *consistency* evaluates the theme consistence; *fluency* measures the grammatical correctness; *meaning* stands for the meaningfulness of the content; and *poeticness* exams whether the Ci follows the attributes of poetry. We randomly sample 50 Ci from the test set and invite five human evaluators who are familiar with Chinese poetry to score each Ci based on the aforementioned four

	Ci	Translation
Tune Pattern	捣练子	Daolianzi Theme
Reference	斜月下， <u>北风前</u> 。 万杵千砧捣欲穿。 不为捣衣勤不睡， 破除今夜夜如年。	Under the <i>falling moon</i> , (a lady) faces the <i>north wind</i> . With <i>thousands of times the pestle hit the clothes</i> (to make the clothes flatten), the plank is about to be broken. (The lady) is awake not for <i>flattening the clothes</i> . Not just <i>tonight</i> , every night is like a year to her (by deadly missing her husband).
CIGEN	南岳顶，日落西。 四面青峰入层云。 细水流，猿猴啼。 满林惊鸟振天去。	On the top of the south mountain, (I) see the west sunset. The green peaks from all sides enter the layers of clouds. The creek is flowing; the monkeys are chirping. All the frightened birds in the woods are flying into the sky.
CIGEN + ESS	春风起，雨还晴。 一树青梅入眼帘。 莫道春踪无寻处。 落红飞絮总含情。	The <i>spring breeze</i> is blowing, the <i>rainy days</i> are clearing. The <i>green plums on the tree</i> comes into view. Please do not say there is nowhere to look for <i>signs of spring</i> . The <i>falling flowers and catkins</i> always deliver silent affection.
CIGEN + ESS + RL	山脚下， <u>溪水边</u> 。 满园飞花梦留年。 独依阑干不能寐。 一帘疏影欲成仙。	(I am standing) at the foot of a mountain, by the <i>stream</i> . (I) see the <i>flying flowers in the entire garden</i> which reminds me of the passing years. (I) rely on the <i>railing alone</i> and cannot fall asleep. Seeing a <i>sparse scene of shadows</i> , I feel like I am about to become a fairy.

Figure 3: The comparison of a reference and the generated Ci from different models with a given tune pattern, where the English translation is also provided for better understanding. ESS words are highlighted in blue color and the rhyming characters required by the tune pattern are *underlined* in the reference and all generated Ci.

metrics, where the score is one of {1, 2, 3} with 1 for *poor*, 2 for *medium*, and 3 for *good*. The evaluation is conducted in a blind review manner, where evaluators are provided with the Ci generated from different models but they cannot locate which model generates the given Ci. We report the scores for all evaluation metrics as well as the overall average score (AVG.) in Table 5. Similar to the observations from Table 3, in Table 5, CIGEN + ESS with essential word guided generation process achieves better performance than CIGEN and CIGEN + ESS + RL further improves CIGEN + ESS with the help of RL. To conclude, human evaluation not only reveals the capability of the proposed CIGEN, but also further confirms the effectiveness of ESS words and RL for Ci composition.

4.4 Case Study

To qualitatively investigate different models, especially the effect of ESS words and RL, we conduct a case study with an example input tune pattern “捣练子” (Daolianzi Theme). Figure 3 illustrates a reference Ci and the generated ones from three different models (i.e., CIGEN, CIGEN + ESS, and CIGEN + ESS + RL) given the tune pattern, where

the rhyme characters required by the tune pattern are underlined in the reference and the generated Ci; the ESS words in the reference (automatically labeled) and in the Ci generated by CIGEN + ESS and CIGEN + ESS + RL are highlighted in blue color. It is observed that CIGEN generates an inferior output that is irregular in terms of rhythm where the underlined rhyming characters (i.e., “西”, “云”, “去”) of the generated clauses do not follow the same vowels¹³. When ESS words are used, CIGEN + ESS is able to benefit from the ESS words and thus generates most of the ESS words at the expected positions¹⁴. However, we notice that the Ci generated by CIGEN + ESS is still not perfect: the underlined rhyming character “晴” and “情” in the first and fourth clause are homophones, which is normally avoided in poem and Ci composition but using characters with different pronunciation while sharing the same rhyme. When RL is applied, compared with CIGEN + ESS, CIGEN + ESS + RL

¹³We follow the rhyming system described in 《平水韵》 (pingshuiyun), a popular and widely used rhyming book written during the Song Dynasty (960-1279 A.D.).

¹⁴The expected positions for essential words are determined by ESS words that automatically labeled in the reference Ci.

is able to generate more coherence and consistent content, having better artistic conception and diversified in generating rhyming characters as well as the *ESS* words, with their positions matching the ones in the reference. generate high-quality Ci.

5 Related Work

Chinese Ci generation is generally considered as one type of Chinese archaic style text generation tasks. In addition to Ci generation, such tasks also include couplet and classical poetry generation, where they have different concerns regarding to particular restrictions. Specifically, couplet generation (Jiang and Zhou, 2008; Zhang et al., 2018; Fan et al., 2019; Gao et al., 2021; Song, 2022) is a strictly conditioned text generation task where the generated text (subsequent clause) has to correspond to the input text (antecedent clause) in almost all aspects, such as rhyme, length, syntactic and semantic correspondence, etc. Classical poetry generation (Zhang and Lapata, 2014; Zhang et al., 2017; Li et al., 2018; Yang et al., 2018b, 2019; Chen et al., 2019; Deng et al., 2020) normally focuses on unconditioned text generation with limited format constraints, where there are typically two poem types, i.e., five-character and seven-character quatrain. Different from the two tasks, Ci generation is more flexible than couplet but less than poem, in terms of using tune patterns for restriction. To the best of our knowledge, there are 871 different types of tune patterns with each having its own format requirements. In performing Ci generation, studies are much less than that for couplet and poem generation, recent ones (Wang et al., 2016a; Li et al., 2020; Luo et al., 2021) leverage deep learning based models and achieve outstanding performance, where most of them regard the task as a conventional sequence-to-sequence task and use autoregressive approaches. To further improve the task, there are studies applying enhanced modules such as attentions (Wang et al., 2016a) and pre-training language models (Li et al., 2020).

Compared to previous studies based on deep neural networks, this work takes the advantage of the properties of Ci (i.e., the format is determined once the tune pattern is given and different parts of Ci should stick to a particular topic) and provides an alternative solution for Ci generation through a non-autoregressive method, which allows our model to generate Ci efficiently. Particularly, the generation process guided by essential words and RL with

carefully designed rewards further facilitate the explicit accommodation of the rigid constraints for Ci, leading to better results in all evaluations.

6 Conclusion

In this paper, we propose a non-autoregressive model named CIGEN for Ci composition, which is further enhanced by an essential word guided generation process and RL. Specifically, our model firstly generates the *ESS* words that convey important meaning or topic of Ci and then use these *ESS* words to complement the generation of the entire Ci. In addition, we design a set of RL rewards based on format, rhyme, and diversity (including uni-grams and bi-grams based measures) to enhance the model by further accommodating the constraints from the tune pattern, for the purpose of solving the problem that normal loss functions for conventional supervised/unsupervised methods cannot be applied to such constraints. Experimental results and analyses on a *Song* Ci dataset confirm the validity of our proposed model, with its evaluation outperforms strong baselines and previous studies with respect to different evaluation metrics. Moreover, owing to the non-autoregressive characteristic, the inference speed of our model also shows its great superiority over the autoregressive ones. Therefore, the effectiveness and efficiency indicates that our model design has its potential to be implemented to similar text generation scenarios.

References

- Huimin Chen, Xiaoyuan Yi, Maosong Sun, Wenhao Li, Cheng Yang, and Zhipeng Guo. 2019. Sentiment-Controllable Chinese Poetry Generation. In *Proceedings of the Twenty-Eighth International Joint Conference on Artificial Intelligence, IJCAI-19*, pages 4925–4931.
- Liming Deng, Jie Wang, Hang-Ming Liang, Hui Chen, Zhiqiang Xie, BoJin Zhuang, Shaojun Wang, and Jing Xiao. 2020. An Iterative Polishing Framework Based on Quality Aware Masked Language Model for Chinese Poetry Generation. In *Proceedings of the AAAI Conference on Artificial Intelligence*, pages 7643–7650.
- Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. 2019. BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding. In *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers)*, pages 4171–4186.

- Shizhe Diao, Jiabin Bai, Yan Song, Tong Zhang, and Yonggang Wang. 2020. ZEN: Pre-training Chinese Text Encoder Enhanced by N-gram Representations. In *Findings of the Association for Computational Linguistics: EMNLP 2020*, pages 4729–4740.
- Haoshen Fan, Jie Wang, Bojin Zhuang, Shaojun Wang, and Jing Xiao. 2019. Automatic Acrostic Couplet Generation with Three-Stage Neural Network Pipelines. In *Pacific Rim International Conference on Artificial Intelligence*, pages 314–324. Springer.
- Rui Gao, Yuanyuan Zhu, Mingye Li, Shoufeng Li, and Xiaohu Shi. 2021. Encoder–Decoder Couplet Generation Model Based on ‘Trapezoidal Context’ Character Vector. *The Computer Journal*, 64(3):286–295.
- Jiatao Gu, James Bradbury, Caiming Xiong, Victor O.K. Li, and Richard Socher. 2018. Non-Autoregressive Neural Machine Translation. In *International Conference on Learning Representations*.
- Jialong Han, Yan Song, Wayne Xin Zhao, Shuming Shi, and Haisong Zhang. 2018. Hyperdoc2vec: Distributed Representations of Hypertext Documents. In *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 2384–2394, Melbourne, Australia.
- Jing He, Ming Zhou, and Long Jiang. 2012. Generating Chinese Classical Poems with Statistical Machine Translation Models. *Proceedings of the AAAI Conference on Artificial Intelligence*, 26(1):1650–1656.
- Sepp Hochreiter and Jürgen Schmidhuber. 1997. Long Short-Term Memory. *Neural Computation*, 9(8):1735–1780.
- Long Jiang and Ming Zhou. 2008. Generating Chinese Couplets using a Statistical MT Approach. In *Proceedings of the 22nd International Conference on Computational Linguistics (Coling 2008)*, pages 377–384.
- Jason Lee, Elman Mansimov, and Kyunghyun Cho. 2018. Deterministic non-autoregressive neural sequence modeling by iterative refinement. *arXiv preprint arXiv:1802.06901*.
- Mike Lewis, Yinhan Liu, Naman Goyal, Marjan Ghazvininejad, Abdelrahman Mohamed, Omer Levy, Veselin Stoyanov, and Luke Zettlemoyer. 2020. BART: Denoising Sequence-to-Sequence Pre-training for Natural Language Generation, Translation, and Comprehension. In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, pages 7871–7880, Online.
- Jiwei Li, Will Monroe, Alan Ritter, Michel Galley, Jianfeng Gao, and Dan Jurafsky. 2016. Deep Reinforcement Learning for Dialogue Generation. *arXiv preprint arXiv:1606.01541*.
- Juntao Li, Yan Song, Haisong Zhang, Dongmin Chen, Shuming Shi, Dongyan Zhao, and Rui Yan. 2018. Generating Classical Chinese Poems via Conditional Variational Autoencoder and Adversarial Training. In *Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing*, pages 3890–3900.
- Piji Li, Haisong Zhang, Xiaojiang Liu, and Shuming Shi. 2020. Rigid Formats Controlled Text Generation. In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, pages 742–751.
- Zichao Li, Xin Jiang, Lifeng Shang, and Hang Li. 2017. Paraphrase generation with deep reinforcement learning. *arXiv preprint arXiv:1711.00279*.
- Yingfeng Luo, Changliang Li, Canan Huang, Chen Xu, Xin Zeng, Binghao Wei, Tong Xiao, and Jingbo Zhu. 2021. Chinese poetry generation with metrical constraints. In *Natural Language Processing and Chinese Computing*, pages 377–388, Cham.
- Weizhen Qi, Yeyun Gong, Jian Jiao, Yu Yan, Weizhu Chen, Dayiheng Liu, Kewen Tang, Houqiang Li, Jiusheng Chen, Ruofei Zhang, Ming Zhou, and Nan Duan. 2021. Bang: Bridging autoregressive and non-autoregressive generation with large scale pre-training. In *Proceedings of the 38th International Conference on Machine Learning*, volume 139 of *Proceedings of Machine Learning Research*, pages 8630–8639.
- Han Qin and Yan Song. 2022. Reinforced Cross-modal Alignment for Radiology Report Generation. In *Findings of the Association for Computational Linguistics: ACL 2022*, pages 448–458, Dublin, Ireland.
- Alec Radford, Jeffrey Wu, Rewon Child, David Luan, Dario Amodei, Ilya Sutskever, et al. 2019. Language Models are Unsupervised Multitask Learners. *OpenAI blog*, 1(8):9.
- Colin Raffel, Noam Shazeer, Adam Roberts, Katherine Lee, Sharan Narang, Michael Matena, Yanqi Zhou, Wei Li, Peter J Liu, et al. 2020. Exploring the Limits of Transfer Learning with a Unified Text-to-text Transformer. *J. Mach. Learn. Res.*, 21(140):1–67.
- Steven J. Rennie, Etienne Marcheret, Youssef Mroueh, Jerret Ross, and Vaibhava Goel. 2017. Self-critical sequence training for image captioning. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*.
- Yan Song. 2022. Chinese Couplet Generation with Syntactic Information. In *Proceedings of the 29th International Conference on Computational Linguistics*, pages 6436–6446, Gyeongju, Republic of Korea.
- Yan Song, Tong Zhang, Yonggang Wang, and Kai-Fu Lee. 2021. ZEN 2.0: Continue Training and Adaptation for N-gram Enhanced Text Encoders. *arXiv preprint arXiv:2105.01279*.

- Yuanhe Tian, Yan Song, and Fei Xia. 2020. Joint Chinese Word Segmentation and Part-of-speech Tagging via Multi-channel Attention of Character N-grams. In *Proceedings of the 28th International Conference on Computational Linguistics*, pages 2073–2084.
- Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N Gomez, Łukasz Kaiser, and Illia Polosukhin. 2017. Attention Is All You Need. In *Proceedings of the 31st International Conference on Neural Information Processing Systems*, pages 6000—6010.
- Qixin Wang, Tianyi Luo, Dong Wang, and Chao Xing. 2016a. Chinese Song Iambics Generation with Neural Attention-Based Model. In *Proceedings of the Twenty-Fifth International Joint Conference on Artificial Intelligence*, pages 2943—2949.
- Zhe Wang, Wei He, Hua Wu, Haiyang Wu, Wei Li, Haifeng Wang, and Enhong Chen. 2016b. Chinese Poetry Generation with Planning based Neural Network. In *Proceedings of COLING 2016, the 26th International Conference on Computational Linguistics: Technical Papers*, pages 1051–1060.
- Ronald J Williams. 1992. Simple statistical gradient-following algorithms for connectionist reinforcement learning. *Machine learning*, 8(3-4):229–256.
- Chunlei Wu, Jiangnan Wang, Shaozu Yuan, Leiquan Wang, and Weishan Zhang. 2021. Generate Classical Chinese Poems with Theme-Style from Images. *Pattern Recognition Letters*.
- Cheng Yang, Maosong Sun, Xiaoyuan Yi, and Wenhao Li. 2018a. Stylistic Chinese Poetry Generation via Unsupervised Style Disentanglement. In *Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing*, pages 3960–3969.
- Xiaopeng Yang, Xiaowen Lin, Shunda Suo, and Ming Li. 2018b. Generating Thematic Chinese Poetry using Conditional Variational Autoencoders with Hybrid Decoders. In *Proceedings of the 27th International Joint Conference on Artificial Intelligence*, pages 4539–4545.
- Zhichao Yang, Pengshan Cai, Yansong Feng, Fei Li, Weijiang Feng, Elena Suet-Ying Chiu, and Hong Yu. 2019. Generating Classical Chinese Poems from Vernacular Chinese. In *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*, pages 6155–6164, Hong Kong, China.
- Wen-Chao Yeh, Yung-Chun Chang, Yu-Hsuan Li, and Wei-Chieh Chang. 2019. Rhyming Knowledge-aware Deep Neural Network for Chinese Poetry Generation. In *2019 International Conference on Machine Learning and Cybernetics (ICMLC)*, pages 1–6. IEEE.
- Xiaoyuan Yi, Maosong Sun, Ruoyu Li, and Zonghan Yang. 2018. Chinese Poetry Generation with a Working Memory Model. In *Proceedings of the 27th International Joint Conference on Artificial Intelligence*, pages 4553—4559.
- Lantao Yu, Weinan Zhang, Jun Wang, and Yong Yu. 2017. SeqGAN: Sequence Generative Adversarial Nets with Policy Gradient. *Proceedings of the AAAI Conference on Artificial Intelligence*, 31(1):2852–2858.
- Jiyuan Zhang, Yang Feng, Dong Wang, Yang Wang, Andrew Abel, Shiyue Zhang, and Andi Zhang. 2017. Flexible and Creative Chinese Poetry Generation Using Neural Memory. In *Proceedings of the 55th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 1364–1373.
- Jiyuan Zhang, Zheling Zhang, Shiyue Zhang, and Dong Wang. 2018. VV-Couplet: An open source Chinese couplet generation system. In *2018 Asia-Pacific Signal and Information Processing Association Annual Summit and Conference (APSIPA ASC)*, pages 1756–1760. IEEE.
- Xingxing Zhang and Mirella Lapata. 2014. Chinese Poetry Generation with Recurrent Neural Networks. In *Proceedings of the 2014 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 670–680.