

Network-based Speech-to-Speech Translation

National Institute of Information and Communications Technology, Japan

Chiori HORI, Sakriani SAKTI, Michael PAUL, Satoshi NAKAMURA




Stand Alone and Client-server S2ST Systems


Stand alone system



Packages the entire speech translation functions into a handheld PC



Client-server system





Why Network-based?


Resource limitation in stand alone systems and language pairs are limited.

ASR/MT/TTS systems for many languages are available and needs to be maintained by each country.

Broadband network is available.



Common Protocols on Network-based S2ST





Lexicon for overall S2ST systems


An example of a lexicon for overall modules in S2ST systems

Entry	Language				Attribute
	Japanese	Korean	Chinese	English	Attribute
Osaka	大阪 おおさか 。 4モーラ0型	오 사 카 Osaka 	大阪 ダーバン Daban Da4ban3 四声三声	Osaka Ōsaka อːsaka	Surface Pronunciation Accent
Tokyo	東京 とうきょう ・・		東京 トンジン Tong1jing1 ・・	Tokyo Tōkyō ••	Surface Pronunciation Accent



Speech Translation using Distributed Service Servers

Example: From Korean to Thai Speech Translation







Asian Network-Based S2ST System by **A-STAR Consortium**

¹National Institute of Information and Communications Technology (NICT), Japan
²Electronics and Telecommunications Research Institute (ETRI), Korea
³Chinese Academy of Sciences (CASIA), China
⁴National Electronics and Computer Technology Center (NECTEC), Thailand
⁵Agency for the Assessment and Application of Technology (BPPT), Indonesia
⁶Center for Development of Advance Computing (CDAC), India
⁷Institute of Information Technology (IOIT), Vietnam
⁸Institute for Infocomm Research (I2R), Singapore



Server Location for Network-based S2ST







Network-based S2ST Systems

