

Connecting a French Dictionary from the Beginning of the 20th Century to Wikidata

Pierre Nugues

Lund University

Lund, Sweden

pierre.nugues@cs.lth.se

Abstract

The *Petit Larousse illustré* is a French dictionary first published in 1905. Its division in two main parts on language and on history and geography corresponds to a major milestone in French lexicography as well as a repository of general knowledge from this period. Although the value of many entries from 1905 remains intact, some descriptions now have a dimension that is more historical than contemporary. They are nonetheless significant to analyze and understand cultural representations from this time. A comparison with more recent information or a verification of these entries would require a tedious manual work. In this paper, we describe a new lexical resource, where we connected all the dictionary entries of the history and geography part to current data sources. For this, we linked each of these entries to a wikidata identifier. Using the wikidata links, we can automate more easily the identification, comparison, and verification of historically-situated representations. We give a few examples on how to process wikidata identifiers and we carried out a small analysis of the entities described in the dictionary to outline possible applications. The resource, i.e. the annotation of 20,245 dictionary entries with wikidata links, is available from GitHub (https://github.com/pnugues/petit_larousse_1905/).

Keywords: entity annotation, entity linking, digital humanities

1. Introduction

The *Petit Larousse illustré* is a one-volume dictionary of French, first published in 1905. Its ambition was as much cultural as linguistic with numerous illustrations and encyclopedic developments accompanying the definitions of words, things, and people. It was also a truly popular dictionary with, for instance, a sense order that followed the sense frequency and not the word history. As a consequence, this dictionary was a true commercial success and became ubiquitous in French homes. From its first edition, this dictionary has been annually updated until today and has kept a far-reaching cultural influence.

1.1. The *Petit Larousse Illustré*

The *Petit Larousse illustré* stems from two main previous encyclopedias: A large one, the *Grand dictionnaire universel du XIXe siècle* in 15 volumes and two supplements, published between 1866 and 1876 and a shortened and illustrated version of it: The *Nouveau Larousse illustré* in seven volumes and a supplement from 1897 to 1904.

While an offspring of them, the *Petit Larousse illustré* has a completely new structure and format: It consists of one compact and portable volume, divided into three parts. These parts are of unequal sizes:

1. The first one, *langue française*, is a dictionary of French with some encyclopedic content. It is restricted to the common nouns, verbs, adjectives, adverbs, and grammatical words (1066 pages);
2. The second part, *locutions*, contains quotes, mostly from classical Latin authors. It is much smaller than the two other parts (32 pages); and

3. The third part, *histoire et géographie*, contains short encyclopedic descriptions of people, countries, locations, intellectual or art works (660 pages).

The third part, often called the “proper nouns,” has 20,245 entries. The dictionary was designed to be a best-seller that should find its place in all the French homes. The Larousse editors selected a content that they believed would correspond to a core cultural knowledge at the beginning of the 20th century: What the readers should know and what they wanted to know. As a consequence, it is also a snapshot the world’s view and a repository of the cultural values of France at that time.

1.2. Entry Linking

The printed content of such a dictionary is by nature static. Elementary information on the gender or country of birth of persons is sometimes missing; their occupations are difficult to extract or incomplete; the exact geographical coordinates of locations are missing from the dictionary; etc. We can retrieve such information from other sources, but connecting and relating the entries to current knowledge sources in a machine-readable format can be a time-consuming and tedious task.

This work tries to bridge this gap by connecting all the entries from the history and geography part in the dictionary to wikipedia information (wikidata items).

Beyond augmenting the dictionary with additional encyclopedic data, the wikidata links also enable us to identify and verify information, and compare historically-situated representations with currently available descriptions from Wikipedia and other

sources.

Using the wikidata identifiers, we describe a few application examples. We show how we can process information for each entry automatically and complement the Larousse text with a wealth of external, structured, and recent knowledge.

1.3. Contributions

As main contribution of this paper,

1. We describe how we linked all the entries of the third part of the dictionary, more than 20,000, to unique wikidata identifiers;
2. We conducted a small, but significant study on the interannotator agreement on the links;
3. We give a few examples of applications we can build with this resource; and finally
4. We release the annotated dataset as a public language resource.

The annotated dataset is available in the JSON format as a supplementary material. The file, `larousse_1905_wd.json`, can be downloaded from this address: https://github.com/pnugues/petit_larousse_1905/.

2. Previous Work

2.1. Digital Editions of the *Petit Larousse Illustré* from 1905

To the best of our knowledge, there are only two completed public digital editions of historic versions of the *Petit Larousse illustré*:

1. Manuélian et al. (2009) transcribed the first part of the dictionary in a machine-readable format, where they segmented each entry into structured fields. These fields followed the Text Encoding Initiative guidelines for dictionaries (TEI Consortium, 2021);
2. Bohbot et al. (2018) started from the first project and expanded it. The authors completed the digital edition of the whole volume from 1905 as well as selected editions from 1905 to 1948. The entries are also structured according to the TEI. Users can consult and compare these editions on the Nénufar web site¹.

Digital editions of dictionaries, even when they enrich the text from static printed versions, do not connect the words to external knowledge. This is also the case with the current versions of the digital *Petit Larousse illustré* from 1905. This lack of connectivity obviously impairs possible openings to contemporary knowledge.

¹<http://nenufar.huma-num.fr/>

2.2. Entity Annotation

Most datasets with an entity annotation are text corpora, where the mentions of entities are bracketed and annotated with a unique identifier, i.e. all the mentions of named entities in the text are linked to an identifier. As identifiers, the most popular nomenclatures are Wikipedia pages, Freebase (Bollacker et al., 2008), or Wikidata.

AIDA CoNLL (Hoffart et al., 2011) is one such dataset. It builds on the CoNLL 2003 corpus annotated with named entity mentions (Tjong Kim Sang and De Meulder, 2003). The authors extended this corpus by linking all the mentions to YAGO2 names and, subsequently, to wikidata numbers.

The TAC 2017 entity discovery and linking task dataset (Ji et al., 2017) is a trilingual corpus of English, Spanish, and Chinese texts annotated with named entity mentions and links to Freebase. This dataset also contains a *silver-standard* annotation of texts in ten low-resource languages.

While most entity annotation focuses on contemporary texts, Hamdi et al. (2021) used a corpus of historical newspapers between 1850 and 1950 in four languages. The authors annotated 6700 mentions of named entities that they linked to wikidata.

2.3. Entity Linking and Entity Descriptions

Logeswaran et al. (2019) showed the value of dictionaries of entities in the automatic task of zero-shot entity linking for specialized domains. An entry in their dictionary consists of the name of the entity, a definition of it, and a unique identifier. Nie et al. (2018) and Chen et al. (2019) also obtained performance improvements in English, and Botha et al. (2020) in multiple languages, when incorporating entity descriptions in the entity linking task. Ma et al. (2021) extended this approach with multiple descriptions.

In this paper, we describe a resource similar to the descriptions these authors used, but tied to dictionary definitions from the beginning of the 20th century.

2.4. Annotation of Entries in Historical Encyclopedias

Finally, to the best of our knowledge, there is no peer-reviewed paper, or even technical document, on a systematic linking of entries of historical encyclopedias to wikidata. In its graph of properties, Wikidata includes links to biographies such as the *Allgemeine Deutsche Biographie*, with more than 24,100 links, or encyclopedias, such as the *Enciclopedia Treccani*, with about 23,300 links, but with no information that would describe these projects.

3. Wikidata

As connection points and unique identifiers, we used wikidata items. Wikidata is a data graph originally designed to handle the multilingual versions of wikipedia, such as French and Italian. For this, wikidata assigns

a unique number to each thing that is the subject (title) of a wikipedia article in any language. Whatever the language, the identification number is the same.

For example, Pierre Larousse, the editor of the *Grand dictionnaire universel du XIXe siècle*, has the wikidata number Q313709, which has links to the French, English, Italian, Russian, or Chinese versions of wikipedia. In addition to links to wikipedia articles, wikidata contains structured information which will depend on the category (class) of the thing described: Pierre Larousse is an instance of human; it therefore has a date and place of birth, death, etc. Depending on their notoriety, some wikidata items contain a lot of information, others less or none.

For Pierre Larousse, this information is available from the page: <https://www.wikidata.org/wiki/Q313709>, as well as in the JSON and Turtle formats, respectively <https://www.wikidata.org/wiki/Special:EntityData/Q313709.json> and <https://www.wikidata.org/wiki/Special:EntityData/Q313709.ttl>.

Wikidata also links wikipedia articles with other sites in the wikimedia galaxy, like wikisource or commons. Finally, many wikidata elements have links to external databases, such as authority lists from the Library of Congress, the Deutsche Nationalbibliothek, the National Library of France, or SUDOC, which allows more information to be extracted.

4. Method

We used the digitized version of the *Petit Larousse illustré* available from the Nénufar website (Bohbot et al., 2018). The history and geography part has 20,245 entries in total and we manually connected each of them to one or more wikidata items. Although the XML-TEI structure of the entries contains interesting information, we only considered the raw text.

Some entries are easy to link like the person names. The entry:

AALI-PACHA, homme d'Etat turc, né à Constantinople. Il a attaché son nom à la politique de réformes du Tanzimat (1815-1871).

'AALI-PACHA, Turkish statesman, born in Constantinople. He attached his name to the policy of reforms of the Tanzimat (1815-1871).'

has an unambiguous link to Q439237 as the occupation of the described person and the dates of birth and death match those of the wikidata item.

Some other definitions, like country names, are sometimes more difficult because the entities they describe can change in nature and form, while keeping the same name. As far as possible, we chose the wikidata item which is the closest to the Larousse entry in its historical context. For example, for

GRANDE-BRETAGNE et IRLANDE
(Royaume-Uni de)...

'GREAT BRITAIN and IRELAND (United Kingdom of)...

we chose the Q174193 identifier, which describes a state that existed from 1801 to 1927. This is also the case for the municipalities, where we favored the historic municipalities over new ones resulting, for instance, from a merger.

Works of art are sometimes quite tricky, especially from Greek or Roman Antiquity, Middle Ages, or the Renaissance. The main reasons are changes of name or attribution. To solve certain cases, we had to resort to the *Nouveau Larousse illustré*, a larger and earlier dictionary published between 1897 and 1904. This *Nouveau Larousse illustré* contains more precise descriptions and sometimes a reproduction of the work in a figure, while keeping, for most entries, names identical to those in the *Petit Larousse illustré*. This enabled us to identify many wikidata items.

Some entries contain lists of people or works of art, as for example:

ABAD Ier [bad'], premier roi maure de Séville, et chef de la dynastie des Abadites ; il régna de 1023 à 1042. — Son fils Abad II régna de 1042 à 1069, et son petit-fils, Abad III, de 1069 à 1095.

'ABAD Ier [bad'], first Moorish king of Seville, and head of the Abadite dynasty; he reigned from 1023 to 1042. — His son Abad II reigned from 1042 to 1069, and his grandson, Abad III, from 1069 to 1095.'

Most of the time, such lists contain a dash character '-' to separate the entities. Using this character, we extracted all the lists and we connected all the names mentioned in them. In our annotation file, we also used a list to store the corresponding wikidata numbers. For the previous example, we linked the three entities to these identifiers:

["Q305795", "Q30556", "Q299578"].

At the end, the complete annotation of the entries resulted in 22,357 links, where 18,905 entries have one link and 1340 have two or more. Nonetheless, when an entry contains more than one name, the description text is usually much shorter from the second one. Consequently, in the subsequent experiments, we only considered the first identifier in the list.

5. Interannotator Agreement

We carried out an evaluation of the interannotator agreement on 200 randomly selected entries. See the list in Table 2 in the Appendix. The two annotators disagreed on 15 entries; the rest was identical. Out of these 15, two wikidata identifiers had been merged by wikidata editors between the first and second annotation runs, resulting in a difference in 13 entries. This

corresponds to κ coefficient (Cohen, 1960) of 0.92, denoting a high agreement, and even 0.93, when removing the two synonyms.

We examined the 13 differences, for which we retained one of the two candidates. In this paper, we describe three of them, *Caucase* ‘Caucasus’, *Exode* ‘Exodus’, and *Mariannes* ‘Marianas’, to show the possible sources of confusion and the rationale to reconcile the disagreements.

Caucase. The *Caucase* entry has the following definition:

CAUCASE, chaîne de montagnes entre la mer Noire et la Caspienne...
‘CAUCASUS, mountain range between the Black and Caspian Seas...’

where the annotators proposed Q5477 and Q18869. The first identifier refers to the Wikipedia article *Caucasus Mountains*, while the second to *Caucasus* as a region. Given the *Larousse* description, we selected the first identifier.

Exode. The *Exode* entry is

Exode (l’), nom donné au deuxième livre du Pentateuque...
‘Exodus (The), name given to the second book of the Pentateuch...’

The annotators used the Q9190 and Q1290338 identifiers. The first one corresponds to the Book of Exodus while the second one links to an analysis the narrative of the Exodus as a putative historical event, told notably in the Book of Exodus, and described as a *founding myth* in wikipedia². The *Larousse* dictionary refers explicitly to the Book and we preferred the first identifier.

Mariannes. The *Mariannes* entry is

MARIANNES (îles), ou îles des LARRONS, archipel allemand du Pacifique...
‘MARIANA (islands), or LADRONES Islands, German archipelago in the Pacific...’

The annotators linked the entry to Q16644, corresponding to the Northern Mariana Islands and Q153732, corresponding to the Mariana Islands. The Marianas were part of the Spanish Empire until the United States took over Guam, i.e. the southern part of the Marianas, in 1898, and the German Empire bought the northern part from Spain in 1899. Both parts are now U.S. territories. Again, we followed the definition and we linked the entry to the Northern Mariana Islands. Nonetheless, this case was more tricky as the definition in the *Petit Larousse illustré*, following that of the *Nouveau Larousse illustré*, is possibly erroneous, or at least incomplete.

²https://en.wikipedia.org/wiki/The_Exodus, first sentence, accessed December 3, 2021

Our dataset would certainly benefit from a complete double annotation. However, we did not have the resources to undertake it for the whole dictionary. Extrapolating our differences to the total number of entries, we could estimate the number of disagreements to 1316. Splitting them equally between the annotators, this means that 658 annotations (3.25%) would need a revision.

6. Dataset Format

We stored the annotation in a JSON file as a list of objects equivalent to Python dictionaries. Each object represents an entry and has two keys: the raw text of the entry and a list of wikidata identifiers, most often only one. For the AALI-PACHA entry, this corresponds to:

```
{"texte": "AALI-PACHA, homme d'Etat turc, né à Constantinople. Il a attaché son nom à la politique de réformes du Tanzimat (1815-1871).", "qid": ["Q439237"]}
```

7. Using the Wikidata Identifiers: The Semantic Categories

Using the identifiers, we can extract abundant information from wikidata. In this section and the next ones, we describe a few properties we can attach to the dictionary entries.

The first property of a wikidata item is its semantic class: The *instance of* property. Its resembles Aristotle’s categories or those in Wordnet (Miller et al., 1993), but it is much more comprehensive.

We extract this category from wikidata’s graph using the SPARQL query language that consists of triple patterns like this one:

```
wd:Q439237 wdt:P31 ?type .
```

where `wd:Q439237` is Aali-Pacha’s identifier, `wdt:P31` is a property meaning *instance of*, and `?type` is the type we want to extract.

Querying a wikidata SPARQL server returns the semantic type of Aali-Pacha in this `?type` variable: The Q5 identifier denoting a human. An entity may have more than one type, or have no type, if it is not documented in wikidata.

Table 1 shows the ten most frequent types with their description. The two first types are human with nearly 38% of the entries and French commune with nearly 15%.

As wikidata is continually updated by its users, classes may be added or removed. We will have then to rerun the queries to obtain the new values.

As an alternative to wikidata’s SPARQL endpoint, we could download the wikidata entry for Q439237 in the JSON format, <https://www.wikidata.org/wiki/Special:EntityData/Q439237.json>, and parse its content, or set up a private SPARQL

Q-Number	Frequency	Description
Q5	7653	human
Q484170	3022	commune of France
Q1549591	849	big city
Q515	789	city
Q7725634	572	literary work
Q4022	447	river
Q3305213	308	painting
Q747074	255	<i>comune</i> of Italy
Q1637706	231	city with a population of more than 1,000,000
Q23442	221	island

Table 1: Wikidata semantic types of the entities in the *Petit Larousse illustré*

server with the wikidata entries in the RDF Turtle format. The URL is the same, but with a `t1` suffix.

8. The Human Beings in the *Petit Larousse Illustré*

Human being is the most frequent category and the corresponding wikidata items often provide the dates and places of birth and death of the person, sometimes the occupations, spouses, etc. Note that less known entities are not always completely documented.

In this section, we will focus on the dates of birth and death extracted from the *Larousse* as well as from wikidata.

8.1. Information Extraction from Text

The dates of birth and death are often present in the *Larousse*'s entries and follow a quite regular pattern exemplified in the Aali-Pacha entry from Sect. 4: They are located at the end of the description and nearly always shown as two years between parentheses separated by a dash. Using a very coarse strategy, we collected these dates when present in the definition with a simple regular expression:

```
[ \ ( \ [ \ ( \ p { N } + ) - ( \ p { N } + ) \ . ? [ \ \ ] ]
```

Applying it to all the entries, we could extract 5385 pairs of years.

8.2. Information Extraction from Wikidata

Similarly to the semantic types in Sect. 7, we extracted the dates with the SPARQL triples:

```
wd:Q439237 wdt:P569 ?db .
wd:Q439237 wdt:P570 ?dd .
```

where `wdt:P569` is the property for the date of birth and `wdt:P570` for the date of death.

Querying a server returns the values:

```
'1815-03-05T00:00:00Z',
'1871-09-07T00:00:00Z'
```

from which we extract the years: 1815 and 1871.

The Wikidata queries for the human beings returned 7430 pairs.

8.3. Date Concordances Between the two Sources

The pairs of dates obtained from text extraction and queries enabled us to verify the correctness of the annotation as well as complement the dictionary with up-to-date information.

In our dataset, 5144 entries had date pairs both from text and from wikidata. Out of them, 3957 matched exactly, corresponding to an accuracy of 77%.

We looked at the rest, 1187 entries, and for most of them, the difference did not exceed one or two years. The entry:

ACUNHA DE FIGUEROA (don Francisco), poète américain, né à Montevideo (Uruguay) [1790-1862].

'ACUNHA DE FIGUEROA, (don Francisco), American poet, born in Montevideo (Uruguay) [1790-1862].'

gives the dates 1790 and 1862, while wikidata proposes 1791 and 1862.

Introducing a margin in the match, only 339 entries showed a difference of more than five years. These remaining differences came from larger uncertainties in the date of birth or a wrong assumption on the date format in the *Larousse* text. For example, certain pairs correspond to the first and last regnal years of kings, queens, or rulers as in:

TIBÈRE, deuxième empereur romain, fils de Livie et fils adoptif d'Auguste ;... (14-37).

'TIBERIUS, second Roman emperor, son of Livia and adopted son of Augustus;... (14-37).'

8.4. Distribution Across the Years

Excluding the dates before -500 and after 1851, and inspired by Escarpit (1958), we computed the distribution of the birth dates of the humans in the *Larousse*, see Fig. 1. As source, we used the dates from wikidata as they are more complete than in the *Larousse* text, and possibly slightly more reliable. The two largest bins are between 1750 and 1800 and 1800 and 1850. These two most recent bins are twice as large as the one just before them between 1700 and 1750.

An explanation of these figures lies in the growth of book production and printing industry in the 18th and 19th centuries, leaving easily available written traces of people's lives. It also clearly reflects the dictionary focus on contemporary people, mitigated by a modest, but noticeable number of humans from the classical antiquity. This emphasis on Classics, especially on Latin, is a feature of this dictionary, and beyond in high school education in France at the turn of the 20th century. For a discussion on this, see Chervel (2008).

As a comparison, wikidata contains a bit more than 9.5 million humans and we can contrast Fig. 1 with Fig. 2 which shows the distribution of birth dates in wikidata. We observe a similar exponential growth, but between




Figure 1: Distribution of birth dates in the *Petit Larousse illustré* starting at year 500 BC. Bins of 50 years




Figure 3: Distribution of death dates in the *Petit Larousse illustré* starting at year 1650. Bins of 10 years




Figure 2: Distribution of birth dates in Wikidata starting at year 500 BC. Bins of 50 years




Figure 4: Distribution of death dates in Wikidata starting at year 1650. Bins of 10 years

-500 and 500, and relatively to more recent years, the bars are hardly visible.

We can also examine the death dates in the *Larousse* in Fig. 3, this time within a smaller range and a distribution starting at year 1650. This again confirms the accent on contemporary or near-contemporary people. At the date of publication, 334 people were still living (as they died in 1905 or after). In Fig. 3, we can see that year 1800 is indisputably a turning point, reflecting a specific attention of the *Petit Larousse illustré* on the new era established by the French Revolution of 1789. For a discussion on such statistics, but limited to literature, see Darnton (1971).

As for the birth dates, we can compare this distribution with that of Wikidata in Fig. 4, where the growth has a very regular pattern with no anomaly around year 1800.

9. Geographical Entities

The geographical entities are another evidence of a world view conveyed by the *Larousse*. As for the types in Sect. 7, we extracted the geographic coordinates from Wikidata with the P625 property and the triple:

```
?e wdt:P625 ?geo .
```

We applied the query to all the entities that have a location. This corresponds mainly to cities and towns,

but also to countries, rivers, mountains, or any notable element of physical geography. Figure 5 shows the coordinates on a world map.

10. Conclusion and Further Work

In this paper, we have described the annotation of all the entries of the history and geography part of the *Petit Larousse illustré* from 1905 with their Wikidata identifiers. We have also outlined how to use the identifiers to extract, complement, and process knowledge on the entities. This has enabled us to exhibit more precisely the scope of information and world view conveyed by this dictionary.

The analysis of historical encyclopedic knowledge is an open-ended research field and there are many issues we would like to explore. To name a few:

- Compare the *Larousse* with other French encyclopedic works of the same time to analyze differences on geographic or human focus;
- Compare it with works from different periods to detect possible focus shifts;
- Compare the *Larousse* with encyclopedic works in other languages and from other countries and identify possible contrasts;




Figure 5: Geographic coordinates of the locations shown on a world map

We have released the complete annotated corpus as well as code examples in the form of a Python notebook to analyze the links and extract information from wikidata.

We hope that this language resource will be useful to train entity linking applications or define new benchmarks and that it will facilitate new projects in the fields of lexicography, history, social sciences, and more generally digital humanities.

11. Acknowledgments

This work was partially supported by *Vetenskapsrådet*, the Swedish Research Council, registration number 2021-04533.

Appendix

Table 2 shows the list of entries used in the computation of the interannotator agreement. The indices refer to the position of the entries in the JSON file.

12. Bibliographical References

- Bohbot, H., Frontini, F., Luxardo, G., Khemakhem, M., and Romary, L. (2018). Presenting the nenufar project: A diachronic digital edition of the petit larousse illustré. In *Proceedings of the Eleventh International Conference on Language Resources and Evaluation*.
- Bollacker, K., Evans, C., Paritosh, P., Sturge, T., and Taylor, J. (2008). Freebase: A collaboratively created graph database for structuring human knowledge. In *Proceedings of the 2008 ACM SIGMOD International Conference on Management of Data, SIGMOD '08*, page 1247–1250, New York, NY, USA. Association for Computing Machinery.
- Botha, J. A., Shan, Z., and Gillick, D. (2020). Entity Linking in 100 Languages. In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 7833–7845, Online, November. Association for Computational Linguistics.
- Chen, M., Chu, Z., Chen, Y., Stratos, K., and Gimpel, K. (2019). EntEval: A holistic evaluation benchmark for entity representations. In *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*, pages 421–433, Hong Kong, China, November. Association for Computational Linguistics.
- Chervel, A. (2008). *Histoire de l'enseignement du français du XVIIe au XXe siècle*. Retz, Paris.
- Cohen, J. (1960). A coefficient of agreement for nominal scales. *Educational and psychological measurement*, 20:37–46.
- Darnton, R. (1971). Reading, writing, and publishing in eighteenth-century France: A case study in the sociology of literature. *Daedalus*, 100(1):214–256.
- Escarpit, R. (1958). *Sociologie de la littérature*. Presses Universitaires de France, Paris.
- Hamdi, A., Boroş, E., Pontes, E. L., Nguyen, T. T. H., Hackl, G., Moreno, J. G., and Doucet, A. (2021). A multilingual dataset for named entity recognition, entity linking and stance detection in historical newspapers. In *Proceedings of the 44rd International ACM SIGIR Conference on Research and Development in Information Retrieval*.
- Hoffart, J., Yosef, M. A., Bordino, I., Fürstenau, H., Pinkal, M., Spaniol, M., Taneva, B., Thater, S., and Weikum, G. (2011). Robust disambiguation of

116	1779	3400	5003	8043	10663	12258	14564	16792	18454
123	1804	3487	5208	8093	10858	12293	14637	16838	18537
145	1827	3667	5478	8362	10900	12312	14652	16884	<u>18675</u>
146	1984	3766	5633	8378	10981	12766	14796	17026	18724
294	2022	3778	5748	8626	11153	12780	14801	17063	18784
334	2130	3814	5825	8665	11196	12867	15194	17071	18977
665	2209	3828	6182	8746	11236	12929	15520	17256	19029
692	2255	3845	6384	8964	11241	12971	15533	17505	19136
741	2271	3848	6690	9096	11243	13221	15534	17731	19173
766	2333	3870	6875	9415	11324	13321	15577	17907	19237
795	2653	3879	7170	9489	11359	13444	15826	<u>17954</u>	19246
823	2665	4209	7370	9667	11374	13537	15850	17968	19295
929	2850	4285	7403	9700	11489	13705	15897	18010	19493
990	3097	4411	7427	9824	11604	13875	16240	18113	19529
993	3099	4457	7494	10400	11683	13897	16402	18115	19567
1453	3140	4513	7561	10436	11775	13946	16440	18214	19645
1521	3169	4632	7572	10439	11776	14053	16554	18241	19700
1588	3194	4666	7869	10446	11797	14177	16584	18243	19924
1591	3348	4827	7877	10503	12194	14344	16609	18315	19936
1720	3359	4979	7899	10629	12207	14427	16734	18345	19993

Table 2: List of entries used in the evaluation of the interannotator agreement. The indices refer to the position in the json file. The numbers in bold correspond to entries, where the annotators disagreed. The underlined numbers correspond to identifiers that were merged between the two annotations

- named entities in text. In *Proceedings of the 2011 Conference on Empirical Methods in Natural Language Processing*, pages 782–792, Edinburgh, Scotland, UK., July. Association for Computational Linguistics.
- Ji, H., Pan, X., Zhang, B., Nothman, J., Mayfield, J., McNamee, P., and Costello, C. (2017). Overview of TAC-KBP2017 13 languages entity discovery and linking. In *Proceedings of the Tenth Text Analysis Conference (TAC 2017)*, Gaithersburg, Maryland.
- Logeswaran, L., Chang, M.-W., Lee, K., Toutanova, K., Devlin, J., and Lee, H. (2019). Zero-shot entity linking by reading entity descriptions. In *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics*.
- Ma, X., Jiang, Y., Bach, N., Wang, T., Huang, Z., Huang, F., and Lu, W. (2021). MuVER: Improving first-stage entity retrieval with multi-view entity representations. In *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*, pages 2617–2624, Online and Punta Cana, Dominican Republic, November.
- Manuélian, H., Bruscard, A., Cholewka, N., and Hetzel, A.-M. (2009). Le Petit Larousse illustré de 1905 en ligne: Présentation et secrets de fabrication, in informatique et description de la langue d’hier et d’aujourd’hui. *Études de linguistique appliquée*, (156).
- Miller, G. A., Beckwith, R., Fellbaum, C., Gross, D., Miller, K. J., and Tangi, R. (1993). Five papers on WordNet. Technical report, Princeton University.
- Nie, F., Cao, Y., Wang, J., Lin, C., and Pan, R. (2018). Mention and entity description co-attention for entity disambiguation. In Sheila A. McIlraith et al., editors, *Proceedings of the Thirty-Second AAAI Conference on Artificial Intelligence, (AAAI-18)*, pages 5908–5915. AAAI Press.
- TEI Consortium. (2021). TEI P5: Guidelines for electronic text encoding and interchange. url: <https://www.tei-c.org/release/doc/tei-p5-doc/en/html/index.html>.
- Tjong Kim Sang, E. F. and De Meulder, F. (2003). Introduction to the CoNLL-2003 shared task: Language-independent named entity recognition. In *Proceedings of the Seventh Conference on Natural Language Learning at HLT-NAACL 2003*, pages 142–147.