

## Our Contributions

Extend the existing neural grid model, propose a novel coherence model for written asynchronous conversations (e.g., forums, emails), and show its applications in coherence assessment and thread reconstruction tasks.

## Entity Grid and Its Extensions

### Barzilay and Lapata (2008)

- Model grammatical role transmission of nouns (heads of NPs) across sentences
- Represent documents as distributions defined over **entity transition** (vectors of  $4^k$  transitions probabilities  $\{S, O, X, -\}^k$ )
- Assessment of text coherence as a ranking problem in an SVM preference ranking framework

Table: Entity grid representation for a WSJ article.

	INVESTORS	MILLION	FUNDS	EQUIPMENT	CORP.	PAPER	SALE	TELECOMM.	LEASE	PROGRAM	CLEVELAND	RECEIVABLES	LEASES	DATA-PROCESS.	LDI	NON-RECOURSE
$s_0$	-	O	-	-	S	X	-	-	-	-	X	X	-	-	-	X
$s_1$	-	-	O	-	-	X	X	-	-	S	-	-	X	-	-	-
$s_2$	S	-	-	-	X	S	-	-	X	-	-	X	-	-	S	X
$s_3$	-	-	-	O	-	-	-	X	-	-	-	-	-	X	S	-

### Nguyen and Joty (2017)

- A neural version of the grid models
- Transform each grammatical role in grid into distributed representation, then employ 1D convolution to model entity transitions
- Train in end-to-end fashion on target tasks




Figure: Neural entity grid model proposed by Nguyen and Joty (2017)


### Limitations of entity grid models and their extensions

- Do not consider any lexical information regarding the entities
- Only focus on monologic discourse (e.g., news article)

## Lexicalized Neural Entity Grid

- Attach the entity name with the grammatical roles
- Initialize entity-role embeddings randomly, or with pre-trained word embeddings for the entity

## Coherence Models for Asynchronous Conversations



(a) Thread structure of a conversation (b) Entity role transition (c) 2D role transition matrix

## Our Proposed Tree-level Model




Figure: Conversational Neural Grid model for assessing coherence in asynchronous conversations

- Key hypothesis:** In coherent conversations, entities exhibit certain local patterns in the conversation tree in terms of their distribution and syntactic realization
  - Model conversational discourse structure using tree representation
  - A 3D grid (*entities, tree-depth and paths*) for representing entity roles
  - Employ 2D convolution to model two-dimensional spatial entity transitions in a conversation tree
- Baselines:**
- Temporal: disregarding tree structure, and consider a conversation as a monologue
  - Path-level: disregarding left-to-right (*breadth*) structure of a tree
    - Consider each path in a conversation separately
    - Coherence score is computed by averaging scores of its paths

## Thread Reconstruction Task

- Goal:** building a predictive model to uncover the thread structure of a conversation from its posts
  - A model can recover the tree structure in Figure (a) from the sequence of posts ( $p_1, p_2, \dots, p_5$ )
- Training:** a *tree-level* coherence model that distinguishes a gold tree (original reply structure) from a set of false candidate trees (respecting chronological order of the comments but false reply structure)
- Inference:** selecting the structure with the highest coherence score

## Dataset

	Sections	# Doc.	Avg. # Sen.	# Pairs
Train	00-13	1,378	21.5	26,422
Test	14-24	1,053	22.3	20,411

Table: Statistics on the WSJ dataset

	#Thread	Avg Com	Avg Sen	#Pairs (tree)	#Pairs (path)
Train	2,400	6.01	28.76	47,948	106,122
Test	750	5.75	27.79	14,986	33,852
Dev	675	6.27	30.70	13,485	28,897
Total	3,825	5.98	28.77	76,419	168,871

Table: Statistics on the CNET dataset

## Experimental Results

Table: Discrimination results on the WSJ dataset.

Model	Emb.	Std ( $F_1$ )	Inv ( $F_1$ )	
I	Grid (E&C)	-	81.60	75.78
	Ext. Grid (E&C)	-	84.95	80.34
II	Neural Grid (N&J)	Random	84.36	83.94
	Ext. Neural Grid (N&J)	Random	85.93	83.00
III	Lex. Neural Grid	Random	87.03 <sup>†</sup>	86.88 <sup>†</sup>
	Lex. Neural Grid	Google	<b>88.56<sup>†</sup></b>	<b>88.23<sup>†</sup></b>

Table: Discrimination results on the CNET dataset

Conv. Rep	Model	Emb.	Std ( $F_1$ )	Inv ( $F_1$ )
<b>Temporal</b>	Neural Grid (N&J)	random	82.28	70.53
	Lex. Neural Grid	random	86.63	80.40
	Lex. Neural Grid	Google	87.17	80.76
<b>Path-level</b>	Neural Grid (N&J)	random	82.39	75.68 <sup>†</sup>
	Lex. Neural Grid	random	88.13	88.38 <sup>†</sup>
	Lex. Neural Grid	Google	88.44	89.31 <sup>†</sup>
<b>Tree-level</b>	Neural Grid (N&J)	random	83.98 <sup>†</sup>	77.33 <sup>†</sup>
	Lex. Neural Grid	random	89.87 <sup>†</sup>	89.23 <sup>†</sup>
	Lex. Neural Grid	Google	<b>91.29<sup>†</sup></b>	<b>90.40<sup>†</sup></b>

## Evaluation on Thread Reconstruction

Table: Thread reconstruction results

	Thread-level		Edge-level	
	Acc	$F_1$	Acc	$F_1$
All-previous	27.00	52.00	61.83	
All-first	25.67	48.23	58.19	
COS-sim	27.66	50.56	60.30	
Conv. Entity Grid	<b>30.33<sup>†</sup></b>	<b>53.59<sup>†</sup></b>	<b>62.81<sup>†</sup></b>	

## Conclusion

- Extend existing neural grid model by lexicalizing its entity transitions
- Adapt the model to conversational discourse
- Design a 3D grid representation for capturing spatio-temporal entity transitions in a conversation tree
- Yield state-of-the-art results on standard coherence assessment tasks in monologues and conversations

### Future work:

- Generate new conversations based on coherence degree

## Code and Data

<https://ntunlp.github.io/demo/project/coherence/n-coh-acl18/>