

Ada-LEval: Evaluating long-context LLMs with length-adaptable benchmarks

Chonghua Wang^{2*}, Haodong Duan^{1†}, Songyang Zhang¹, Dahua Lin¹, Kai Chen^{1‡}

¹Shanghai AI Laboratory

²Shanghai Jiao Tong University

philipwang@sjtu.edu.cn

duanhaodong@pjlab.org.cn

Abstract

Recently, the large language model (LLM) community has shown increasing interest in enhancing LLMs' capability to handle extremely long documents. As various long-text techniques and model architectures emerge, the precise and detailed evaluation of models' long-text capabilities has become increasingly important. Existing long-text evaluation benchmarks, such as L-Eval and LongBench, construct long-text test sets based on open-source datasets, focusing mainly on QA and summarization tasks. These datasets include test samples of varying lengths (from 2k to 32k+) entangled together, making it challenging to assess model capabilities across different length ranges. Moreover, they do not cover the ultralong settings (100k+ tokens) that the latest LLMs claim to achieve. In this paper, we introduce Ada-LEval, a length-adaptable benchmark for evaluating the long-context understanding of LLMs. Ada-LEval includes two challenging subsets, TSort and BestAnswer, which enable a more reliable evaluation of LLMs' long context capabilities. These benchmarks support intricate manipulation of the length of test cases, and can easily produce text samples up to 128k tokens. We evaluate 4 state-of-the-art closed-source API models and 6 open-source models with Ada-LEval. The evaluation results demonstrate the limitations of current LLMs, especially in ultra-long-context settings. Our code is available at <https://github.com/open-compass/Ada-LEval>.

1 Introduction

Large Language Models (LLMs), typically based on large transformers trained on vast corpus, have shown exceptional abilities in memorization, comprehension, and reasoning (OpenAI, 2023; Touvron et al., 2023; Zheng et al., 2023). A critical factor

*The work was done during an internship at Shanghai AI Laboratory; † Project Lead; ‡ Corresponding Author.




Figure 1: The demonstration of two tasks: **TSort** and **BestAnswer** introduced in Ada-LEval. Understanding and reasoning over the full text are required to solve these two tasks.

that affects LLM performance is the 'context window' - the number of tokens an LLM can process simultaneously. This window's size is pivotal in handling lengthy texts. Since the debut of ChatGPT with a 2,000-token window in November 2022, significant efforts have been made in this domain, including more efficient attention mechanisms (Dao et al., 2022a; Zaheer et al., 2020; Ding et al., 2023), scalable position embeddings (Su et al., 2021; Sun et al., 2022), and quantization techniques (Frantar et al., 2022; Dettmers et al., 2022). As of December 2023, several LLMs claim to achieve context windows up to hundreds of thousands of tokens. This includes both proprietary models like GPT-4 Turbo

(128,000 tokens), Claude-2.1 (200,000 tokens), and Moonshot AI (200,000 Chinese characters), and open-source models such as ChatGLM-32k (Zeng et al., 2022) and LongChat-32k (Li* et al., 2023). This expansion significantly enhances the potential for processing extensive documents. Nevertheless, the effectiveness of these long-context LLMs in managing long texts remains an area ripe for exploration and assessment.

Alongside the evolution of LLMs, a wide range of benchmarks have emerged for capability assessment (Hendrycks et al., 2020; Suzgun et al., 2022; Cobbe et al., 2021; Huang et al., 2023). Most of those benchmarks utilize short questions or instructions, making them unsuitable for evaluating LLMs’ long-context capabilities. While a few benchmarks do focus on assessing specific long-context abilities like summarization, question-answering (QA), and continue writing (Huang et al., 2021; Liu et al., 2023b; Dasigi et al., 2021), comprehensive long-document evaluations have been limited. Recent benchmarks such as SCROLLS (Shaham et al., 2022), L-Eval (An et al., 2023) and LongBench (Bai et al., 2023) have started to address this gap by including a suite of long-document tasks, aiming for a more holistic assessment of LLMs’ long-context understanding.

Despite these advancements, three significant limitations persist in existing benchmarks: Firstly, the ultra-long setting (32,000 tokens or longer) is scarcely represented, limiting insights into LLM performance in extreme context lengths. Secondly, the integration of test samples of varying lengths within these benchmarks complicates the evaluation of LLMs across different length ranges. Lastly, the focus on traditional tasks such as question-answering and summarization often does not necessitate comprehensive content understanding by the LLMs, as many questions in these tasks do not require full-text comprehension. This highlights the need for more targeted benchmarks that can rigorously evaluate the deep and complete understanding of long-form content by LLMs.

To this end, we introduce **Ada-LEval**, a pioneering benchmark to assess the long-context capabilities with length-adaptable questions. Ada-LEval comprises two challenging tasks: **TSort**, which involves arranging text segments in the correct order, and **BestAnswer**, which requires choosing the best answer of a question among multiple candidates. Both tasks feature the following advantages:

1. **Controllable Test Cases:** The length of each test

case can be finely tuned - by adjusting the number and length of text segments in TSort and altering the number of distractor options in BestAnswer.

2. **Necessity for Full-Text Comprehension:** Successful completion of both tasks mandates complete reading and understanding of the provided text.
3. **Precise Accuracy Measurement:** The design of these tasks allows for unambiguous accuracy calculation. TSort has a definitive ‘correct’ order, whereas in BestAnswer, the annotated responses by the questioner serve as definitive answers.

Our experiments on these tasks reveal critical insights. We observe a noteworthy decline in the performance of existing LLMs as text length increases, particularly in ultra-long scenarios. Furthermore, our ablation study uncovers several shortcomings in current LLMs, including limited instruction following over extended texts and pronounced input order bias. Additionally, we explore various scalable position embedding techniques aimed at enlarging the context window of LLMs. Our findings indicate that models equipped with those techniques show improved performance over the standard models, and the performance is comparable to their counterparts trained on longer contexts.

2 Related Work

2.1 Long-Context Techniques

To address the complexities introduced by the increased text length in language models, researchers have developed a range of innovative techniques. These methodologies primarily focus on the following key areas: more efficient attention mechanisms, divide-and-conquer paradigms, and scalable position embedding techniques.

Efficient Attention Mechanisms. Notable advancements in attention mechanisms within Transformers have been achieved by several studies (Zaheer et al., 2020; Guo et al., 2021; Dao et al., 2022b; Ding et al., 2023). A key development in this area is Flash Attention (Dao et al., 2022a), which streamlines the attention process by circumventing the need to read and write the attention matrix across different memory tiers. This approach results in faster processing and reduced memory usage compared to traditional attention methods. In LongNet, Ding et al. (2023) introduces Dilated Attention, which reduces the computation complexity of attention to nearly linear and scales to 1 billion tokens. However, Liu et al. (2023a) identified a limitation where these mechanisms tend to falter with the

middle portions of long texts.

Divide-and-Conquer. In exploring alternatives to conventional long-text modeling, several studies have adopted a segmented approach to manage extensive content. WebGPT (Nakano et al., 2021) addresses long-form QA by interacting with a text-based web-browsing environment. PEARL (Sun et al., 2023) introduces a framework that prompts LLMs to generate and execute plans for tackling complex long-text reasoning tasks. Chen et al. (2023a) constructs a memory tree with the summarization of document segments and navigates on the memory tree to answer the original question.

Scalable Position Embeddings. Scalable position embeddings have been instrumental in extending the context window of LLMs. RoPE (Su et al., 2021) utilizes a rotation matrix to enhance positional information, integrating explicit relative position dependencies into the self-attention mechanism. ALiBi (Press et al., 2021) does not add position embeddings to word embeddings, instead applying a linearly decreasing penalty to attention scores based on key-query distances. Position Interpolation (Chen et al., 2023b) adopts a different strategy by linearly scaling down input position indices to align with preset context window sizes, requiring few fine-tuning steps. NTK-aware Scaled RoPE¹ and ReRoPE (Su, 2023) further combine the benefits of position interpolation and length extrapolation methods without any fine-tuning steps.

2.2 Long-Context Language Models

Building on advancements in long-context techniques, several long-context LLMs are developed and released. Llama 2 (Touvron et al., 2023) integrates RoPE to expand its context window to 4,000 tokens. Vicuna-v1.5 (Zheng et al., 2023) further extends this capability by fine-tuning Llama 2 on high-quality, extensive conversations, successfully increasing the context window to 16,000 tokens. Longchat (Li* et al., 2023) models condense RoPE to utilize model weights learned in the pretraining stage. ChatGLM2-32k (Zeng et al., 2022) is trained on a 32,000-token context length using position interpolation, showcasing the scalability of this technique.

The domain of proprietary language models has seen even more significant advancements in long-context modeling, stepped into the ultra-long con-

text field. GPT-4-Turbo (OpenAI, 2023) notably extends its context window to an impressive 128,000 tokens. In a similar vein, Claude-2 and Claude-2.1 have achieved context lengths of 100,000 and 200,000 tokens respectively. This expansion allows them to process vast quantities of information, such as hundreds of pages of technical documentation or entire books. Kimi Chat, developed by Moonshot.ai, claims to handle up to 200,000 Chinese characters. However, no existing dataset can evaluate the capability in tackling such long texts.

2.3 Long-Context Benchmarks

Efforts to evaluate the long-context capabilities of language models have been intensifying, with a focus primarily on traditional question-answering (QA) and summarization tasks. NarrativeQA (Kočíský et al., 2018) offers a question-answering dataset built on the entire books from Project Gutenberg and movie transcripts. GovReport (Huang et al., 2021) provides a dataset comprising national policy issues, each accompanied by an expert-written summary, thus testing models' ability to distill complex, lengthy documents into concise summaries. Based on existing long-context benchmarks, SCROLLS (Shaham et al., 2022) introduces a suite of datasets that requires models to process and reason over long contexts.

Concurrently, L-Eval (An et al., 2023) and LongBench (Bai et al., 2023) are designed for comprehensive evaluation of long-context capabilities of LLMs. L-Eval offers a collection of long documents across different domains and provides both close-ended and open-ended tasks. LongBench is a bilingual long context benchmark covering six task categories. Most tasks in these benchmarks are traditional QA and summarization with fixed document, questions and answers. They are inflexible on text length (up to ~32,000 tokens), which fall short of adapting to ultra-long context evaluation. Additionally, LongBench uses mostly open-ended tasks with traditional F1 and ROUGE metric that may not align well with human judgments. In contrast, our benchmarks support length-adaptable evaluation, provide sufficient cases and evaluate models using accuracy metrics, avoiding inconsistencies with human evaluation.

3 Ada-LEval

In this section, we outline the construction process of Ada-LEval, detailing both the collection

¹https://www.reddit.com/r/LocalLLaMA/comments/141z7j5/ntkaware_scaled_rope_allows_llama_models_to_have/

methodology of our source data and the building procedure of our test cases. Table 1 demonstrates the data statistics of Ada-LEval.

TSort			
Setting	Total #Cases Built	Max #Tokens	Avg #Tokens
2k	5123	2000	1816
4k	5451	4000	3724
8k	5324	8000	7663
16k	4957	16000	15662
32k	2206	32000	31226
64k	1658	64000	62407
128k	782	127800	121488
BestAnswer			
Setting	Total #Cases Built	Max #Tokens	Avg #Tokens
1k	7526	1128	955
2k	7526	2154	1983
4k	7526	4215	3994
6k	7526	6268	6012
8k	7526	7790	7518
12k	7526	12389	12091
16k	7526	15964	15646
32k	200	32974	32329
64k	200	64216	63274
128k	200	127059	126098

Table 1: The data statistics of TSort and BestAnswer. We adopt the GPT-4 tokenizer CL100K to calculate token numbers. We use a subset of all built cases for evaluation.

3.1 Task Definition

TSort. TSort provides LLMs with N shuffled text segments, extracted from contiguous chapters of a long book. The task for models is to sort these segments into their original sequence. A response is regarded accurate only if it precisely reinstates the segments’ initial order. To simplify the challenge and minimize possible confusion, we supply LLMs with adjacent paragraphs from before and after the specified chapters to serve as contextual hints.

BestAnswer. Each test case in BestAnswer contains one question and a large amount of possible answers to this question. We consider the answer designated by the original inquirer as the most helpful answer, while LLMs are required to identify this optimal answer among all possible candidates.

3.2 Source Data Collection

TSort. For TSort, we sourced our initial data from Booksum (Kryściński et al., 2021), a text summarization dataset derived from the Project Gutenberg, a public book repository consisting of over 60,000 free eBooks spanning various literary genres including novels, plays, short stories, and more. Genres like epistolary literature and poetry are excluded in

the construction of TSort benchmark due to their non-sequential nature. To prevent LLMs from exploiting superficial cues, we meticulously remove identifiers such as chapter numbers and annotations from the content.

BestAnswer. The BestAnswer benchmark is constructed using threads from Stack Overflow, a platform renowned for its extensive range of programming-related questions and answers. Stack Overflow questions are categorized by multiple tags, indicating the thematic similarity of questions within each tag. To ensure the quality and diversity of our benchmark, we choose 23 different tags, including javascript, python, C++, etc., and collect top 2500 questions from each tag based on popularity.

3.3 Test Case Building

For both tasks, we construct test cases according to their token length (measured by GPT-4 tokenizer). We regard token lengths between 1,000 to 16,000 as **long-context** settings and text lengths exceed 16,000 as **ultra-long-context** settings.

Under long-context settings, TSort cases span test cases with 2k, 4k, 8k, and 16k tokens. For each length, we fix the segment number $N=4$ and the length upper limit for each text segment and adjacent paragraphs before and after these contiguous chapters. We ensure that each text segment contains complete paragraphs thus no paragraph is sliced in the middle. To build test cases with different contents, we set stride between beginning paragraphs of test cases during construction. After prepending the instructions, we further filter test cases that exceed the token upper bound.

For BestAnswer, we generate test cases with 1k, 2k, 4k, 6k, 8k, 12k, and 16k tokens under long-context settings. Test cases contain the distractor answers under corresponding question and adaptable number of distractor answers from other similar questions under each length setting. To make evaluation results directly comparable across different length settings in long context scenarios, we ensure that the questions within the BestAnswer benchmark remain unchanged, regardless of the case length. In BestAnswer, we define the most helpful answer as the answer explicitly accepted by the inquirer, and adopt it as the ‘groundtruth answer’². For integrity reasons, we exclude all

²We do not choose the answer with the highest number of votes, since the vote number can be influenced by factors such as the answer posting time and the identity of the respondent,

questions where the corresponding most helpful answer is not text-only. When choosing the distractors, we only consider answers that are provided prior to the accepted answer under corresponding question. Besides, we incorporate answers from other questions with similar tags to the original question to serve as distractor answers.

Under ultra-long-context settings, we build test cases with 32k, 64k, and 128k tokens for both tasks. The construction paradigm is similar to the long-context setting. For BestAnswer, since the number of similar questions and the corresponding answers are limited, we relax tag similarity constraints and allow answers of questions with less similar tags to serve as the distractor answers.

4 Evaluation Results

4.1 Experiment Setup

We evaluate the following LLMs under long-context settings: 4 proprietary models: (1) GPT-4-Turbo-0125, (2) GPT-4-Turbo-1106 (3) GPT-3.5-Turbo-1106, (4) Claude-2; and 6 open-source models: (5) LongChat-7b-v1.5-32k(Zheng et al., 2023), (6) ChatGLM2-6B-32k(Zeng et al., 2022), (7) ChatGLM3-6B-32k(Zeng et al., 2022), (8) Vicuna-7b-v1.5-16k(Zheng et al., 2023), (9) Vicuna-13b-v1.5-16k(Zheng et al., 2023), (10) InternLM2-7b(Cai et al., 2024). Due to the inferior performance of open-source LLMs under long-context settings, only models with good performance (GPT-4-Turbo, Claude-2, etc.) are evaluated under ultra-long-context settings.

For open-source LLMs, we sample a 1000-testcase subset for evaluation under each length setting. Due to the costly API of state-of-the-art proprietary models (GPT-4-Turbo, Claude-2, etc.), we adopt 200-testcase subset (sampled from the 1000-testcase set) for evaluation under long-context settings, and a 50-testcase subset for evaluation under ultra-long-context settings. All experiments are conducted using the open-source LLM evaluation platform OpenCompass (Contributors, 2023). We adopt the zero-shot setting for all evaluation, and provide a ‘random guess’ baseline. We also measure the instruction following rate and the copy instruction rate³ on both tasks.

in addition to its quality.

³Instruction following rate denotes if the LLM outputs follow the pre-defined format. Copy instruction rate measures if the LLM outputs the same answer as in-context example provides.

4.2 Long-Context Evaluation Results

TSort	2k	4k	8k	16k
GPT-4-Turbo-0125	15.5	16.5	8.5	5.5
GPT-4-Turbo-1106	18.5	15.5	7.5	3.5
GPT-3.5-Turbo-1106	4.0	4.5	4.5	5.5
Claude-2	5.0	5.0	4.5	3.0
LongChat-7b-v1.5-32k	5.3	5.0	3.1	2.5
ChatGLM2-6B-32k	0.9	0.7	0.2	0.9
ChatGLM3-6B-32k	2.3	2.4	2.0	0.7
Vicuna-7b-v1.5-16k	5.3	2.2	2.3	1.7
Vicuna-13b-v1.5-16k	5.4	5.0	2.4	3.1
InternLM2-7b	5.1	3.9	5.1	4.3
Random Guess	4.2	4.2	4.2	4.2

Table 2: **TSort** results under long-context settings. We fix the number of segments $N = 4$ for TSort evaluation, thus random guess accuracy is roughly 4.2% ($1 / 24$).

TSort. Table 2 displays the test accuracy of various LLMs on the TSort task. This evaluation underscores the complexity of TSort, highlighting its intricate nature that necessitates a comprehensive understanding and reasoning across long text. Under settings from 2,000 to 8,000 tokens, only the most powerful proprietary model GPT-4-Turbo outputs the correct order of texts with a significant higher probability compared to the random baseline. When the context window expands to 16,000, the quality of GPT-4-Turbo’s predictions also deteriorates to the random guess level. Other LLMs, encompassing both proprietary models and open-source models, all displaying similar performance compared to random guess (even under the relative short 2k setting). The results indicate that the TSort task posts a severe challenge to existing LLMs.

BestAnswer. Table 3 presents the test accuracy of LLMs on BestAnswer. GPT-4-Turbo establishes the state-of-the-art on the BestAnswer benchmark. It achieves an outstanding 44.5% accuracy under the 16k long-context setting, where around 100 distractor answers exist for each question. Among other proprietary models, Claude-2 achieves the second best accuracy 11% under the 16k setting. GPT-3.5-Turbo-1106, while outperforming Claude-2 under some relative short settings (2k, 4k, 6k), demonstrates performance similar to random guess under the 16k setting. There is a considerable performance gap between proprietary models and open-source models on BestAnswer. Although some models like Vicuna-13b-v1.5-16k and InternLM2-7b perform well un-

BestAnswer	1k	2k	4k	6k	8k	12k	16k
GPT-4-Turbo-0125	73.5	73.5	65.5	63.0	56.5	52.0	44.5
GPT-4-Turbo-1106	74.0	73.5	67.5	59.5	53.5	49.5	44.0
GPT-3.5-Turbo-1106	61.5	48.5	41.5	29.5	17.0	2.5	2.5
Claude-2	65.0	43.5	23.5	15.0	17.0	12.0	11.0
LongChat-7b-v1.5-32k	32.4	10.7	5.7	3.1	1.9	1.6	0.8
ChatGLM2-6B-32k	31.2	10.9	4.5	1.6	1.6	0.0	0.3
ChatGLM3-6B-32k	39.8	18.8	9.0	5.0	3.4	0.9	0.5
Vicuna-7b-v1.5-16k	37.0	11.1	5.8	3.2	1.8	1.9	1.0
Vicuna-13b-v1.5-16k	53.4	29.2	13.1	4.3	2.2	1.4	0.9
InternLM2-7b	58.6	49.5	33.9	12.3	13.4	2.0	0.8
Random Guess	26.7	10.1	4.5	3.0	2.3	1.4	1.1

Table 3: **BestAnswer** results under long-context settings. For a question with N candidate answers, we define the random guess accuracy as $1/N$. The random guess accuracy over a long-context setting is the average of random guess accuracy for all questions within the test set.

der short settings, a dramatic accuracy decline can be observed when text length becomes larger.

CopyInst Rate	2k	4k	8k	16k
GPT-4-Turbo-1106	25.0	22.0	10.5	1.0
GPT-3.5-Turbo-1106	30.0	25.5	64.5	73.3
Claude-2	99.5	95.0	97.4	96.9
Expectation	5.0	5.0	5.0	5.5
LongChat-7b-v1.5-32k	100.0	99.8	99.1	100.0
ChatGLM2-6B-32k	11.3	13.8	10.5	81.3
ChatGLM3-6B-32k	21.6	54.8	88.0	88.1
Vicuna-7b-v1.5-16k	100.0	100.0	59.4	33.3
Vicuna-13b-v1.5-16k	96.6	99.0	12.2	3.1
Expectation	5.3	5.0	5.4	5.2

Table 4: The copy instruction rate of LLMs on **TSort** under long-context settings. **Expectation** means the ratio of test cases for which the in-context example answer is exactly the correct one.

4.3 Error Breakdown

We further analyze the error instances on **TSort** and **BestAnswer**, and find that most errors can be attributed to two categories: 1. The LLM fails to follow the provided instruction and does not output a valid answer⁴; 2. The LLM does output a valid answer. However, it simply copies the example answer we provide in the in-context example. Figure 2 display instruction following rate on **TSort** and **BestAnswer**. Tables 4 and 5 provide detailed statistics about the copy instruction rate on **TSort** and **BestAnswer**.

⁴A valid answer contains a permutation of N segment numbers on **TSort** and at least one designation of answers on **BestAnswer**.

CopyInst Rate	1k	2k	4k	6k	8k	12k	16k
GPT-4-Turbo-1106	12.5	8.5	5.0	5.5	6.0	2.0	2.0
GPT-3.5-Turbo-1106	16.5	22.5	18.5	16.0	11.5	2.0	0.0
Claude-2	21.5	25.5	40.5	41.0	42.5	49.0	55.0
Expectation	13.0	7.0	3.0	2.0	2.5	1.5	1.5
LongChat-7b-v1.5-32k	67.4	94.7	89.5	57.8	70.6	49.4	13.0
ChatGLM2-6B-32k	36.5	43.7	35.8	27.2	24.4	35.5	44.7
ChatGLM3-6B-32k	47.9	66.1	33.3	30.4	22.5	24.8	16.7
Vicuna-7b-v1.5-16k	63.1	96.2	91.8	57.9	66.6	27.8	17.9
Vicuna-13b-v1.5-16k	27.8	45.8	55.3	19.8	3.4	5.6	11.1
Expectation	14.4	10.0	5.1	2.3	1.7	1.3	1.2

Table 5: The copy instruction rate of LLMs on **BestAnswer** under long-context settings. **Expectation** means the ratio of test cases for which the in-context example answer is exactly the correct one.

The state-of-the-art GPT-4-Turbo maintains a relatively low copy instruction rate and impeccable instruction following rate on both tasks. Error instances of Claude-2, LongChat and Vicuna models are predominantly due to elevated Copy Instruction Rate, while ChatGLM models suffer from low instruction following rate. It is worth noting that all models, with the sole exception of GPT-4-Turbo, find it more difficult to follow the instruction on both tasks as text length increases.

4.4 Ultra-Long-Context Evaluation Results

We evaluate the following proprietary models under ultra-long-context settings. (1) GPT-4-Turbo-0125 (2) GPT-4-Turbo-1106 (3) Claude-2. (4) Claude-2.1. We also evaluate InternLM2-7b on **BestAnswer** benchmark under ultra-long-context settings. Due to high API calling expense, we test 50 samples under each ultra-long context setting. Table 6 demonstrates the result.

Though the evaluated models claim that they can understand long text up to 100,000+ tokens (a whole book with hundreds of pages, *e.g.*), they suf-




Figure 2: The instruction following rate of LLMs on TSort (Left) and BestAnswer (Right) under long-context settings. GPT-4-Turbo on TSort and all proprietary models on BestAnswer achieve 100% instruction following rate across all long-context settings, thus not displayed.

Benchmark	Model	32k	64k	128k
TSort	GPT-4-Turbo-0125	2.0	4.0	2.0
	GPT-4-Turbo-1106	6.0	6.0	6.0
	Claude-2	0.0	0.0	/
	Claude-2.1	0.0	0.0	0.0
	Random Guess	4.2	4.2	4.2
BestAnswer	GPT-4-Turbo-0125	30.0	0.0	0.0
	GPT-4-Turbo-1106	16.0	0.0	0.0
	Claude-2	4.0	0.0	/
	Claude-2.1	4.0	0.0	0.0
	InternLM2-7b	0.5	0.5	0.0
	Random Guess	0.6	0.3	0.1

Table 6: Results of LLMs on TSort and BestAnswer benchmarks in ultra-long context settings.

fer from a dramatic decline on their performance under ultra-long-context settings, comparing to their long-context performance. For the TSort task, GPT-4-Turbo is able to achieve a random guess level accuracy, while Claude fails to give any correct answers. For BestAnswer, the performance of all three models fall sharply from 16k to 32k text length. Meanwhile, they can not give any correct answer when the text length is greater than 32k.

4.5 Ablation Study

4.5.1 Perplexity Evaluation on TSort

Perplexity (PPL) evaluation is frequently adopted to assess the capability of LLMs. During inference, models compute the perplexity of multiple candidates and the one with the lowest perplexity is selected as the inference result. For TSort, we create 24 candidates for perplexity computation, each candidate is a permutation of the 4 text segments.

We conduct PPL-based evaluation for open-source LLMs on 2k, 4k and 8k text length settings. Table 7 exhibits the PPL-Eval result on TSort. When text segments are arranged in the correct order, a significantly lower perplexity score can usually be observed⁵, resulting in the high TSort accuracy. However, when the sorting task is presented as QAs where LLMs are asked to directly output the correct order, the performance significantly deteriorates, indicating the limited instruction following capabilities of existing LLMs.

TSort (PPL Eval)	2k	4k	8k
LongChat-7b-v1.5-32k	60.9	68.3	77.4
ChatGLM2-6B-32k	40.5	53.5	57.5
ChatGLM3-6B-32k	50.1	57.0	59.3
Vicuna-7b-v1.5-16k	70.1	78.3	77.7
Vicuna-13b-v1.5-16k	79.3	86.7	89.2
Random Guess	4.2	4.2	4.2

Table 7: Perplexity Evaluation Results on TSort for open-source LLMs.

4.5.2 Position Bias in BestAnswer

To study the position bias of existing LLMs, in BestAnswer, we keep questions and answer candidates the same and alter the position of groundtruth answers. Specifically, we manually set the groundtruth answer at the beginning, in the middle, or at the rear of all answers and then perform the evaluation. Table 8 displays the evaluation

⁵One potential cause is that the chapters have been used for pretraining.

results. **All models demonstrate significant position bias in choosing the most helpful answer.** Most models achieve much better accuracy when the most helpful answer presents at the beginning. Claude-2 has some unique behaviors. It performs the best when the groundtruth is positioned at the rear across 4 of 5 different settings. As the input length increases, the position bias becomes more obvious. For instance, Vicuna-7b-v1.5-16k demonstrates relatively uniform accuracy under the 1k setting. However, when the input length extends to 16k tokens, the model’s performance remains stable only when the best answer is at the front.

BestAnswer	Pos	1k	2k	4k	8k	16k
GPT-4-Turbo-1106	front	76.5	82.5	86.5	90.0	82.0
	mid	74.5	68.0	60.0	38.0	38.5
	rear	57.5	46.6	44.0	40.5	26.5
GPT-3.5-Turbo-1106	front	77.0	80.5	77.0	46.5	2.5
	mid	64.5	48.5	32.0	9.5	0.5
	rear	37.5	19.0	8.5	6.0	3.5
Claude-2	front	34.0	19.0	14.5	50.0	6.0
	mid	49.0	35.5	21.5	13.0	5.0
	rear	59.0	36.5	26.0	11.0	9.5
LongChat-7b-v1.5-32k	front	24.1	5.0	12.1	33.6	29.0
	mid	32.7	13.6	0.2	0.2	0.0
	rear	29.8	1.9	0.0	0.1	0.1
ChatGLM2-6B-32k	front	30.0	31.5	46.2	10.5	0.5
	mid	27.7	10.4	1.0	0.1	0.1
	rear	28.5	12.4	2.6	4.1	0.0
ChatGLM3-6B-32k	front	48.9	34.3	37.6	35.8	19.0
	mid	41.9	22.3	5.3	0.9	0.1
	rear	28.8	5.4	3.7	8.8	2.9
Vicuna-7b-v1.5-16k	front	29.3	8.9	14.0	37.6	25.4
	mid	32.8	13.6	0.0	0.0	0.2
	rear	34.2	2.1	0.0	0.0	0.7
Vicuna-13b-v1.5-16k	front	52.5	51.4	58.6	81.7	11.8
	mid	64.5	29.2	1.5	0.5	0.3
	rear	34.2	2.4	0.0	0.0	13.4

Table 8: Results of LLMs on **BestAnswer** where the best answer is set at the front, in the middle and at the rear of all answers. Pos denotes the position of the best answer.

4.5.3 Scalable Position Embeddings

Scalable position embeddings have shown their value in extending context window while requiring minimal or no fine-tuning steps. Existing position embedding methods for context window extension can be categorized into two major categories: position interpolation and length extrapolation. NTK-aware Scaled RoPE utilizes the advantage of both methods by changing the base of RoPE. ReRoPE and Leaky ReRoPE (Su, 2023) design a window size to control the application of scalable position embeddings directly. We conduct our study on Vicuna-v1.5 models (Zheng et al., 2023), which

are Llama 2 fine-tuned with 4k context window. We adopt original models (4k context window) as the baseline across all settings. Table 9 shows the result of different position embedding methods on the BestAnswer benchmark. Our findings indicate that **scalable position embeddings do improve the long-context modeling capability.** All methods enhance the accuracy under the 8k setting, which is beyond the original context window. Concurrently, the model performance under short settings (1k, *e.g.*) is basically retained. NTK-aware Scaled RoPE diminishes performance on 1k context length, but outperforms other two methods on longer context. The advantage of these methods is more obvious on Vicuna-13b-v1.5. Moreover, comparing to their 16k versions, which utilize Flash Attention and are further trained on high-quality 16k length conversation data, advanced scalable position embeddings still achieve comparable performance.

Vicuna-7b-v1.5	1k	2k	4k	8k
ReRoPE	39.6/39.6	11.6/11.6	4.7/5.4	2.3/3.2
Leaky ReRoPE	39.9/39.9	11.2/11.2	5.1/5.7	1.3/2.0
NTK	32.5/32.5	10.7/10.7	5.8/5.8	3.9/3.9
Original(4k)	39.5/39.5	9.8/11.0	4.2/5.5	0.0/0.0
Original(16k)	37.0/39.5	11.1/11.1	5.8/5.8	2.5/2.7
Vicuna-13b-v1.5	1k	2k	4k	8k
ReRoPE	49.2/49.2	22.5/22.5	9.2/10.0	1.5/2.8
Leaky ReRoPE	49.3/49.3	23.8/23.8	8.7/9.8	1.3/2.6
NTK	43.8/43.8	23.0/23.0	11.1/11.1	2.3/2.3
Original(4k)	49.1/49.1	17.7/17.7	5.9/5.9	0.1/1.0
Original(16k)	53.4/53.4	29.2/29.2	13.1/13.5	2.6/2.7

Table 9: Results of Vicuna-v1.5 with different context window extrapolation methods on **BestAnswer**. ‘Original (4k) / (16k)’ denotes the original Vicuna model trained with 4k / 16k context lengths. In the reported ‘X/Y’, X indicates the accuracy while Y indicates the accuracy which cases failed to follow the instruction are excluded.

4.5.4 Comparison with Other Long-Context Benchmarks

We compare Ada-LEval with other long-context benchmarks to validate that our benchmarks require much overall text understanding to complete the task than traditional long-context benchmarks.

We regard a task requires models to understand text comprehensively if the performances of models decrease sharply when the text is truncated. TSort task meets this requirement since truncating any segment will lead to an incorrect answer.

To exhibit the BestAnswer requires more comprehensive text understanding than traditional QA

and summarization tasks, we conduct an experiment on BestAnswer(16k version) and 2 classic long-context datasets, NarrativeQA(LongBench subset, QA task) and GovReport(LongBench subset, summarization task) respectively. The metric for NarrativeQA is F1 score and metric for GovReport is Rouge-L. We evaluate the performance of GPT-4-Turbo-1106 on all 3 datasets. Each test case is truncated into 2k, 4k and 8k version as the input. We also provide its full version for comparison.

Benchmark	2k	4k	8k	Full	Avg #tokens
BestAnswer	11.0	20.0	31.5	44.0	15646
NarrativeQA	24.7	25.6	29.7	33.1	10276
GovReport	30.7	32.4	33.6	30.9	29872

Table 10: Results of GPT-4-Turbo on different long-context benchmarks.

From the table 10, the performance of GPT-4-Turbo on BestAnswer decreases more dramatically than NarrativeQA and GovReport when text is truncated. Notably, the performance on GovReport even increases when text is truncated into 4k and 8k. Therefore, our benchmarks require more full-text comprehension than traditional QA and summarization tasks.

5 Conclusion

In this paper, we introduce Ada-LEval, a length-adaptable dataset to assess long-context capability of LLMs. We conduct comprehensive experiments on multiple LLMs and find that all open-source models still lag significantly behind state-of-the-art proprietary models in terms of long context capability. When the input length scales to 4,000 tokens, most open-source models rapidly deteriorates to random guess level. In the meanwhile, the capability of proprietary models is also severely limited, When it comes to the ultra-long setting (32,000+ tokens), no proprietary model notably outperforms the random baseline. Ada-LEval is the first benchmark that evaluates LLMs under the ultra-long setting, and we hope that the limitations pointed out by this benchmarks can serve as valuable references for future developments of long-context LLMs.

Acknowledgement. This project is supported by the National Key R&D Program of China No.2022ZD0161600 and the Shanghai Postdoctoral Excellence Program (No.2023023).

6 Limitations

Ada-LEval is a challenging benchmark, requiring strong understanding and reasoning capabilities over long text. Due to the poor instruction following rate and copy instruction rate of open-source LLMs, Ada-LEval can hardly distinguish their long context capability through the accuracy metric.

Furthermore, as text length increases, the difficulty of Ada-LEval rises sharply under ultra-long-context settings. Even state-of-the-art proprietary models are not able to achieve an ideal performance, which further constrains its applicability to current LLMs.

References

- Chenxin An, Shansan Gong, Ming Zhong, Mukai Li, Jun Zhang, Lingpeng Kong, and Xipeng Qiu. 2023. L-eval: Instituting standardized evaluation for long context language models. *arXiv preprint arXiv:2307.11088*.
- Yushi Bai, Xin Lv, Jiajie Zhang, Hongchang Lyu, Jiankai Tang, Zhidian Huang, Zhengxiao Du, Xiao Liu, Aohan Zeng, Lei Hou, et al. 2023. Longbench: A bilingual, multitask benchmark for long context understanding. *arXiv preprint arXiv:2308.14508*.
- Zheng Cai, Maosong Cao, Haojiong Chen, Kai Chen, Keyu Chen, Xin Chen, Xun Chen, Zehui Chen, Zhi Chen, Pei Chu, Xiaoyi Dong, Haodong Duan, Qi Fan, Zhaoye Fei, Yang Gao, Jiaye Ge, Chenya Gu, Yuzhe Gu, Tao Gui, Aijia Guo, Qipeng Guo, Conghui He, Yingfan Hu, Ting Huang, Tao Jiang, Penglong Jiao, Zhenjiang Jin, Zhikai Lei, Jiaying Li, Jingwen Li, Linyang Li, Shuaibin Li, Wei Li, Yining Li, Hongwei Liu, Jiangning Liu, Jiawei Hong, Kaiwen Liu, Kuikun Liu, Xiaoran Liu, Chengqi Lv, Haijun Lv, Kai Lv, Li Ma, Runyuan Ma, Zerun Ma, Wenchang Ning, Linke Ouyang, Jiantao Qiu, Yuan Qu, Fukai Shang, Yunfan Shao, Demin Song, Zifan Song, Zhihao Sui, Peng Sun, Yu Sun, Huanze Tang, Bin Wang, Guoteng Wang, Jiaqi Wang, Jiayu Wang, Rui Wang, Yudong Wang, Ziyi Wang, Xingjian Wei, Qizhen Weng, Fan Wu, Yingtong Xiong, Chao Xu, Ruiliang Xu, Hang Yan, Yirong Yan, Xiaogui Yang, Haochen Ye, Huaiyuan Ying, Jia Yu, Jing Yu, Yuhang Zhang, Chuyu Zhang, Li Zhang, Pan Zhang, Peng Zhang, Ruijie Zhang, Shuo Zhang, Songyang Zhang, Wenjian Zhang, Wenwei Zhang, Xingcheng Zhang, Xinyue Zhang, Hui Zhao, Qian Zhao, Xiaomeng Zhao, Fengzhe Zhou, Zaida Zhou, Jingming Zhuo, Yicheng Zou, Xipeng Qiu, Yu Qiao, and Dahua Lin. 2024. [Internlm2 technical report](#).
- Howard Chen, Ramakanth Pasunuru, Jason Weston, and Asli Celikyilmaz. 2023a. Walking down the memory maze: Beyond context limit through interactive reading. *arXiv preprint arXiv:2310.05029*.

- Shouyuan Chen, Sherman Wong, Liangjian Chen, and Yuandong Tian. 2023b. Extending context window of large language models via positional interpolation. *arXiv preprint arXiv:2306.15595*.
- Karl Cobbe, Vineet Kosaraju, Mohammad Bavarian, Mark Chen, Heewoo Jun, Lukasz Kaiser, Matthias Plappert, Jerry Tworek, Jacob Hilton, Reiichiro Nakano, et al. 2021. Training verifiers to solve math word problems. *arXiv preprint arXiv:2110.14168*.
- OpenCompass Contributors. 2023. Opencompass: A universal evaluation platform for foundation models. <https://github.com/open-compass/opencompass>.
- Tri Dao, Dan Fu, Stefano Ermon, Atri Rudra, and Christopher Ré. 2022a. Flashattention: Fast and memory-efficient exact attention with io-awareness. *Advances in Neural Information Processing Systems*, 35:16344–16359.
- Tri Dao, Daniel Y Fu, Khaled K Saab, Armin W Thomas, Atri Rudra, and Christopher Ré. 2022b. Hungry hungry hippos: Towards language modeling with state space models. *arXiv preprint arXiv:2212.14052*.
- Pradeep Dasigi, Kyle Lo, Iz Beltagy, Arman Cohan, Noah A Smith, and Matt Gardner. 2021. A dataset of information-seeking questions and answers anchored in research papers. *arXiv preprint arXiv:2105.03011*.
- Tim Dettmers, Mike Lewis, Younes Belkada, and Luke Zettlemoyer. 2022. Llm.int8(): 8-bit matrix multiplication for transformers at scale. *arXiv preprint arXiv:2208.07339*.
- Jiayu Ding, Shuming Ma, Li Dong, Xingxing Zhang, Shaohan Huang, Wenhui Wang, and Furu Wei. 2023. Longnet: Scaling transformers to 1,000,000,000 tokens. *arXiv preprint arXiv:2307.02486*.
- Elias Frantar, Saleh Ashkboos, Torsten Hoeffler, and Dan Alistarh. 2022. Gptq: Accurate post-training quantization for generative pre-trained transformers. *arXiv preprint arXiv:2210.17323*.
- Mandy Guo, Joshua Ainslie, David Uthus, Santiago Ontanon, Jianmo Ni, Yun-Hsuan Sung, and Yinfei Yang. 2021. Longt5: Efficient text-to-text transformer for long sequences. *arXiv preprint arXiv:2112.07916*.
- Dan Hendrycks, Collin Burns, Steven Basart, Andy Zou, Mantas Mazeika, Dawn Song, and Jacob Steinhardt. 2020. Measuring massive multitask language understanding. *arXiv preprint arXiv:2009.03300*.
- Luyang Huang, Shuyang Cao, Nikolaus Parulian, Heng Ji, and Lu Wang. 2021. Efficient attentions for long document summarization. *arXiv preprint arXiv:2104.02112*.
- Yuzhen Huang, Yuzhuo Bai, Zhihao Zhu, Junlei Zhang, Jinghan Zhang, Tangjun Su, Junteng Liu, Chuancheng Lv, Yikai Zhang, Jiayi Lei, et al. 2023. C-eval: A multi-level multi-discipline chinese evaluation suite for foundation models. *arXiv preprint arXiv:2305.08322*.
- Tomáš Kočiský, Jonathan Schwarz, Phil Blunsom, Chris Dyer, Karl Moritz Hermann, Gábor Melis, and Edward Grefenstette. 2018. The narrativeqa reading comprehension challenge. *Transactions of the Association for Computational Linguistics*, 6:317–328.
- Wojciech Kryściński, Nazneen Rajani, Divyansh Agarwal, Caiming Xiong, and Dragomir Radev. 2021. Booksum: A collection of datasets for long-form narrative summarization. *arXiv preprint arXiv:2105.08209*.
- Dacheng Li*, Rulin Shao*, Anze Xie, Ying Sheng, Lianmin Zheng, Joseph E. Gonzalez, Ion Stoica, Xuezhe Ma, , and Hao Zhang. 2023. [How long can open-source llms truly promise on context length?](#)
- Nelson F Liu, Kevin Lin, John Hewitt, Ashwin Paranjape, Michele Bevilacqua, Fabio Petroni, and Percy Liang. 2023a. Lost in the middle: How language models use long contexts. *arXiv preprint arXiv:2307.03172*.
- Tianyang Liu, Canwen Xu, and Julian McAuley. 2023b. Repobench: Benchmarking repository-level code auto-completion systems. *arXiv preprint arXiv:2306.03091*.
- Reiichiro Nakano, Jacob Hilton, Suchir Balaji, Jeff Wu, Long Ouyang, Christina Kim, Christopher Hesse, Shantanu Jain, Vineet Kosaraju, William Saunders, et al. 2021. Webgpt: Browser-assisted question-answering with human feedback. *arXiv preprint arXiv:2112.09332*.
- OpenAI. 2023. [Gpt-4 technical report](#).
- Ofir Press, Noah A Smith, and Mike Lewis. 2021. Train short, test long: Attention with linear biases enables input length extrapolation. *arXiv preprint arXiv:2108.12409*.
- Uri Shaham, Elad Segal, Maor Ivgi, Avia Efrat, Ori Yoran, Adi Haviv, Ankit Gupta, Wenhan Xiong, Mor Geva, Jonathan Berant, et al. 2022. Scrolls: Standardized comparison over long language sequences. *arXiv preprint arXiv:2201.03533*.
- Jianlin Su. 2023. Rectified rotary position embeddings. <https://github.com/bojone/rerope>.
- Jianlin Su, Yu Lu, Shengfeng Pan, Ahmed Murtadha, Bo Wen, and Yunfeng Liu. 2021. Roformer: Enhanced transformer with rotary position embedding. *arXiv preprint arXiv:2104.09864*.
- Simeng Sun, Yang Liu, Shuohang Wang, Chenguang Zhu, and Mohit Iyyer. 2023. Pearl: Prompting large language models to plan and execute actions over long documents. *arXiv preprint arXiv:2305.14564*.

Yutao Sun, Li Dong, Barun Patra, Shuming Ma, Shao-han Huang, Alon Benhaim, Vishrav Chaudhary, Xia Song, and Furu Wei. 2022. A length-extrapolatable transformer. *arXiv preprint arXiv:2212.10554*.

Mirac Suzgun, Nathan Scales, Nathanael Schärli, Sebastian Gehrmann, Yi Tay, Hyung Won Chung, Aakanksha Chowdhery, Quoc V Le, Ed H Chi, Denny Zhou, et al. 2022. Challenging big-bench tasks and whether chain-of-thought can solve them. *arXiv preprint arXiv:2210.09261*.

Hugo Touvron, Louis Martin, Kevin Stone, Peter Albert, Amjad Almahairi, Yasmine Babaei, Nikolay Bashlykov, Soumya Batra, Prajjwal Bhargava, Shruti Bhosale, et al. 2023. Llama 2: Open foundation and fine-tuned chat models. *arXiv preprint arXiv:2307.09288*.

Manzil Zaheer, Guru Guruganesh, Kumar Avinava Dubey, Joshua Ainslie, Chris Alberti, Santiago Ontanon, Philip Pham, Anirudh Ravula, Qifan Wang, Li Yang, et al. 2020. Big bird: Transformers for longer sequences. *Advances in neural information processing systems*, 33:17283–17297.

Aohan Zeng, Xiao Liu, Zhengxiao Du, Zihan Wang, Hanyu Lai, Ming Ding, Zhuoyi Yang, Yifan Xu, Wendi Zheng, Xiao Xia, et al. 2022. Glm-130b: An open bilingual pre-trained model. *arXiv preprint arXiv:2210.02414*.

Lianmin Zheng, Wei-Lin Chiang, Ying Sheng, Siyuan Zhuang, Zhanghao Wu, Yonghao Zhuang, Zi Lin, Zhuohan Li, Dacheng Li, Eric Xing, et al. 2023. Judging llm-as-a-judge with mt-bench and chatbot arena. *arXiv preprint arXiv:2306.05685*.

A Test Case Building Statistics

Recall that for each case length on Tsort task, we set the length upper limit for each text segment and the neighboring paragraphs before and after these contiguous chapters. We also set stride between beginning paragraphs. Table 11 demonstrates the detail statistics on the length upper limit and the stride.

On BestAnswer task, two questions are regarded as similar questions when they have 40% tags in common. Under ultra-long-context settings, both questions should contain at least 1 tag in common.

B Evaluation Setups

Evaluation Hyperparameters. For open-source LLMs, we adopt their default hyperparameters during evaluation on Ada-LEval. For proprietary models including GPT-4-Turbo, GPT-3.5-Turbo-1106, we set the temperature to 0.

Computational Budget. Our experiments for open-source LLMs are conducted on NVIDIA A100 80GB GPU. The entire evaluation consumes around 800 GPU-hours.

Benchmark Instructions. We present instructions of both tasks within Ada-LEval. To ensure that models know what to do, we contain the sample input and output format that models need to follow in solving problems. The instructions are shown below.

Validity of 200-testcase subset. Our experiments on long-context settings adopt 200-testcase subset for proprietary models and 1000-testcase subset for open-source LLMs. To ensure that evaluation results on 200-testcase subset is valid, Table 12 and Table 13 display results on 200-testcase subset.

Setting	Before	Segments	After	Stride
2k	200	350	200	64
4k	300	800	300	64
8k	400	1750	400	64
16k	500	3700	500	64
32k	500	7700	500	128
64k	500	15700	500	128
128k	500	31700	500	128

Table 11: The length upper limit of text segments and stride between beginning paragraphs on TSort.

TSort (200-testcase)	2k	4k	8k	16k
GPT-4-Turbo-0125	15.5	16.5	8.5	5.5
GPT-4-Turbo-1106	18.5	15.5	7.5	3.5
GPT-3.5-Turbo-1106	4.0	4.5	4.5	5.5
Claude-2	5.0	5.0	4.5	3.0
LongChat-7b-v1.5-32k	5.0	5.0	2.5	2.0
ChatGLM2-6B-32k	1.0	0.5	0.5	1.0
ChatGLM3-6B-32k	3.5	3.0	1.0	0.5
Vicuna-7b-v1.5-16k	5.0	1.5	1.0	2.5
Vicuna-13b-v1.5-16k	5.0	5.0	3.0	4.0
Random Guess	4.2	4.2	4.2	4.2

Table 12: **TSort** results under long-context settings(200-testcase subset).

TSort:

You are an AI assistant. Your job is to sort multiple book sections into the correct order.

Each time, you will be provided with 4 pieces of text.

These texts form a continuous part of a book, but are provided in random order.

You need to find the correct order and return the answer in a string.

For example, if you output [4, 1, 3, 2], that means the correct order is: Part 4 -> Part 1 -> Part 3 -> Part 2.

You will also be provided with the neighboring paragraphs before and after the 4 pieces of texts.

The case sample is shown below and you should give me the answer in the format exactly the same as the sample.

However, you should NOT focus on the content of sample answer.

Please do NOT output any extra content.

Sample Input (format only):

Before: XXX (Text before the continuous book part)

Part 1: XXX

Part 2: XXX

Part 3: XXX

Part 4: XXX

After: XXX (Text after the continuous book part)

Sample Output (format only):

Answer: [4, 1, 3, 2]

BestAnswer:

You are an AI assistant. Your job is to find out the most helpful answer to a given question.

Each time, you will be provided with a question and n answers to this question.

Each answer begins with an 'A' and a number(e.g. A4), which represents its designation.

You need to determine which answer is the most helpful one to the question.

The case sample is shown below and you should give me the answer in the format exactly the same as the sample.

However, you should NOT focus on the content of sample answer.

Sample Input (format only):

The question is given below.

XXX(The content of question)

Possible answers are given below.

A1:

XXX(The content of answer 1)

A2:

XXX(The content of answer 2)

.

.

.

An:

XXX(The content of answer n)

Now the answers are over, please decide which answer is the most helpful one to the question. You must give me only the designation of the MOST helpful answer.

Sample Output (format only):

Answer: The designation of the most helpful answer.(e.g. A4 means answer 4 is the most helpful answer)

BestAnswer (200-testcase)	1k	2k	4k	6k	8k	12k	16k
GPT-4-Turbo-0125	73.5	73.5	65.5	63.0	56.5	52.0	44.5
GPT-4-Turbo-1106	74.0	73.5	67.5	59.5	53.5	49.5	44.0
GPT-3.5-turbo-1106	61.5	48.5	41.5	29.5	17.0	2.5	2.5
Claude-2	65.0	43.5	23.5	15.0	17.0	12.0	11.0
LongChat-7b-v1.5-32k	32.5	8.0	3.5	3.0	2.5	1.5	1.0
ChatGLM2-6B-32k	36.0	10.5	3.0	0.5	1.5	0.0	0.0
ChatGLM3-6B-32k	37.0	15.5	5.5	4.0	5.5	0.5	0.5
Vicuna-7b-v1.5-16k	32.5	8.5	2.5	3.5	3.0	0.5	2.0
Vicuna-13b-v1.5-16k	52.0	29.0	11.0	4.0	1.5	1.0	1.5
Random Guess	26.7	10.1	4.5	3.0	2.3	1.4	1.1

Table 13: **BestAnswer** results under long-context settings(200-testcase subset).