

Digging Errors in NMT: Evaluating and Understanding Model Errors from Partial Hypothesis Space

Jianhao Yan*

WeChat AI, Tencent, China
elliottyan37@gmail.com

Chenming Wu*

Tencent, China
wcm1994@gmail.com

Fandong Meng

WeChat AI, Tencent, China
fandongmeng@tencent.com

Jie Zhou

WeChat AI, Tencent, China
withtomzhou@tencent.com

Abstract

Solid evaluation of neural machine translation (NMT) is key to its understanding and improvement. Current evaluation of an NMT system is usually built upon a heuristic decoding algorithm (e.g., beam search) and an evaluation metric assessing similarity between the translation and golden reference. However, this system-level evaluation framework is limited by evaluating only one best hypothesis and search errors brought by heuristic decoding algorithms. To better understand NMT models, we propose a novel evaluation protocol, which defines model errors with model’s ranking capability over hypothesis space. To tackle the problem of exponentially large space, we propose two approximation methods, top region evaluation along with an exact top- k decoding algorithm, which finds top-ranked hypotheses in the whole hypothesis space, and Monte Carlo sampling evaluation, which simulates hypothesis space from a broader perspective. To quantify errors, we define our NMT model errors by measuring distance between the hypothesis array ranked by the model and the ideally ranked hypothesis array. After confirming the strong correlation with human judgment, we apply our evaluation to various NMT benchmarks and model architectures. We show that the state-of-the-art Transformer models face serious ranking issues and only perform at the random chance level in the top region. We further analyze model errors on architectures with different depths and widths, as well as different data-augmentation techniques, showing how these factors affect model errors. Finally, we connect model errors with the search algorithms and provide interesting findings of beam search inductive bias and correlation with Minimum Bayes Risk (MBR) decoding.¹

1 Introduction

Sequence-to-sequence models (Sutskever et al., 2014; Vaswani et al., 2017) have shown promising results in neural machine translation (NMT), where methods typically frame a conditional probability distribution from a source sentence to a target sentence. One key to the booming of neural machine translation is the sound evaluation, which shows the trajectory to a better model design and architecture. The commonly used evaluation protocol of an NMT system comprises two main components: a search algorithm and an evaluation metric. The algorithm is responsible for decoding a translated sentence, and the metric computes the discrepancy between the generated translation and the reference.

The above evaluation protocol is preferred as it is consistent with what we serve in production NMT. It has an underlying assumption that the gap between an NMT model and the ideal model can be depicted by the gap between decoded translations and references. However, this assumption does not always hold. Recent literature (Stahlberg and Byrne, 2019; Meister et al., 2020) points out that search errors brought by heuristic decoding methods would hide huge flaws of NMT models (model errors). The empty string is commonly scored with the highest probability among the model’s probabilities over all hypotheses. Thus, disentanglement between search algorithms and NMT models is necessary for evaluating NMT systems.

Previous approaches disentangle search errors and model errors. However, they only take the *mode*² of the hypothesis space, i.e., all hypothesis accompanied with their probabilities, to evaluate model errors, which is not comprehensive. We ask two research questions:

- *Q1: How to define a more comprehensive eval-*

*Equal contribution.

¹Source code: https://github.com/ElliottYan/digging_errors_nmt

²Mode is the hypothesis with the highest probability in a distribution.

uation over the hypothesis space?

- Q2: With such evaluation, how do different architecture/data augmentation/search methods affect model errors?

To answer these questions, we introduce a new paradigm to evaluate model errors in hypothesis space. The decoding and evaluation of model errors need to fit the requirements of the new paradigm. For the decoding algorithm, it should be both exact (not affected by search errors) and able to access more representative part of hypothesis space. For the evaluation, it is essential to identify how good or bad these parts are quantitatively. Particularly, to deal with prohibitively large search space, we introduce two approximations: the top region evaluation, alongside with an exact top- k decoding algorithm that not only avoids search errors but can access the top-ranked region of the whole hypothesis space, and the Monte Carlo sampling based evaluation. In addition, we provide formal definitions of evaluation in hypothesis space. We use hypothesis ranking (HR) as a proxy for measuring the distance between the model’s hypothesis space and ideal hypothesis space.

After confirming the strong correlation between our evaluation and human judgment, extensive experiments are conducted over three machine translation benchmarks with small, medium, and large sizes. We apply our proposed evaluation as a useful tool to analyze models and search algorithms. We identify that the state-of-the-art Transformer models have weak hypothesis ranking abilities only about the random chance level in the top region. We further analyze model errors on models with different depths and widths, as well as applied with different data-augmentation techniques, showing how these affect model errors. In addition, we connect our model errors with search algorithms. Specifically, with our top-region evaluation, we provide quantitative results on beam search’s lucky biases. With sampling-based evaluation, we show it correlates well with the promising minimum risk decoding.³

Our contributions can be summarized as follows.

- We propose an NMT model error evaluation over hypothesis space, with two approximated solutions addressing the prohibitively large hypothesis space and corresponding hypothesis-ranking (HR) metrics.

³Codes will be released soon.

- We conduct in-depth analysis over various NMT techniques and find that the state-of-the-art Transformer models face severe hypothesis-ranking problems with abilities at the random chance level in top region.
- We show that our evaluation is effective in analyzing the beam search’s lucky biases and correlates well with the MBR decoding.

2 Definitions

We first introduce definitions of *system level*, *hypothesis mode* and *hypothesis space evaluations*.

2.1 NMT Model and Hypothesis Space

Give an NMT model M , a source sentence x and a reference sentence \hat{y} . Most of the NMT models are auto-regressive models, which define a conditional distribution for a hypothesis y_i as:

$$\begin{aligned} P(y_i|x) &= \prod_{t \in (1, T)} P(y_i^t|x; y_i^{1:t-1}), \\ &= M(x, y_i), \end{aligned} \quad (1)$$

where t represents the time step on target side and T is the total length of y_i .

The hypothesis space of M is defined as the set of all hypotheses given by M along with their probabilities,

$$\mathcal{Y} = \{(y_i, P(y_i|x)), \forall P(y_i|x) > 0\}, \quad (2)$$

and we refer to \mathcal{Y} as M ’s **hypothesis space**.⁴

2.2 System level Evaluation

Given a decoding algorithm F and an evaluation metric such as BLEURT or COMET (Sellam et al., 2020; Rei et al., 2020), the system-level evaluation of an NMT system usually proceeds by first decoding a hypothesis y' from the hypothesis space:

$$y' = F(\mathcal{Y}), \quad (3)$$

where F usually selects one or a few translation(s) with the highest step-by-step conditional probabilities from hypothesis space according to the auto-regressive modeling. Next, system-level evaluation measures the similarity between y' and reference \hat{y} .

$$S_{\text{system}} = \text{Score}(\hat{y}, y'). \quad (4)$$

⁴Note that there is a difference between the hypothesis space and search space, where the latter one illustrates the hypotheses that can be searched out.

2.3 Hypothesis Mode Evaluation

It is recognized in previous literature (Niehues et al., 2017; Stahlberg et al., 2018; Stahlberg and Byrne, 2019; Meister et al., 2020) that evaluating an NMT model and the decoding method as a whole system hinders the understanding of NMT model errors. Therefore, Stahlberg and Byrne (2019) propose an exact decoding method that finds the top-1 hypothesis y_m over hypothesis distribution (mode) to evaluate model errors:

$$y_m = \operatorname{argmax}_{y \in \mathcal{Y}} (P(\mathcal{Y})), S_{\text{me}} = \text{Score}(\hat{y}, y_m). \quad (5)$$

They find empty strings usually appear to be the modes of distributions and use the empty rate of modes to quantify the model errors. We call this paradigm the mode-level evaluation in the following sections.

2.4 Hypothesis Space Evaluation

Selecting only one hypothesis in the whole hypothesis space loses much information of the hypothesis distribution and makes the evaluation biased. Suppose we have two models A and B. Both of them have the mode hypotheses of empty string "<EOS>". However, other top hypotheses of A are high-quality translations, and those of B are low-quality translations. The mode-level evaluation will falsely regard them as the same. To avoid such in-comprehensive bias, we define a new evaluation in the perspective of hypothesis space, which computes its distance with the ideal hypothesis space $\mathcal{Y}_{\text{ideal}}$:

$$S_{\text{space}} = D(\mathcal{Y}, \mathcal{Y}_{\text{ideal}}). \quad (6)$$

It is nontrivial to provide a sound definition to the ideal hypothesis space $\mathcal{Y}_{\text{ideal}}$ of an NMT model. Here we mainly model one key attribute of the ideal space, which we call the *hypothesis ranking ability*. Intuitively, the ideal model's hypothesis space should align with the translation qualities over all hypotheses. In particular, if the translation quality of a specific hypothesis translation y_i is better than that of y_j , the model's probability over y_i should also be higher than that over y_j .

$$P(y_i|x) > P(y_j|x) \text{ if } Q(y_i) > Q(y_j) \\ \forall y_i, y_j \in \mathcal{Y}, \quad (7)$$

where $Q(y_i)$ is the translation quality function (e.g., COMET), and short for $Q(\hat{y}, y_i)$.

Hence, by extending such ability from pairwise to all hypotheses of a source sentence x , we define a

proxy for ideal hypothesis space using the perfectly ordered hypothesis array of which the indices are sorted by translation quality. Formally, we define a perfect hypothesis-level ranking (HR) array \mathcal{Y}_{HR} over the hypothesis space \mathcal{Y} with,

$$\mathcal{Y}_{\text{HR}} = [y_{\text{HR}}^0, y_{\text{HR}}^1, \dots, y_{\text{HR}}^n]; \quad (8)$$

$$I_{\text{HR}} = \operatorname{argsort}([Q(y_1), \dots, Q(y_n)]). \quad (9)$$

Analogously, we define \mathcal{Y}_{M} as the array sorted by model probabilities,

$$\mathcal{Y}_{\text{M}} = [y_{\text{M}}^0, y_{\text{M}}^1, \dots, y_{\text{M}}^n]; \quad (10)$$

$$I_{\text{M}} = \operatorname{argsort}([P(y_1|x), \dots, P(y_n|x)]). \quad (11)$$

Next, we can now define the model errors over hypothesis space with the distance between these two sorted arrays,

$$S_{\text{dist}} = D(\mathcal{Y}_{\text{HR}}, \mathcal{Y}_{\text{M}}), \quad (12)$$

where D is a certain distance function.

3 Our Proposed Evaluation

Two key designs of the evaluation over hypothesis space are the choice of distance functions and tackling the intractably large space. In this section, we first discuss our distance functions. Then, we propose two methods to simulate the hypothesis space, with the topmost and sampled hypotheses respectively.

3.1 Model Errors

We propose two distance functions to describe ranking distance D in this section. First, we propose an extended version of nDCG (Järvelin and Kekäläinen, 2002), which we coin **k**-approximated **Ranked Gains (kRG)**:

$$\text{kRG}(\mathcal{Y}_{\text{HR}}, \mathcal{Y}_{\text{M}}) = \frac{\text{DCG}_k(\mathcal{Y}_{\text{M}})}{\text{DCG}_k(\mathcal{Y}_{\text{HR}})}, \quad (13)$$

$$\text{DCG}_k(\mathcal{Y}) = \sum_{y_j \in \mathcal{Y}} \frac{f(y_j)}{\log_2(j+1)}, \quad (14)$$

$$f(y_j) = k - \text{Rank}(y_j, \mathcal{Y}_{\text{HR}}), \quad (15)$$

where $f(y_j)$ denotes the relevance score of a certain ranked hypothesis and k is the length for approximated \mathcal{Y}_{HR} and \mathcal{Y}_{M} . kRG directly measures the ranking of a model's hypotheses array, where 0 means a completely wrong ranking and 1 means a perfect ranking.

Next, in concern of translation quality of selected hypotheses, we further propose **k**-approximated

Quality-based Ranked Gains (**kQRG**):

$$\text{kQRG}(\mathcal{Y}_{\text{HR}}, \mathcal{Y}_{\text{M}}) = \frac{\text{DCG}_{qk}(\mathcal{Y}_{\text{M}})}{\text{DCG}_{qk}(\mathcal{Y}_{\text{HR}})}, \quad (16)$$

$$\text{DCG}_{qk}(\mathcal{Y}) = \sum_{y_j \in \mathcal{Y}} \frac{Q(y_j)}{\log_2(j+1)}, \quad (17)$$

where we replace relevance score with translation quality $Q \in [0, 1]$ and normalize over \mathcal{Y}_{HR} . We approximate $\text{DCG}_{qk}(\mathcal{Y}_{\text{HR}})$ with its upper-bound:

$$\text{DCG}_{qk}(\mathcal{Y}_{\text{HR}}) = \sum_{y_j \in \mathcal{Y}_{\text{HR}}} \frac{Q(y_j)}{\log_2(j+1)} \quad (18)$$

$$\leq \sum_{j \in [0:k]} \frac{1.0}{\log_2(j+1)}. \quad (19)$$

kQRG consider both how the hypotheses are ranked and whether these hypotheses have good translation qualities. Unlike kRG, the bound and interpretation of kQRG depends on the choice of translation quality functions, which we will discuss later.

3.2 Simulating Hypothesis Space

As discussed above, it is intractable to obtain the HR array \mathcal{Y}_{HR} and model ranked array \mathcal{Y}_{M} . Our evaluation has to rely on approximations. Here, we present two methods to approximate the hypothesis space, namely the top hypothesis region and Monte Carlo sampling.

3.2.1 Top Hypothesis Region

While always being hindered by search errors, MAP decoding, the de facto standard search algorithm in NMT applications, seeks the topmost hypotheses from the whole space. Thus, one reasonable approximation is to focus more on hypotheses with the highest probabilities, which are regarded, by the model, with great importance and are the globally optimal solutions for MAP decoding. Formally, we define a top region model array:

$$\tilde{\mathcal{Y}}_{\text{M}} = \mathcal{Y}_{\text{M}}[0 : k]; \quad \tilde{I}_{\text{M}} = I_{\text{M}}[0 : k], \quad (20)$$

where k denotes how many top-ranked hypotheses we consider.

Exact Top- k Decoding To find the topmost hypotheses, we extend the exact decoding algorithm (Stahlberg and Byrne, 2019) and propose a top- k DFS-based exact decoding algorithm (Algorithm 1). Our decoding method is guaranteed to find the exact top- k hypotheses from the model’s hypothesis space. Particularly, we traverse the search space of an NMT model in a depth-first manner. We enumerate all tokens in the vocabulary at each search

ALGORITHM 1: DFS-based Top- k Exact Search.

```

Input :x: Source sentence, y: Translation prefix
         (default: [], p: log P(y|x) (default 0.0), k:
         Top-k hypotheses to output, V: Vocabulary.
1 , Output :List  $l$  contains top-k hypotheses with
         log-probabilities.
2 global minHeap
3 global  $\gamma \leftarrow -\text{inf}$ 
4 Function dfsTopK( $x, y, p$ ):
5   if  $y[|y| - 1] = </s>$  then
6     push(minHeap, ( $p, y$ ))
7     if  $\text{len}(\text{minHeap}) > k$  then
8       pop(minHeap)
9     end
10    if  $\text{len}(\text{minHeap}) = k$  then
11       $\gamma \leftarrow \text{minHeap}[0][0]$ 
12    end
13  end
14  for  $v \in V$  do
15     $p' \leftarrow p + \log P(v|x, y)$ 
16    if  $p' \geq \gamma$  then
17      dfsTopK( $x, [y; v], p'$ )
18    end
19  end
20  return minHeap
21 return dfsTopK( $x, [], 0.0$ )

```

step and concatenate them with the current history as the next possible translation prefixes. During the search process, we keep track of the current top- k hypotheses that we find. Specifically, a minimum heap is used to maintain current top- k hypotheses during the search procedure. The hypothesis with the lowest score in the minimum heap dynamically update our lower bound during searching: Once we find a newly finished hypothesis (i.e., ended with $</s>$), we push the hypothesis into the heap and make adjustments to retain the heap size equals k . Then, we update the lower bound and truncate decoding paths. Finally, the hypotheses stayed in the minimum heap are returned. We use beam search result as the initial bound of the search space and sort the vocabulary before enumeration for a faster update of lower bounds. The implementation tricks and computational cost analysis can be found in Appendix D.

3.2.2 Hypothesis Region Sampling

Besides the view of topmost region over the hypothesis space, we also provide a broad view for hypothesis space. We use Monte Carlo sampling to simulate the whole space as follows. Note that we slightly abuse the notation with k as the number of

samples.

$$y_i \sim P(y|x), i \in [0, k] \quad (21)$$

$$\tilde{\mathcal{Y}}_M = [y_{\tilde{I}_M^0}, y_{\tilde{I}_M^1}, \dots, y_{\tilde{I}_M^k}], \quad (22)$$

$$\tilde{I}_M = \text{argsort}([Q(y_{\tilde{I}_M^0}), \dots, Q(y_{\tilde{I}_M^k})]). \quad (23)$$

In both cases, there will be k items in the array.

Then, we reorder hypotheses appeared in $\tilde{\mathcal{Y}}_M$ to form a local HR array $\tilde{\mathcal{Y}}_{HR}$,

$$\tilde{\mathcal{Y}}_{HR} = [y_{\tilde{I}_{HR}^0}, y_{\tilde{I}_{HR}^1}, \dots, y_{\tilde{I}_{HR}^k}], \quad (24)$$

$$\tilde{I}_{HR} = \text{argsort}([Q(y_{\tilde{I}_{HR}^0}), \dots, Q(y_{\tilde{I}_{HR}^k})]). \quad (25)$$

4 Validation of Our Protocol

This section validates the proposed protocol from the perspectives of translation quality, ranking capability and human evaluation.

Translation Quality. There are a number of sentence-level metrics proposed in neural machine translation. For example, there are string-based metrics like BLEU and ChrF (Papineni et al., 2002; Popović, 2015) and neural model-based metrics like BLEURT and COMET (Sellam et al., 2020; Rei et al., 2020). Recent studies and our human evaluation described later show that COMET scores are superior to other metrics in the correlations with human evaluation. (Kocmi et al., 2021; Mathur et al., 2020; Freitag et al., 2021b). Thus, we use COMET for main results of this paper.

Ranking Capability. The ranking capability of our protocol is evaluated by the nDCG metric, which is a widely used metric in many different areas that need to quantitatively measure the ranking efficacies (Liu et al., 2018; Agarwal et al., 2020). The reliability of nDCG is well supported by previous literature. As a result, the validations of translation quality and ranking capability enable our protocol to be a solid evaluation protocol.

Human Evaluation. Moreover, we provide the human evaluation in this section to strengthen the validation of our protocol. We follow (Kocmi et al., 2021) to design the human evaluation. Specifically, we randomly select our NMT systems trained by the NIST Zh-En dataset into three evaluation groups. Each of which consists of comparison among three different systems, where we sample 50 sentences from NIST Zh-En test sets and provide top-5 exact decoding results (\tilde{Y}_M). As a result, each group has 750 sentences, and we conduct the human evaluation on a total of 9 systems.

We ask three professional Chinese-English translators to answer a question: how far are the array

of translations from the perfect ranked outputs? (kQRG) The annotators are required to give a score between 1 to 5. However, the scores are sometimes hard to give directly. Therefore, we ask human annotators to first have a sentence-level assessment of all translated sentences on a scale of [0, 100], following the source-based Direct Assessment method (DA, Graham et al. (2017)). We do not provide the reference to avoid the reference bias (Kocmi et al., 2021). Then, annotators provide their ranking and total quality scores based on their scoring results of a system’s top- k (e.g., [40, 75, 40, 80]). We compute Pearson’s/Spearman’s Correlations between human scores and the corresponding kQRG on the top-5 translations. The results are 0.8554/0.8506 respectively ⁵, which demonstrate a strong correlation between our proposed protocol and human judgments. We also conduct experiments comparing the correlation using different translation quality metrics other than COMET in the Appendix A, including Sentence-BLEU, BLEURT (Sellam et al., 2020), ChrF (Popović, 2015), COMET-QE (Rei et al., 2020), and COMET correlates well with human results. We believe the above results validate our proposed protocol.

5 Experiments and Findings

In this section, we use our proposed evaluation protocol to evaluate two crucial factor of NMT systems – model architecture and search algorithm.

Setups. All experiments are conducted over three commonly used NMT benchmarks, NIST Chinese-English, WMT’ 14 English-German, and WMT’ 14 English-French with small, medium, and large sizes. The statistics of datasets, pre-processing and training details can be found in Appendix B.

Evaluation Details. We use COMET (Rei et al., 2020) as our translation quality function among all experiments. We also provide results with ChrF (Popović, 2015) in the Appendix, as suggested in Kocmi et al. (2021). By default, we use top-10 hypotheses for top region and 200 random samples for Monte Carlo sampling in all experiments.

Interpretation. We report kRG and kQRG results in our experiments. The kRG measures the ‘local’ ranking ability of the top region of hypothesis space, directly representing whether the model correctly puts high-quality hypotheses over bad quality ones. The results range from 0 to 100%, where 0

⁵<https://www.statstutor.ac.uk/resources/uploaded/spearmans.pdf>

Method	System	Mode	Top	Sample
	BLEU	# Emp	kQRG	kQRG
Transformer	27.22	64.70	-60.39	-106.75
w/o LS	26.76	34.85	-17.75	-25.07
w/ para BT	27.36	27.26	-13.04	-19.52
w/ para FT	28.06	0.93	43.27	10.43
w/ 12-layer Enc	27.75	58.11	-50.57	-104.94
w/ 18-layer Enc	28.03	53.58	-43.88	-97.46
w/ Dim 768	28.00	50.18	-43.33	-101.23
w/ Dim 1024	28.49	44.72	-34.56	-84.93

Table 1: Model errors of different models in WMT’14 En-De task. ‘para BT’ and ‘para FT’ denote back-translation and forward-translation over parallel golden data, and LS denotes label smoothing.

denotes a completely wrong ranking, and 100% denotes a perfect ranking. Alternatively, kQRG measures two aspects: ‘local’ ranking ability and hypothesis selection – the quality of hypotheses that we can get from top-region or sampling. Using COMET trained with normalized z-scores, the kQRG values are not bounded by $[0, 1]$ and may have negative values. A z-score above 0 means that the translation is better than average, and below 0 is the opposite. Thus, recall our definitions, we have two anchors to interpret kQRG values, where 0 means average translation qualities and 1 means perfect rankings with COMET values of 1, which is not the highest but a strong score.

5.1 Findings on NMT Techniques

Table 1 demonstrates the results for different Transformer-based models in WMT’14 En-De. Results across different languages and other translation metrics can be found in Appendix C and are consistent with our main results. We make following observations:

1. Failure of mode evaluation. Let us take a look at the empty rates, the evaluation for model errors proposed in previous literature. We find that removing label smoothing, adding pseudo-parallel data will drastically decrease the number of empty rates, even close to 0 (“para FT”), indicating an almost perfect model with tiny model errors. However, it is not the case. Our kRG and kQRG results indicate that the model still has much to improve. These demonstrate that mode-level evaluation collapses when evaluating certain models and the superiority of our evaluation.




Figure 1: Ranking ability with respect to increasing number of k . **Left:** Top Region; **Right:** Sampling.




Figure 2: kQRG for Wide/Deep models. T-S- denote Top Region/Sampling. **Left:** Model Dimension; **Right:** Decoder Depth.

2. The State-of-the-art Transformer models face serious ranking problem in top region. In Figure 1, we plot the kRG results for top region and sampling. To further investigate the results, we also plot a random kRG. Recall definitions in Equation (13). The list of relevance scores $f(y_j)$ is a certain permutation of $[0, 1, \dots, k-1]$. The random results are averaged from 100k samples of permutations.

For top region model errors shown on the left, the model’s kRG values are close to the random line when increasing k . Such behavior indicates severe ranking errors, and the model performs only at the random chance level in the top region. In contrast, by studying the sampled results on the right, the model outperforms the random line with a considerable gap. The model’s opposite behaviors from the top region and sampling approximation are surprising. We conjecture that the NMT model can distinguish good/bad hypotheses coarsely but fail at the top region and fine-grained levels.

The above findings provide another explanation on why MBR decoding (Eikema and Aziz, 2020; Freitag et al., 2021a) achieved better performance recently, as the model can better rank the sampling outputs. Rank-sensitive training (Chiang, 2012) might be a possible solution for the ranking errors.

3. Widening models are more effective in reducing model errors. Recently, many interests have been drawn for using deeper models (Wang et al., 2019; Li et al., 2020) instead of wider models (Yan et al., 2020) to increase model capacity. Here we study the model errors of wider and deeper models.

Our results are shown in Figure 2. With the

Method	Top Region		Beam Search	
	kRG	kQRG	kRG	kQRG
6-layer	81.37	-74.72	80.82 ^{-0.55}	19.46 ^{+94.19}
9-layer	81.38	-74.66	81.16 ^{-0.22}	20.47 ^{+95.13}
12-layer	80.62	-66.02	80.84 ^{+0.22}	22.02 ^{+88.04}
15-layer	80.94	-66.60	80.90 ^{-0.04}	22.34 ^{+88.94}
18-layer	81.42	-73.54	80.69 ^{-0.74}	22.31 ^{+95.85}
D384	82.05	-86.18	80.59 ^{-1.46}	16.46 ^{+102.63}
D512	81.37	-74.72	80.82 ^{-0.55}	19.46 ^{+94.19}
D640	80.82	-67.44	81.16 ^{+0.34}	21.63 ^{+89.06}
D768	80.91	-58.92	81.11 ^{+0.19}	22.28 ^{+81.21}
D896	80.20	-56.01	80.14 ^{-0.06}	22.01 ^{+78.01}
D1024	80.57	-54.26	81.26 ^{+0.69}	23.26 ^{+77.52}

Table 2: Hypothesis space evaluation over top-10 outputs versus beam top-10 outputs when increasing dimensions / enc layers .

increases in model dimensions, model errors with top region and sampling have both been improved. In contrast, a deeper decoder shows smaller model errors in the top region, but larger model errors in sampling (whole hypothesis space), which is counter-intuitive as we would expect that a larger model capacity means smaller model errors. As we do not observe a clear trend in increasing encoder depth, we put these results in the Appendix in case readers are interested.

4. Model confidence may be crucial to reducing model errors. Results show that *w/ para FT*, *w/ para BT* and *w/o LS* all show impressive improvements in kQRG in both of our evaluations. Nonetheless, their BLEU scores with beam search are only comparable/worse than other methods like deep/wide models. In this case, system-level evaluation fails to capture decent improvements over the model’s hypothesis space. As forward-translation training and disabling label-smoothing are expected to enhance the model confidence, we conjecture that model errors are highly related to model confidence and leave the exploration as future work. ⁶

5.2 Connection to Search Algorithms

5.2.1 Quantify Beam Search Lucky Biases

As pointed out in recent work (Meister et al., 2020), beam search seems to bring a lucky bias that covers some of the model errors. This section utilizes our

⁶Due to the space limitation, we address the ablation with different base architecture, different datasets, and different origins in the Appendix.

Method	Pearson	Cost
MBR	1.000	N^2
Beam Search	-0.143	N
Sampling	0.975	N
Ours	0.977	N

Table 3: Correlation studies for MBR decoding.

proposed metric to understand the bias brought by beam search, since our top-region evaluation finds the best solution for MAP decoding with no search errors.

Concretely, we use kRG and kQRG to evaluate the errors from both exact top- k and beam search top- k outputs and compare the scores to check the effect of beam search bias. In this way, the gap between two errors represents the lucky bias brought by beam search quantitatively. Experiments are conducted in NIST Zh-En, and results are shown in Table 2. We have several interesting findings.

Firstly, beam search leads to a decent improvement (from +77% to +102%) in kQRG, which quantitatively proves the existence of beam search’s lucky bias in recent work.

Then, beam search generally does not affect ranking abilities. As shown, the gaps of kRG between the beam and exact outputs are generally small and fluctuate around 0. We do not observe a clear trend of beam search bias in ranking abilities.

Furthermore, we analyze deeper and wider models and observe different behaviors. There is a clear trend in decreasing the gap between the beam and the exact when increasing the model’s width. Conversely, the lucky biases of beam search retain when increasing the model’s depth, showing deeper models are more compatible with beam search biases than wider ones. Such behaviors concur with the studies, showing that deeper models perform more efficiently and effectively with beam search than wider models (Wang et al., 2019; Li et al., 2020). We show that the observed superiority of deep models may stem from their compatibility with beam search’s inductive bias.

5.2.2 Correlations with MBR Decoding

MBR decoding emerges as a promising and powerful decoding algorithm instead of beam search (Eikema and Aziz, 2020; Freitag et al., 2021a), which makes use of sampled hypothesis space and is relevant to our proposed evaluation. Here, it is necessary to study the correlation between our proposed sampling evaluation and MBR decoding.

Concretely, we perform experiments over our ten systems with WMT’14 En-De, and we test the Spearsman/Kendall correlation between MBR decoding translation qualities and our sampled kQRG scores. For MBR, we use 100 samples per source sentences and BLEURT (Sellam et al., 2020) as our utility function, following Freitag et al. (2021a). One salient advantage of our proposed evaluation instead of directly MBR over test sets is the computational cost. For instance, with 100 samples, our evaluation uses 100 BLEURT calls per sentence, while the naive MBR needs 10k BLEURT calls due to its usage of quadratic computations.

We also report the correlation for the other two evaluations, namely beam search and sampling. As shown in Table 3, our method performs the best among the three evaluations, and it indicates a potential application for our sampling-based kQRG.

6 Related Work

Decoding Methods. Most decoding methods in NMT aims to find the hypothesis with the highest conditional probability, i.e., maximum-a-posterior (MAP) decoding. Among all MAP decoding methods, beam search is most widely applied in the modern NMT systems for evaluation. Naive beam search has several known drawbacks, such as favoring short translations and its monotonic constraint. Hence, many regularization/rescoring methods (Bahdanau et al., 2014; Wu et al., 2016; He et al., 2016; Yang et al., 2018; Murray and Chiang, 2018) or beam search variants (Freitag and Al-Onaizan, 2017; Shu and Nakayama, 2018) are proposed to improve the performance. Other than beam search, one promising MAP decoding for evaluation is the DFS-based exact search (Stahlberg and Byrne, 2019), which finds the mode of model distributions. Despite its high computational cost, it reveals important information about the learned hypothesis space. We follow this approach and present a top- k exact search method, which can access the top-region of hypothesis space.

In addition, there are some non-MAP decoding algorithms. A typical one is the stochastic sampling-based decoding methods (Ackley et al., 1985; Holtzman et al., 2019), which randomly choose candidates from each step’s output distribution. Further, Eikema and Aziz (2020) introduces a Minimum Bayesian Risk decoding method based on sampling. Leblond et al. (2021) propose a metric-driven search approach via Monte-Carlo

Tree Search (MCTS). The sampling-based methods are promising and may incorporate with our evaluation in future directions.

Error Evaluation. Evaluation of NMT errors focuses on studying the gap between machine-translated results and human-translated references. Statistical matching metrics (Papineni et al., 2002; Banerjee and Lavie, 2005; Koehn et al., 2007; Denkowski and Lavie, 2014; Guo and Hu, 2019) and pretrained metrics (Sellam et al., 2020; Rei et al., 2020) are two dominant directions in evaluating errors. These metrics prove that linguistic similarity between references and machine translations correlates the human evaluation well. However, to the best of our knowledge, these statistical metrics evaluate one best hypothesis decoded from heuristic decoding algorithm (i.e., system-level evaluation), which incorporate huge search errors and bias understanding of NMT models.

Recent efforts (Niehues et al., 2017; Stahlberg et al., 2018; Stahlberg and Byrne, 2019; Meister et al., 2020; Eikema and Aziz, 2020) are devoted to analyzing model errors without search errors and provide meaningful conclusions. Nonetheless, these approaches still evaluate over one hypothesis in hypothesis space except with the one with highest probability. This is incomprehensive due to neglecting errors inside the whole hypothesis space. In contrast, we dig into model errors over top regions and provide a more comprehensive evaluation. In addition, we provide various interesting findings over model errors with regards to NMT techniques and search algorithms.

7 Conclusion

This paper presents a novel evaluation protocol for model errors in the perspective of rankings over the hypothesis space. Specifically, our evaluation encompasses two approximated evaluations, top region and Monte Carlo Sampling, and two metrics, kRG and kQRG, measuring the hypothesis ranking ability of hypothesis space. Our evaluations correlate well with human judgments and provide interesting findings over NMT techniques and search algorithms. We believe these findings shed light on future development in the NMT field.

For future directions, we think the evaluation of NMT models should disentangle with search algorithms, and assess models more comprehensively from the perspective of hypothesis space. Furthermore, the effectiveness of different NMT

techniques should also be re-evaluated from such a perspective. We expect multi-angle evaluations over the NMT models. Errors we revealed, like the ranking errors, need to be fixed and may have connections with the well-known beam search curse problem, which is also a promising direction worth exploring.

References

- David H Ackley, Geoffrey E Hinton, and Terrence J Sejnowski. 1985. A learning algorithm for boltzmann machines. *Cognitive science*, 9(1):147–169.
- Shubham Agarwal, Trung Bui, Joon-Young Lee, Ioannis Konstas, and Verena Rieser. 2020. History for visual dialog: Do we really need it? In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, pages 8182–8197, Online. Association for Computational Linguistics.
- Dzmitry Bahdanau, Kyunghyun Cho, and Yoshua Bengio. 2014. Neural machine translation by jointly learning to align and translate. *arXiv preprint arXiv:1409.0473*.
- Satanjeev Banerjee and Alon Lavie. 2005. Meteor: An automatic metric for mt evaluation with improved correlation with human judgments. In *Proceedings of the acl workshop on intrinsic and extrinsic evaluation measures for machine translation and/or summarization*, pages 65–72.
- David Chiang. 2012. Hope and fear for discriminative training of statistical translation models. *Journal of Machine Learning Research*, 13(4).
- Michael Denkowski and Alon Lavie. 2014. Meteor universal: Language specific translation evaluation for any target language. In *Proceedings of the ninth workshop on statistical machine translation*, pages 376–380.
- Chris Dyer, Victor Chahuneau, and Noah A Smith. 2013. A simple, fast, and effective reparameterization of ibm model 2. In *Proceedings of the 2013 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 644–648.
- Bryan Eikema and Wilker Aziz. 2020. Is map decoding all you need? the inadequacy of the mode in neural machine translation. In *Proceedings of the 28th International Conference on Computational Linguistics*, pages 4506–4520.
- Markus Freitag and Yaser Al-Onaizan. 2017. Beam search strategies for neural machine translation. In *Proceedings of the First Workshop on Neural Machine Translation*, pages 56–60.
- Markus Freitag, David Grangier, Qijun Tan, and Bowen Liang. 2021a. Minimum bayes risk decoding with neural metrics of translation quality. *arXiv preprint arXiv:2111.09388*.
- Markus Freitag, Ricardo Rei, Nitika Mathur, Chi-kiu Lo, Craig Stewart, George Foster, Alon Lavie, and Ondřej Bojar. 2021b. Results of the wmt21 metrics shared task: Evaluating metrics with expert-based human evaluations on ted and news domain. In *Proceedings of the Sixth Conference on Machine Translation*, pages 733–774.
- Jonas Gehring, Michael Auli, David Grangier, Denis Yarats, and Yann N Dauphin. 2017. Convolutional sequence to sequence learning. In *International Conference on Machine Learning*, pages 1243–1252. PMLR.
- Yvette Graham, Timothy Baldwin, Alistair Moffat, and Justin Zobel. 2017. Can machine translation systems be evaluated by the crowd alone. *Natural Language Engineering*, 23(1):3–30.
- Yinuo Guo and Junfeng Hu. 2019. Meteor++ 2.0: Adopt syntactic level paraphrase knowledge into machine translation evaluation. In *Proceedings of the Fourth Conference on Machine Translation (Volume 2: Shared Task Papers, Day 1)*, pages 501–506.
- Wei He, Zhongjun He, Hua Wu, and Haifeng Wang. 2016. Improved neural machine translation with smt features. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 30.
- Michael D Hendy and David Penny. 1982. Branch and bound algorithms to determine minimal evolutionary trees. *Mathematical Biosciences*, 59(2):277–290.
- Ari Holtzman, Jan Buys, Li Du, Maxwell Forbes, and Yejin Choi. 2019. The curious case of neural text de-generation. In *International Conference on Learning Representations*.
- Kalervo Järvelin and Jaana Kekäläinen. 2002. Cumulated gain-based evaluation of ir techniques. *ACM Transactions on Information Systems (TOIS)*, 20(4):422–446.
- Tom Kocmi, Christian Federmann, Roman Grundkiewicz, Marcin Junczys-Dowmunt, Hitokazu Matsushita, and Arul Menezes. 2021. To ship or not to ship: An extensive evaluation of automatic metrics for machine translation. *arXiv preprint arXiv:2107.10821*.
- Philipp Koehn, Hieu Hoang, Alexandra Birch, Chris Callison-Burch, Marcello Federico, Nicola Bertoldi, Brooke Cowan, Wade Shen, Christine Moran, Richard Zens, et al. 2007. Moses: Open source toolkit for statistical machine translation. In *Proceedings of the 45th annual meeting of the association for computational linguistics companion volume proceedings of the demo and poster sessions*, pages 177–180.

- Rémi Leblond, Jean-Baptiste Alayrac, Laurent Sifre, Miruna Pisslar, Jean-Baptiste Lespiau, Ioannis Antonoglou, Karen Simonyan, and Oriol Vinyals. 2021. Machine translation decoding beyond beam search. *arXiv preprint arXiv:2104.05336*.
- Bei Li, Ziyang Wang, Hui Liu, Yufan Jiang, Quan Du, Tong Xiao, Huizhen Wang, and Jingbo Zhu. 2020. Shallow-to-deep training for neural machine translation. In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 995–1005.
- Zhenghao Liu, Chenyan Xiong, Maosong Sun, and Zhiyuan Liu. 2018. Entity-duet neural ranking: Understanding the role of knowledge graph semantics in neural information retrieval. In *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 2395–2405, Melbourne, Australia. Association for Computational Linguistics.
- Minh-Thang Luong, Hieu Pham, and Christopher D Manning. 2015. Effective approaches to attention-based neural machine translation. In *Proceedings of the 2015 Conference on Empirical Methods in Natural Language Processing*, pages 1412–1421.
- Alan Mackworth. 2013. Lecture notes in introduction to artificial intelligence.
- Nitika Mathur, Johnny Wei, Markus Freitag, Qingsong Ma, and Ondřej Bojar. 2020. Results of the wmt20 metrics shared task. In *Proceedings of the Fifth Conference on Machine Translation*, pages 688–725.
- Clara Meister, Ryan Cotterell, and Tim Vieira. 2020. If beam search is the answer, what was the question? In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 2173–2185, Online.
- Kenton Murray and David Chiang. 2018. Correcting length bias in neural machine translation. *arXiv preprint arXiv:1808.10006*.
- Jan Niehues, Eunah Cho, Thanh-Le Ha, and Alex Waibel. 2017. Analyzing neural MT search and model performance. In *Proceedings of the First Workshop on Neural Machine Translation*, pages 11–17, Vancouver.
- Myle Ott, Michael Auli, David Grangier, and Marc’Aurelio Ranzato. 2018. [Analyzing uncertainty in neural machine translation](#). In *Proceedings of the 35th International Conference on Machine Learning*, volume 80 of *Proceedings of Machine Learning Research*, pages 3956–3965. PMLR.
- Kishore Papineni, Salim Roukos, Todd Ward, and Wei-Jing Zhu. 2002. Bleu: a method for automatic evaluation of machine translation. In *Proceedings of the 40th annual meeting of the Association for Computational Linguistics*, pages 311–318.
- Maja Popović. 2015. chrF: character n-gram f-score for automatic mt evaluation. In *Proceedings of the Tenth Workshop on Statistical Machine Translation*, pages 392–395.
- Ricardo Rei, Craig Stewart, Ana C Farinha, and Alon Lavie. 2020. Comet: A neural framework for mt evaluation. In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 2685–2702.
- Thibault Sellam, Dipanjan Das, and Ankur Parikh. 2020. BleuRT: Learning robust metrics for text generation. In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, pages 7881–7892.
- Rico Sennrich, Barry Haddow, and Alexandra Birch. 2016. Neural machine translation of rare words with subword units. In *Proceedings of the 54th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 1715–1725, Berlin, Germany.
- Raphael Shu and Hideki Nakayama. 2018. Improving beam search by removing monotonic constraint for neural machine translation. In *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (Volume 2: Short Papers)*, pages 339–344.
- Felix Stahlberg and Bill Byrne. 2019. On NMT search errors and model errors: Cat got your tongue? In *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*, pages 3356–3362, Hong Kong, China.
- Felix Stahlberg, Danielle Saunders, Gonzalo Iglesias, and Bill Byrne. 2018. [Why not be versatile? applications of the SGNMT decoder for machine translation](#). In *Proceedings of the 13th Conference of the Association for Machine Translation in the Americas (Volume 1: Research Track)*, pages 208–216, Boston, MA. Association for Machine Translation in the Americas.
- Ilya Sutskever, Oriol Vinyals, and Quoc V Le. 2014. Sequence to sequence learning with neural networks. *Advances in neural information processing systems*, 27:3104–3112.
- Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N Gomez, Łukasz Kaiser, and Illia Polosukhin. 2017. Attention is all you need. In *Advances in Neural Information Processing Systems*, pages 5998–6008.
- Qiang Wang, Bei Li, Tong Xiao, Jingbo Zhu, Changliang Li, Derek F Wong, and Lidia S Chao. 2019. Learning deep transformer models for machine translation. *arXiv preprint arXiv:1906.01787*.
- Yonghui Wu, Mike Schuster, Zhifeng Chen, Quoc V Le, Mohammad Norouzi, Wolfgang Macherey, Maxim Krikun, Yuan Cao, Qin Gao, Klaus Macherey, et al.

2016. Google’s neural machine translation system: Bridging the gap between human and machine translation. *arXiv preprint arXiv:1609.08144*.

Jianhao Yan, Fandong Meng, and Jie Zhou. 2020. Multi-unit transformers for neural machine translation. In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 1047–1059.

Yilin Yang, Liang Huang, and Mingbo Ma. 2018. Breaking the beam search curse: A study of (re-) scoring methods and stopping criteria for neural machine translation. In *Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing*, pages 3054–3059.

Appendix

Table of Contents

A Correlation with Human Judgements	12
B Experimental Details	12
B.1 Detailed Descriptions of Datasets	12
B.2 Training Details	12
C Additional Experimental Results on Model Errors	13
C.1 Various NMT Benchmarks . .	13
C.2 Various Translation Quality Functions	13
C.3 Various Model Architectures .	14
C.4 Analysis on Original Sources .	14
C.5 Clean and Up-to-date Datasets	14
C.6 Increasing encoder depth . . .	15
D Implementation Details of Exact Top-k	15
D.1 Worst-case Analysis for Exact Search Algorithm	16
D.2 Empirical Computational Cost .	16
D.3 Choice of Different k Values .	16
E Case Study	17
F Limitations	18

A Correlation with Human Judgements

This section provides the correlation results for different choices of translation quality metrics. We choose four reference-based metrics: sentence-BLEU, ChrF, BLEURT, and COMET, and a reference-free QE metric: COMET-QE. We test both the sentence and system score correlations between kQRG and human judgments. The results are shown in Table 4.

Among all translation quality metrics, sentence-BLEU performs the worst, and COMET shows the strongest correlation in both sentence and system levels. This justifies our choice of COMET for the main results. We also find that ChrF has good correlations with human evaluation. Therefore, we provide results for ChrF in the following sections. In addition, our evaluation can be incorporated with QE metrics and becomes a reference-free evaluation protocol. However, COMET-QE lags behind

other reference-based translation quality metrics in terms of correlation.

B Experimental Details

B.1 Detailed Descriptions of Datasets

For our WMT’14 En-De/En-Fr tasks, we use 4.5M / 35.7M preprocessed data, which is tokenized and split using byte pair encoded (BPE) (Sennrich et al., 2016) with 32K/40K merge operations and a shared vocabulary for source and target sides. For En-De, we use *newstest2013* as the validation set and *newstest2014* as the test set. For En-Fr, we use the combination of *newstest2012* and *newstest2013* as our validation set and *newstest2014* as the test set.

For the NIST Zh-En task, we use 1.25M sentences extracted from LDC corpora⁷. To validate the performance of our model, we use the NIST 2006 (MT06) test set with 1664 sentences as our validation set. Then, the NIST 2002 (MT02), 2004 (MT04), 2005 (MT05), 2008 (MT08) test sets are used as our test sets, which contain 878, 1788, 1082, and 1357 sentences, respectively. All reported results are averaged over different test sets.

The statistics of all three datasets can be found in Table 5.

B.2 Training Details

Our models are trained using the *fairseq* toolkit⁸. We train each of our Transformer models for 100k/300k/300k steps for three datasets and validate every 5000 steps. The default label smoothing is 0.1. The dropout rates for different Transformer models range from 0.1 to 0.4. The batch sizes are 8k/64k/64k tokens for three datasets. All our Transformer models are pre-norm models. Other hyperparameter settings are the same as in (Vaswani et al., 2017). For evaluation, we report case-sensitive tokenized BLEU scores using *multi-bleu.perl*⁹ for both WMT’14 En-De and En-Fr, and case-insensitive tokenized BLEU scores for NIST Chinese-English. We select the best checkpoint on the validation set and report its performance on the test set. All reported results are averaged over all sentences in the test set. For results with beam

⁷The corpora include LDC2002E18, LDC2003E07, LDC2003E14, Hansards portion of LDC2004T07, LDC2004T08 and LDC2005T06.

⁸<https://github.com/pytorch/fairseq>

⁹<https://github.com/moses-smt/mosesdecoder/blob/master/scripts/generic/multi-bleu.perl>

Translation Quality	Sentence		System	
	Pearson	Spearman	Pearson	Spearman
Sentence-BLEU	0.67	0.80	0.59	0.55
ChrF	<u>0.85</u>	0.86	<u>0.75</u>	<u>0.72</u>
BLEURT	0.86	<u>0.85</u>	0.71	0.61
COMET	0.86	<u>0.85</u>	0.78	0.82
COMET-QE	0.66	0.66	0.71	0.53

Table 4: Pearson and Spearman’s correlation scores with human judgements across different translation quality functions. Bold and underline represent the 1st and 2nd performing results, respectively.

Name	Train	Dev	Test	BPE
NIST Zh-En	1.2M	1664	5105	40K/30K
WMT’14 En-De	4.5M	3000	3003	32K
WMT’14 En-Fr	35.7M	6003	3003	40K

Table 5: Statistics of Datasets

search, the beam size is 5, and the length penalty is 0.6.

C Additional Experimental Results on Model Errors

C.1 Various NMT Benchmarks

This section presents COMET results on the WMT’14 English-French and NIST Chinese-English tasks. The results are shown in Table 6, 7. It is encouraging that the results are all consistent and corroborate our findings in the main text. As these three datasets have small, medium, and large sizes, we prove that our proposed protocol generalizes well across different languages and sized datasets.

Furthermore, by comparing results among these experiments, we find that model errors for different tasks vary vastly. The reason might be either the intrinsic difficulties of tasks or other properties of the dataset like sizes or cleanliness, etc. We revisit the dataset properties in Section C.5.

C.2 Various Translation Quality Functions

This section provides model errors with an additional reference-based translation quality metric – ChrF, which performs second to COMET in our correlation studies.

In Table 8, we present our results using ChrF with the English-German task. An advantage of

Method	System	Mode	Top	Sample
	BLEU	# Emp	kQRG	kQRG
Transformer	42.47	41.14	-74.72	-60.73
w/o LS	42.44	14.59	-31.78	-11.54
w/ para FT	42.17	17.52	-23.42	-52.83
w/ 12-layer Enc	43.38	36.24	-66.02	-59.63
w/ 18-layer Enc	43.81	43.11	-73.54	-58.85
w/ Dim 768	42.88	40.76	-58.92	-57.17
w/ Dim 1024	43.43	34.03	-54.26	-52.74

Table 6: COMET model errors of different models in NIST Chinese-English task. kQRG values are not normalized.

Method	System	Mode	Top	Sample
	BLEU	# Emp	kQRG	kQRG
Transformer	40.78	46.75	-22.69	-96.48
w/o LS	40.70	19.51	28.37	5.69
w/ para FT	40.95	27.26	49.67	-82.75
w/ 12-layer Enc	41.28	44.99	-18.96	-95.62
w/ 18-layer Enc	41.74	53.58	-16.91	-94.56
w/ Dim 768	41.73	46.12	-17.71	-93.17
w/ Dim 1024	42.35	40.42	-11.04	-87.07

Table 7: COMET model errors of different models in WMT’14 En-Fr task. kQRG values are not normalized.

using ChrF is its bound between 0 and 1, which makes our kQRG easier to interpret. We observe that all of our findings in Section 5.1 still hold. This proves our proposed protocol performs consistently across different choices of translation metrics.

Method	System	Mode	Top	Sample
	BLEU	# Emp	kQRG	kQRG
Transformer	27.22	64.70	31.67	34.58
w/o LS	26.76	34.85	41.64	42.41
w/ para BT	27.36	27.26	42.89	43.31
w/ para FT	28.06	0.93	55.55	49.72
w/ 12-layer Enc	27.75	58.11	33.86	35.11
w/ 18-layer Enc	28.03	53.58	35.33	36.48
w/ Dim 768	28.00	50.18	35.60	35.67
w/ Dim 1024	28.49	44.72	37.75	37.99

Table 8: ChrF model errors of different models in WMT’14 English-German.

Method	BLEU	kRG	kQRG
Transformer	27.22	80.21	-60.39
RNNSearch	23.07	83.63	-106.26
ConvS2S	26.51	81.76	-77.40

Table 9: Top region model errors with different model architectures in WMT’14 English-French.

C.3 Various Model Architectures

In previous sections, we discuss the model errors of Transformer models. In this section, we extend the experiments to different NMT architectures, i.e., ConvSeq2Seq (Gehring et al., 2017) and RNNSearch (Luong et al., 2015). We use the WMT’14 English-German and present our model error (COMET) results in Table 9.

Interestingly, we find that RNNSearch performs the best in terms of kRG, indicating the strongest ranking capability. ConvSeq2Seq has a 63.08 score in kRG and is second to RNNSearch. Both of them perform better than the Transformer model in terms of ranking capability and are better than random ranking (58.72 in Section 5.1). Then, the Transformer model outperforms ConvSeq2Seq and RNNSearch in terms of model error and BLEU score, showing a stronger hypothesis selection. On the one side, these results demonstrate that future model design needs to revisit RNN models’ advantages and incorporate them with current Transformer architectures. On the other side, the RNN model with the best ranking ability only scores 66.16 of [0, 100] in kRG, indicating large potentials in reducing model errors by improving their ranking abilities.

Method	Source En		Source De	
	kRG	kQRG	kRG	kQRG
Transformer base	80.84	-84.46	79.58	-36.24
w/ para ft	81.87	35.98	82.42	50.61
w/ para bt	79.47	-33.76	80.46	7.50
Transformer Big	80.63	-59.59	80.59	-9.46

Table 10: Top region model errors on English-original and German-original part of newstest2014 En-De test-set.

C.4 Analysis on Original Sources

One interesting result in our main experiments is that the *paraFT* model performs much better than the *paraBT* model. One possible reason is that *paraFT* model overfits the original sides of the test sets. Therefore, we compare model errors on the English-original part and German-original part of *newstest2014* to verify this assumption, which contains 1,500 and 1,503 sentences, respectively.

Table 10 shows the results. Comparing "Source En" with "Source De", we find that the ranking capabilities (kRG) are not much affected by the original sides. However, models perform substantially better in kQRG of source German side than that of the source English side, as translated English sentences are easier to translate than original English sentences. The gap between *paraFT* and *paraBT* varies to some extent across different origins, but with both sides, *paraFT* still strongly outperforms *paraBT*. Thus we conclude that original side is not the main reason.

C.5 Clean and Up-to-date Datasets

There is a concern that the ranking issues are from the WMT’14 datasets, which are outdated and noisy (Ott et al., 2018). In this section, we study properties of the datasets and provide two additional ablation experiments to support our method. We introduce two datasets: (1) WMT’14 En-De dataset filtered by language detection and the fast align, (2) the WMT’20 En-De dataset, to which we perform the same filters. These two datasets contain 3.86M and 37.2M paired sentences, respectively. For language detection, we use the pre-trained fasttext tool¹⁰ and filter out the sample if either side of a paired sentence is identified as other languages. For the fast align (Dyer et al.,

¹⁰<https://github.com/facebookresearch/fastText>

Dataset	kRG	kQRG
WMT'14 En-De (4.5M)	80.21	-60.39
w/ LD	80.24	-50.88
w/ LD + FA	80.32	-45.41
WMT'20 En-De (37M)	80.19	-21.84
w/ Sample 4.5M	79.88	-21.02
w/ Sample 10M	80.09	-23.42
w/ Sample 20M	80.39	-29.95

Table 11: Top region model errors over filtered WMT'14 En-De and WMT'20 En-De tasks. The model we use is the Transformer-base model. LD denotes filtering with language detection. FA denotes filtering with fast align.

2013) filtering, we compute both the source-target and target-source alignment scores and filter out sentences with an average score less than -6 .

The results are shown in Table 11. We have four key observations. Firstly, by comparing original WMT'14 En-De results with datasets after language detection (LD) and fast align filtering (FA), we find fine-grained cleaning techniques help reduce model errors. The kQRG values improve significantly, from -60.39% to -45.41% . Secondly, training with an up-to-date dataset dramatically improves the model in terms of reducing errors. As the WMT'20 En-De training set (37.2M) is much larger than the WMT'14 En-De (4.5M), we also conduct experiments with different sampled sizes of the WMT'20 dataset from 4.5M to 20M. We find that even with the same training set size (4.5M), the model trained with the WMT'20 dataset outperforms its WMT'14 counterpart (-21.02% versus -29.95%). Thirdly, we attempt to increase the size of training corpus with WMT20 En-De. Surprisingly, we observe that top region model errors go slightly up. Fourthly, all our models with clean or updated datasets still do not show stronger ranking abilities than random rankings.

All above findings reveal two points: (1) The ranking errors we identified in the main text still exist even with cleaner or up-to-date datasets. The main cause for these ranking problems is not the training set. (2) Using a clean, up-to-date dataset reduces model errors. It helps the model move better hypotheses into the top-region of hypothesis space, thus achieving better kQRG scores. The results for kQRG values are strongly dependent on the datasets.




Figure 3: kQRG for deep encoder models.

C.6 Increasing encoder depth

As discussed in Section 5.1, we plot the model errors for deep encoders in Figure 3. We do not observe a clear trend for smaller or larger model errors when increasing encoder depth.

D Implementation Details of Exact Top- k

Here we explain the implementation details of our exact top- k algorithm. The detailed algorithm is shown in Algorithm 2. Our implementation is built upon *uid-decoding*¹¹ and *sgnmt*¹² projects, and is compatible with the models trained with *fairseq*. The original implementation of exact top-1 decoding heavily relies on CPU operations. In contrast, our top- k version moves a number of computations to GPU, and improves several implementation details as follows.

- **Optimizing the iterating process.** As defined the 13-th line of our Algorithm 2, we need to iterate through all words in the vocabulary. However, the order of iterations significantly influences the speed because of the lower bounds. Empirically, we find that iterating the vocabulary greedily substantially reduces the run time.
- **Batching the hypotheses for each time step.** As stated at the 14-th line of Algorithm 2, we iterate one word and perform one forward model inference at a time. However, the GPU utilization of this scheme is extremely low. Thus, we use batch technique and batch b different words for one model forward pass, which efficiently increases the GPU utilization.

¹¹<https://github.com/rycolab/uid-decoding>

¹²<https://github.com/ucam-smt/sgnmt>

- **Good lower bounds facilitate the search process.** We observe that better lower bounds vastly reduce the search time. In our implementation, we use the top n -best list output from the beam search with larger beam sizes than n as our lower bounds.

As a result, the speed is improved significantly.

D.1 Worst-case Analysis for Exact Search Algorithm

This section analyzes the worst-case behaviors of exact search algorithms. First, let us discuss a simple case when the exact search does not use lower bounds. Given a target sentence set $Y_l = \{y | \text{len}(y) = l\}$ where all hypotheses in that set have the same length l , it is obvious that the search operations needed for exact top-1 and exact top- k algorithms are the same, i.e., $N_l = |Y_l| = |V|^l$. Thus, the total search operations for all lengths¹³ $l \in [1, l_{\max}]$ can be computed by $N = \sum_{l \in [1, l_{\max}]} N_l$.

Next, we consider the case with lower bounds. Since lower bounds help trim the search space, the worst case happens when the search algorithm finds the hypotheses in a reversed order. In that case, lower bounds could not trim any search space and have to iterate all hypotheses. Hence, the numbers of search operations needed for both top-1 and top- k algorithms are identical, i.e., $N = \sum_{l \in [1, l_{\max}]} N_l$ operations. On the other hand, both the top-1 and our top- k algorithms are similar to Branch&Bound algorithm (Hendy and Penny, 1982), which cannot lower the time complexity in the worst case, and its time complexity is the same as the one of depth-first-search (DFS) algorithm (Mackworth, 2013). However, it is practically useful because it is proved to be able to improve the search speed significantly.

D.2 Empirical Computational Cost

This section provides several empirical results to show how different decoding methods perform in terms of computational time. We randomly sample 100 sentences in WMT’14 En-De *newstest2014* and report the corresponding run time as well as the number of expansion operations. The expansion operation, i.e., model’s forward pass, is the most time-consuming operation in the exact search algorithm and is linear to the number of computation flops. We report the computational costs for three

¹³We do not use the length constraint in our implementation. Here, we add the max length constraint for clarity.

ALGORITHM 2: DFS-based Top-k Exact Search.

Input : x : Source sentence, y : Translation prefix (default: []), p : $\log P(y|x)$ (default 0.0), k : Top-k hypotheses to output

Output : List l contains top-k hypotheses with log-probabilities.

```

1 global minHeap
2 global  $\gamma \leftarrow -\text{inf}$ 
3 Function dfsTopK( $x, y, p$ ):
4   if  $y[|y| - 1] = < /s >$  then
5     push(minHeap, ( $p, y$ ))
6     if  $\text{len}(\text{minHeap}) > k$  then
7       pop(minHeap)
8     end
9     if  $\text{len}(\text{minHeap}) = k$  then
10       $\gamma \leftarrow \text{minHeap}[0][0]$ 
11    end
12  end
13  for  $v \in V$  do
14     $p' \leftarrow p + \log P(v|x, y)$ 
15    if  $p' \geq \gamma$  then
16      dfsTopK( $x, [y; v], p'$ )
17    end
18  end
19  return minHeap
20 return dfsTopK( $x, [], 0.0$ )

```

different algorithms, including *Beam Search*, *Exact Top-1* and *Exact Top-5*. Each reported number is the average over four runs with different samples as inputs.

The results are shown in Table 12. First, we can see that *Beam Search* is about ten to twenty times faster than exact search algorithms. This is consistent with results in previous literature. Second, compared with previous Exact Search implementation, our implementation of top-5 search has almost the same time cost as top-1, which demonstrates the effectiveness and efficiency of our proposed approach.

By taking the number of expansions into account, we notice two more interesting facts – On the one hand, the number of expansions is not linear to k . Our top- k algorithm explores only about five times the search space compared with top-1 algorithm. On the other hand, our algorithm is significantly more efficient than the original implementation, with four times faster in terms of the number of expansions and only about two times in terms of the computational cost. In our own experiments, we use 8 NVIDIA V100 GPUs for decoding, and it takes about a day to decode exact top-10 on a standard WMT testset.

D.3 Choice of Different k Values

We first report computational costs with different values of k , shown in Table 13. The computational

Method	Time Cost (seconds)	Num Expansions
Beam Search	453.0	-
Stahlberg and Byrne (2019)	8,064.0	2,769.6
Exact Top-5 w/ BS lower bounds	8,914.4	6,029.4

Table 12: Time cost and number of expansions for exact search algorithms with 4 sampled runs on 100 test sentences.




Figure 4: kRG and kQRG for Transformer base, paraft and big models, with top- k varies in $\{10, 20, 30, 50, 75, 100\}$

time and the number of expansions grow as k increases. When we enlarge the number of k from 5 to 10, the time costs grow by about 1.9 times ($15,916.2/8,914.4$), which denotes an almost linear time cost with regard to k . Compared to (Stahlberg and Byrne, 2019), our algorithms are more efficient – Our top-5 algorithm operates two times of expansions and performs comparably with their algorithms in terms of computational time.

Then, regarding the performance with different top- k , we plot models’ kRG and kQRG with their top $[10, 100]$ outputs. In Figure 4, when we increase k , kRG values of Transformer-Base (‘base’) and Transformer-Big (‘big’) stay close to the random permutation results, while the model trained with forward translation (‘paraft’) achieves a considerable gap over the random. The gap remains

stable with larger values of k . The kQRG values of all three models show good discrimination. We do not observe a trend of changing relative orders.

These results prove one important and favorable characteristic of our evaluation: **Both of our metrics are not sensitive to the choice of k** , which validates the usage with a lower value of k to evaluate the model’s distribution.

In the main content of our paper, we mainly use top-10 results for our evaluation method for the trade-off between efficiency and effectiveness.

E Case Study

This section provides a case study for English-German translation outputs for our Exact Top- k decoding algorithm. Table 14 shows the generated hypotheses, their corresponding log probabilities, and BLEU scores.

There are several problems of models’ generated outputs based on the example: First, the ranking problem we argue in the main content apparently exists, which is demonstrated in our provided example. For instance, the model gives the highest score to an empty hypothesis (only $\langle \text{EOS} \rangle$), which ranks the model’s mode hypothesis the worst in the hypothesis space. Second, the model ranks some sub-optimal hypotheses in the top-10 rankings, like 2-nd, 4-th, 7-th, 10-th. However, the best hypothesis is ranked only at the 10-th position. It can also prove the existence of the ranking problem. Third, the model favors shorter hypotheses. The hypotheses at rank positions 1-st, 6-th, and 9-th are much shorter than the others. The short hypotheses have roughly similar scores compared with the longer ones. Furthermore, most of the hypotheses share a similar prefix, which is similar to the reference, demonstrating that the model can find proper translations with incorrect log probabilities. Those problems indicate the existence of an under-confidence problem, which is in line with our findings in Section 5.1.

Method	Time Cost (seconds)	Num Expansions
Stahlberg and Byrne (2019)	8,064.0	2,769.6
Exact Top-5 w/ BS lower bounds	8,914.4	6,029.4
Exact Top-10 w/ BS lower bounds	15,916.2	10,865.9
Exact Top-20 w/ BS lower bounds	28,313.9	19,155.8

Table 13: Computational time and expansions for exact search algorithms when k increases.

F Limitations

We summarize our proposed method has two limitations. First, each of our approximations has its own limitations. Speaking of top region, the proposed exact search algorithm is computational extensive and local, meaning that it may be limited by its representativeness of the hypothesis space. As for Monte Carlo sampling, the evaluation is fast and more global but captures only coarse-grained model errors. Even so, our two approximations can complement each other’s limitations. Second, our proposed metrics are dependent with the value of k and choice of translation function. Specifically, for kRG, when we increase k (Figure 1), the random result also increases. For kQRG, we use COMET in our main content and report ChrF results in Appendix. These two results have very different scale and upper/lower bounds. This may lead to difficulty in interpretation.

Rank	LogProb	BLEU	hypothesis
Ref	-	100.00	Zwei Anlagen so nah beieinander: Absicht oder Schildbürgerstreich? <EOS>
1	-9.04	00.00	<EOS>
2	-10.13	20.45	Zwei Leuchten so nah beieinander: absichtlich oder einfach nur ein dummer Fehler? <EOS>
3	-10.40	07.47	Zwei Leuchten so nahe beieinander: absichtlich oder einfach nur ein dummer Fehler? <EOS>
4	-10.56	22.24	Zwei Leuchten so nah beieinander: absichtlich oder nur ein dummer Fehler? <EOS>
5	-10.92	08.13	Zwei Leuchten so nahe beieinander: absichtlich oder nur ein dummer Fehler? <EOS>
6	-10.94	05.89	Zwei Leuchten so nahe beieinander? <EOS>
7	-11.10	22.24	Zwei Leuchten so nah beieinander: absichtlich oder einfach ein dummer Fehler? <EOS>
8	-11.15	37.60	Zwei Leuchten so nah beieinander: Absicht oder einfach nur ein dummer Fehler? <EOS>
9	-11.21	17.63	Zwei Leuchten so nah beieinander? <EOS>
10	-11.39	40.90	Zwei Leuchten so nah beieinander: Absicht oder nur ein dummer Fehler? <EOS>

Table 14: The generated translations with top-10 decoding. The source sentence is *"Two sets of lights so close to one another: intentional or just a silly error?"*