

TwT: Thinking without Tokens by Habitual Reasoning Distillation with Multi-Teachers' Guidance

Jingxian Xu^{1*}, Mengyu Zhou^{4†}, Weichang Liu^{2*}, Hanbing Liu^{3*},
Shi Han⁴, Dongmei Zhang⁴

¹Nankai University ²BeijingJiaoTong University

³Tsinghua University ⁴Microsoft Research

Abstract

Large Language Models (LLMs) have made significant strides in problem-solving by incorporating reasoning processes. However, this enhanced reasoning capability results in an increased number of output tokens during inference, leading to higher computational costs. To address this challenge, we propose *TwT* (Thinking without Tokens), a method that reduces inference-time costs through habitual reasoning distillation with multi-teachers' guidance, while maintaining high performance. Our approach introduces a Habitual Reasoning Distillation method, which internalizes explicit reasoning into the model's habitual behavior through a Teacher-Guided compression strategy inspired by human cognition. Additionally, we propose Dual-Criteria Rejection Sampling (DCRS), a technique that generates a high-quality and diverse distillation dataset using multiple teacher models, making our method suitable for unsupervised scenarios. Experimental results demonstrate that TwT effectively reduces inference costs while preserving superior performance, achieving up to a 13.6% improvement in accuracy with fewer output tokens compared to other distillation methods, offering a highly practical solution for efficient LLM deployment.

1 Introduction

Large Language Models (LLMs) have demonstrated remarkable improvements in problem-solving by incorporating reasoning process (Brown et al., 2020; Wei et al., 2022; Chowdhery et al., 2023; Yao et al., 2024). It enhances the reasoning capability of LLMs by breaking down complex tasks into intermediate steps, leading to better performance. However, reasoning capability comes at a significant cost: the reasoning process substantially increases the number of output tokens

* Work during internship at Microsoft.

† Corresponding author (mengyu.chou@gmail.com).




Figure 1: **Overview of the Proposed Method.** The upper part of the figure illustrates the background problem: while generating more reasoning steps improves the performance of LLMs, it also leads to significantly higher computational costs. To mitigate this, we propose targeted strategies, shown in the lower part of the figure. Our approach reduces the cost per token by distilling knowledge from large models into smaller ones and minimizes the total number of tokens by gradually shrinking intermediate reasoning paths.

during inference, resulting in higher inference-time computational costs (Snell et al., 2024; Wu et al., 2024). In practical deployments, computational resources and budgets are often constrained, making the reduction of inference-time computational costs a pressing issue that requires effective solutions (Zheng et al., 2022; Chung et al., 2024).

Recent research has primarily explored two key approaches to addressing this issue: reducing the cost per token and reducing the number of reasoning tokens as illustrated in Figure 1 (Wang et al., 2024a; Hsieh et al., 2023; Wang, 2024). A common strategy for reducing the cost per token is to

replace large models with smaller, more efficient ones. However, directly using smaller models often results in a significant drop in performance, particularly on complex reasoning tasks. To mitigate this problem, knowledge distillation (Hinton, 2015; Park et al., 2019) has emerged as an effective solution, enabling student models to mimic the performance of larger teacher models (Tang et al., 2019; Hsieh et al., 2023). However, traditional knowledge distillation typically relies on expensive human-labeled data, limiting its practical applicability. Additionally, most distillation methods employ only a single teacher model, restricting the diversity of knowledge that could be leveraged from multiple teacher models. To overcome these limitations, we propose Dual-Criteria Rejection Sampling (DCRS), a method that first utilizes a multi-teacher strategy to generate pseudo-labels and then applies a two-stage selection process—Quality Selection and Diversity Selection—to construct a high-quality and diverse distillation dataset. This approach not only enhances the efficiency of knowledge transfer but also enables our model to adapt effectively to unsupervised settings.

For the other issue, the number of reasoning tokens can be reduced by shrinking intermediate reasoning paths (Wang et al., 2024a; Deng et al., 2024). While this effectively lowers token usage, it often comes at the cost of degraded model performance. Therefore, it is essential to develop a method that balances computational efficiency and model accuracy. Consider a real-world learning scenario where a teacher possesses a deep and comprehensive understanding of a concept, while a student may struggle to grasp the material fully. To bridge this gap, the teacher distills knowledge, extracting only the most essential and concise information to help the student learn more effectively. Over time, the student internalizes this reasoning process, enabling them to generate answers instantly upon encountering a question, without requiring explicit intermediate reasoning steps.

Inspired by this human cognitive process, we propose Habitual Reasoning Distillation (HaRD), a method that internalizes explicit reasoning into the model’s habitual behavior through a multi-stage distillation process, thereby reducing the need for explicit reasoning during inference. HaRD follows a three-stage distillation strategy: (a) Full Reasoning Distillation, where the student learns reasoning patterns from complete reasoning paths generated by teacher models; (b) Reasoning-Compressed

Distillation, where the reasoning process is progressively compressed, with teachers refining their outputs based on the student’s responses to create reasoning paths aligned with the student’s capabilities; and (c) Reasoning-Free Distillation, where the student is trained without explicit reasoning steps, relying only on final labels, allowing it to generate high-quality answers directly. This process shifts the computational burden from inference to training, enabling both high performance and low inference cost.

In this work, we propose *TwT* (Thinking without Tokens), a method that achieves an optimal balance between inference-time computational cost and performance. TwT follows a two-step process. First, DCRS utilizes multi-teacher LLMs to generate pseudo-labels, enabling the model to adapt to unsupervised settings. Then, HaRD applies a multi-stage distillation approach to progressively internalize explicit reasoning abilities into the student model as inherent capabilities. Our key contributions are summarized as follows:

- **Novel Distillation Framework:** We propose *TwT*, a novel framework that aims to reduce inference-time computational cost through habitual reasoning distillation with multi-teachers’ guidance while preserving high performance.
- **Unsupervised Sampling Strategy:** We propose Dual-Criteria Rejection Sampling (DCRS), a method that selects high-quality and diverse distillation data generated by multi-teacher LLMs, enabling adaptation to unsupervised settings.
- **Efficient Reasoning Distillation:** We design a Habitual Reasoning Distillation (HaRD) method that refines reasoning patterns through a teacher-guided compression strategy, ensuring better alignment with the student model’s capabilities and ultimately integrates explicit reasoning into the model’s inherent behavior.
- **Comprehensive Empirical Validation:** Experimental results demonstrate that our approach outperforms existing distillation techniques, achieving up to a 13.6% improvement in performance while generating fewer tokens.




Figure 2: **Method Framework.** Our proposed *TwT* (Thinking without Tokens) framework consists of two stages: Dual-Criteria Rejection Sampling (**DCRS**) and Habitual Reasoning Distillation (**HaRD**). In the first stage, DCRS selects a high-quality and diverse reasoning distillation dataset generated by multiple teacher LLMs (e.g., T1, T2, T3). In the second stage, HaRD progressively internalizes reasoning ability into the student model through a three-stage distillation process.

2 Related Work

2.1 Knowledge Distillation for LLMs

Knowledge distillation (KD) (Hinton, 2015; Beyer et al., 2022; West et al., 2021) transfers capabilities from large LLMs to smaller ones using hard or soft labels from a teacher model. However, by relying solely on final outputs, standard KD provides limited information. Reasoning distillation (Hsieh et al., 2023) addresses this by training students to understand both the final answer and the underlying reasoning. Recent work (Chen et al., 2023; Liu et al., 2023) explores generating multiple rationales per query to enhance robustness. However, using a single teacher can introduce bias and limit diversity. Multi-teacher strategies (Tian et al., 2024; Zhang et al., 2024) address this by aggregating diverse reasoning paths, enriching distillation data, and improving generalization. These methods rely on labeled datasets to select high-quality distilled data, which can be difficult to obtain. Our work introduces a multi-teacher approach to incorporate diverse reasoning data and proposes a Dual-Criteria Rejection Sampling strategy to obtain a high-quality and diverse distillation dataset from unlabeled data.

2.2 Reasoning and Inference-time Scaling

Recent work enhances output diversity by improving reasoning via structural methods (e.g., code parsing, problem decomposition (Gao et al., 2023;

Zhou et al., 2022)) and by generating multiple reasoning paths through techniques like majority voting and reinforcement learning (Wei et al., 2022; Yao et al., 2023; Cao, 2024; Wang et al., 2022; Fu et al., 2022; Huang et al., 2023; Trung et al., 2024; Wang et al., 2024b). However, these supervised approaches rely on a single model and labeled data, limiting inherent diversity. Additionally, studies such as (Snell et al., 2024; Wu et al., 2024) show that adaptive inference-time strategies can significantly reduce compute costs, but model performance will be reduced. To address these issues, we propose a multi-teacher strategy, an unsupervised approach for generating diverse, high-quality samples with habitual reasoning distillation for efficient inference with explicit reasoning.

3 Method

In this section, we provide a detailed explanation of the implementation of our *TwT* as illustrated in Fig. 2. First, we propose a Dual-Criteria Rejection Sampling (DCRS) strategy to obtain high-quality and diverse distillation samples (Section 3.1). Then, we design a **Habitual Reasoning Distillation** (HaRD) strategy that progressively internalizes the reasoning ability at each distillation stage, allowing the reasoning capabilities of the teacher models to be gradually internalized into the student model (Section 3.2).




Figure 3: **Dual-Criteria Rejection Sampling Architecture.** Our proposed DCRS method comprises two stages: Quality Selection and Diversity Selection. The first stage filters samples using confidence scores, while the second stage enhances diversity by selecting samples based on similarity. This approach ensures a high-quality and diverse distillation dataset, enabling our method to effectively adapt to unsupervised scenarios.

3.1 Dual-Criteria Rejection Sampling

To provide the student model with high-quality and diverse reasoning paths, we propose a novel paradigm termed Dual-Criteria Rejection Sampling (DCRS), which extends traditional rejection sampling (Gilks and Wild, 1992) by integrating two key selection metrics: confidence scores and similarity measures. Leveraging a multi-teacher strategy, we first prompt teacher LLMs to generate an initial pool of pseudo-labels. DCRS performs sample selection in two sequential steps: quality selection and diversity selection.

3.1.1 Quality Selection

As shown in Figure 3, we take use of CoT prompting (Wei et al., 2022) to generate and extract reasoning patterns from multi-teacher LLMs. Given an unlabeled dataset $\mathcal{D} = \{x_i\}_{i=1}^N$, where each x_i is a query, we first design a prompt template p to clarify the task solution method. The prompt instructs the LLM to produce the output O_i in the form of a triplet (r_i, y_i, c_i) , where y_i is the predicted label for task x_i , r_i is the rationale provided by the LLM, and c_i is the confidence score for the reasoning and predicted label, represented as a decimal in the range $[0, 1]$. To ensure that the confidence score is more reliable, we compute it using a weighted combination of multiple performance factors:

$$c_i = \sum_{j=1}^n w_j \cdot m_j \quad (1)$$

where w_j denotes the weight assigned to the j -th factor and m_j represents the corresponding factor value. For example, in a code generation task, we let the large model assign a weighted score based on factors such as the reasoning process, code readability, and robustness, yielding the final confidence score. For k teacher models, we can obtain a set of outputs $O_i = \{O_{i1}, O_{i2}, \dots, O_{ik}\}$ for each query x_i . Then, we set a confidence score threshold s . For each output O_i , if its confidence score $c_i \geq s$, the output sample is considered high-quality and retained; otherwise, it is discarded. Subsequently, diversity selection is performed on the retained sample set $\mathcal{H} = \{(x_i, r_i, y_i, c_i)\}_{i=1}^P$, where P is the total number of retained samples.

3.1.2 Diversity Selection

For the high-quality sample set \mathcal{H} , if the outputs $O_i = \{O_{i1}, O_{i2}, \dots, O_{ik}\}$ for the same query x_i come from three or more different teacher models (i.e., $k \geq 3$), we calculate the semantic similarity between the rationales provided by these teacher models. Specifically, we assume that r_{ij} denotes the rationale generated by the j -th teacher for query x_i . Each rationale r_{ij} is then mapped into a fixed-dimensional embedding $E(r_{ij})$ using a pre-trained sentence embedding model. The cosine similarity between any two rationales r_{ip} and r_{iq} is computed as:

$$\text{sim}(r_{ip}, r_{iq}) = \frac{E(r_{ip}) \cdot E(r_{iq})}{\|E(r_{ip})\| \|E(r_{iq})\|} \quad (2)$$

where r_{ip} and r_{iq} are rationales provided by two distinct teacher models for the same question, with $1 \leq p < q \leq k$. We calculate the cosine similarity for all unique pairs (r_{ip}, r_{iq}) . To maximize diversity, we select the pair of rationales that yields the lowest similarity score. In our implementation, we directly select the pair of rationales that exhibits the minimum cosine similarity. For a given query x_i , we define:

$$(p^*, q^*) = \arg \min_{1 \leq p < q \leq k} \text{sim}(r_{ip}, r_{iq}) \quad (3)$$

where (p^*, q^*) are the indices corresponding to the pair of rationales with the smallest similarity, thereby ensuring that the final distillation dataset $\mathcal{G} = \{(x_i, r_i, y_i)\}_{i=1}^Q$ is both high-quality and diverse, where P is the total number of final distillation samples.

3.2 Habitual Reasoning Distillation

In this section, we introduce a novel multi-stage distillation strategy designed to balance inference-time efficiency and model performance. The process is structured into three sequential stages. In Stage-1, the student model is trained on data with full reasoning, enabling it to internalize the teacher’s comprehensive problem-solving process. In Stage-2, the student learns from compressed reasoning, fostering more concise and efficient inference. In Stage-3, distillation is performed using answer-only data, encouraging the student to establish a direct query-to-answer mapping. Crucially, Stage-2 incorporates a Teacher-Guided Compression mechanism that adaptively aligns the reasoning complexity with the student’s capacity.

Stage-1: Full Reasoning Distillation. In this stage, the student model is trained to learn the complete reasoning paths under the supervision of the teacher models’ full reasoning. The goal is to help the weak student model understand the logical steps involved in the task and build a solid foundation for further distillation.

The teachers’ reasoning ability can be transferred by fine-tuning the student model using the full reasoning \mathcal{G} derived from high-quality and diversity sample selection. More specifically, the process of learning full reasoning paths through fine-tuning is defined as follows:

$$\mathcal{L}_1 = \mathbb{E}_{\mathcal{G}}[\log P_f([x; r; y])] \quad (4)$$

where f indicates the student model, $\mathbb{E}_{\mathcal{G}}$ is the expectation over the distillation dataset \mathcal{G} , and

$P_f([x; r; \hat{y}])$ is the probability assigned by the student model f to the joint input $[x; r; \hat{y}]$.

Stage-2: Reasoning-Compressed Distillation.

In this stage, we progressively simplify the reasoning paths of the teacher model, generating more concise one by compressing the original reasoning paths. We observed that for the same problem, the outputs of student models are often shorter and feature more concise reasoning steps compared to those of teacher models. Therefore, we adopt a Teacher-Guided Compression approach that ensures the reasoning paths provided by the teacher models are better aligned with the learning characteristics of the student model, thereby enhancing overall distillation performance.

Specifically, for a given query x_i , the teacher model generates the original reasoning r_i , while the student model produces the reasoning r_i^{s1} . We design a prompt p' to guide the teacher model in refining its original reasoning r_i based on the characteristics of the student model’s output (e.g., output length, complexity of understanding the problem). This process can be represented as $(p', r_i, r_i^{s1}) \rightarrow r_i^T$. Subsequently, we replace the original reasoning r_i in the dataset $\mathcal{G} = \{(x_i, r_i, y_i)\}_{i=1}^N$ with the refined reasoning r_i^T , resulting in the second-stage distillation dataset $\mathcal{G}' = \{(x_i, r_i^T, y_i)\}_{i=1}^N$. The second stage fine-tuning can be defined as:

$$\mathcal{L}_2 = \mathbb{E}_{\mathcal{G}'}[\log P_f([x; r^T; y])] \quad (5)$$

Stage-3: Reasoning-Free Distillation.

Finally, we completely remove the reasoning paths and only retain the final answer as the supervision signal. The student model is trained to directly output the correct answer without relying on any reasoning chain. The goal of this stage is to enable the student model to form a “habitual” ability, allowing it to efficiently complete tasks without the need for complex reasoning. After removing r , the new dataset $\mathcal{G}'' = \{(x_i, y_i)\}_{i=1}^N$ only contains the original query x_i and the label y_i predicted by the teacher model. The third stage fine-tuning can be defined as:

$$\mathcal{L}_3 = \mathbb{E}_{\mathcal{G}''}[\log P_f([x; y])] \quad (6)$$

In summary, Stage-1 uses full reasoning distillation, while Stage-2 employs compressed reasoning distillation, enabling the student model to learn complete reasoning chains and establish systematic reasoning patterns. Stage-3 conducts end-to-end

Method	MBPP		CQA		MetaMath		
	Pass@1	Token	Accuracy	Token	Accuracy	Token	
GPT-4	77.68%	493	83.27%	312	86.31%	512	
GPT-4o-mini	77.14%	451	81.76%	301	87.03%	529	
Mistral-large	73.83%	365	80.15%	288	86.33%	463	
Mistral-7B-v0.3	Vanilla Student	42.90%	209	60.19%	171	30.12%	255
	Standard KD	52.67%	<u>53</u>	63.63%	5	38.19%	7
	Distilling	53.39%	170	64.47%	129	42.20%	397
	Tinyllm	54.45%	175	67.39%	225	41.67%	<u>226</u>
	TwT	57.11% (\uparrow 4.88%)	48	76.16% (\uparrow 13.01%)	<u>6</u>	47.94% (\uparrow 13.60%)	7
Phi-3.5mini	Vanilla Student	54.71%	199	64.15%	150	73.36%	279
	Standard KD	61.71%	98	64.48%	6	78.16%	10
	Distilling	62.03%	202	65.74%	148	78.19%	370
	Tinyllm	64.44%	192	70.30%	144	78.23%	240
	TwT	67.93% (\uparrow 5.42%)	<u>105</u>	76.42% (\uparrow 8.70%)	<u>10</u>	83.58% (\uparrow 6.84%)	<u>15</u>

Table 1: **Quantitative results for baseline models.** The top three rows show the inference results of our teacher models, while “Distilling” is an abbreviation for “Distilling Step-by-Step.” The best and the second best results are highlighted in bold and underlined respectively. The improvements of TwT over the second best results are shown in green with an upward arrow.

Method	MBPP				CQA				MetaMath			
	Mistral-7B-v0.3		Phi-3.5mini		Mistral-7B-v0.3		Phi-3.5mini		Mistral-7B-v0.3		Phi-3.5mini	
	Pass@1	Token	Pass@1	Token	Accuracy	Token	Accuracy	Token	Accuracy	Token	Accuracy	Token
TwT-stage1	54.83%	291	65.32%	310	73.31%	141	72.99%	138	46.48%	295	80.05%	313
TwT-stage2	56.48%	154	66.42%	184	74.89%	84	75.39%	73	47.02%	169	81.33%	196
TwT-stage3	57.11%	48	67.93%	105	76.16%	8	76.42%	10	47.94%	12	83.58%	15

Table 2: **Quantitative results for three distillation stages.** Accuracy and the number of output tokens were used to evaluate the model performance. The best results were highlighted in bold.

training to strengthen the model’s understanding of problem-answer relationships, with explicit reasoning now internalized. This progressive approach enhances performance while reducing inference-time computation. The detailed prompt and case study are provided in Appendix A and B.

4 Experiment

4.1 Experiment Setup

Datasets. We evaluate our TwT on 3 benchmark datasets for 3 different NLP tasks: MBPP (Austin et al., 2021) for NL to python code generalization; CommonsenseQA (CQA) (Talmor et al., 2018) for commonsense question answering; MetaMathQA (MetaMath) (Yu et al., 2023) for mathematical reasoning, which is augmented from the training sets of GSM8K (Cobbe et al., 2021) and MATH (Hendrycks et al., 2021).

Models. We utilize GPT-4, GPT-4o-mini and Mistral-Large as our teacher models, which are accessed through OpenAI’s API and MistralAI’s API. For the student models, we use Mistral-7B-v0.3 and Phi-3.5mini. For the pre-trained sentence

embedding model, we leverage all-mpnet-base-v2.

Baselines. For our baselines, we evaluate three types of methods: teacher model’s performance, vanilla student model’s performance, and knowledge distillation based methods that containing Standard-KD (Hinton, 2015), a general distillation method that fine-tunes the student model using the teacher model’s generated labels as ground-truth; Distilling-Step-by-Step (Hsieh et al., 2023), which leverages LLM-generated rationales as additional supervision to train smaller models; TinyLLM (Tian et al., 2024), a paradigm that distills diverse reasoning paths from multiple teacher LLMs into a student model.

Implementation Details. In our experimental setup, we employed training with LoRA fine-tuning, setting the LoRA rank to 8, a learning rate of $1e-5$, a batch size of 8, 4 training epochs, and a context window of 4096 tokens. During inference, we used a temperature of 0, max tokens set to 2048, and a top-p value of 0.95. For the sampling process, we selected a scoring threshold of $s = 0.95$. All experiments were conducted on four NVIDIA A100 Tensor Core GPUs, enabling large-scale training

Method	MBPP				CQA				MetaMath			
	Mistral-7B-v0.3		Phi-3.5mini		Mistral-7B-v0.3		Phi-3.5mini		Mistral-7B-v0.3		Phi-3.5mini	
	Pass@1	Token	Pass@1	Token	Accuracy	Token	Accuracy	Token	Accuracy	Token	Accuracy	Token
TwT-stage1	54.83%	291	65.32%	310	73.31%	141	72.99%	138	46.48%	295	80.05%	313
TwT-stage2	56.48%	154	66.42%	184	74.89%	84	75.39%	73	47.02%	169	81.33%	196
TwT-stage3	56.94%	133	67.18%	161	75.44%	55	75.85%	64	47.41%	144	81.99%	172
TwT-stage4	57.49%	42	68.21%	100	76.29%	8	76.88%	9	48.37%	12	83.61%	13

Table 3: **Quantitative results for four distillation stages.** Accuracy and the number of output tokens were used to evaluate the model performance. The best results were highlighted in bold.

Method	MBPP				CQA				MetaMath			
	Mistral-7B-v0.3		Phi-3.5mini		Mistral-7B-v0.3		Phi-3.5mini		Mistral-7B-v0.3		Phi-3.5mini	
	Pass@1	Token	Pass@1	Token	Accuracy	Token	Accuracy	Token	Accuracy	Token	Accuracy	Token
TwT-stage1	54.56%	306	64.10%	297	72.91%	155	72.49%	141	45.09%	299	79.17%	320
TwT-stage2	55.31%	162	65.93%	188	75.22%	72	75.62%	74	46.29%	176	80.62%	187
TwT-stage3	56.64%	57	66.16%	113	75.98%	12	76.15%	15	46.93%	16	81.37%	18

Table 4: **Quantitative results for three distillation stages via GPT-4, GPT-4o-mini and GPT-3.5-turbo.** Accuracy and the number of output tokens were used to evaluate the model performance. The best results were highlighted in bold.

and efficient computation. The prompts for specific methods and a case study are provided in the appendix.

4.2 Baseline Comparison

Across three specific-tasks, TwT consistently outperforms other distillation methods as shown in Table 1. Compared with the best performing baseline, TwT achieves an improvement of up to 13.60% compared to the best-performing baseline, while reducing the token number by 98.2% (token numbers from 397 to 7 on MetaMath dataset), substantially lowering the inference cost. Typically, reducing inference tokens leads to a decline in performance; however, TwT overcomes this trade off by maintaining or even enhancing model performance while dramatically reducing token usage, thus achieving both high performance and low inference-time computational cost simultaneously. In addition, TwT effectively bridges the gap between the student and teacher models, significantly narrowing the performance disparity observed in vanilla student models.

4.3 Analysis on Distillation Stage

In the Habitual Reasoning Distillation phase, we separately evaluated the student model’s performance at each fine-tuning stage and tracked the number of output tokens during inference, as shown in Table 2. The results indicate that TwT steadily improves with each stage, while the inference to-

Sampling Method	MBPP	CQA	MetaMath
Log Probability	74.83%	75.29%	72.19%
Hard Rejection Sampling	72.29%	73.11%	70.26%
Confidence Score	83.49%	84.90%	81.14%

Table 5: **Quantitative results for sampling methods.** Accuracy was used to evaluate the model performance. The best results were highlighted in bold.

ken numbers gradually decrease. By leveraging our distillation strategy, the model successfully internalizes the reasoning process as part of its own capabilities.

Furthermore, we expanded our three-stage procedure by extending it to four stages, adding an additional step after the second stage where the teacher model further compresses the reasoning process based on the student’s output. As shown in Table 3, this extension yields a slight improvement but does not significantly surpass the three-stage method. This suggests that our original three-stage process is already effective in achieving the desired performance.

4.4 Analysis on the Robustness to Teacher Model Quality

To evaluate the robustness of our method to the quality of teacher models, we conduct the experiment using teachers with varying capabilities. Specifically, we compare TwT performance when distilled from GPT-4, GPT-4o-mini, and GPT-3.5-

Compression Method	MBPP		CQA		MetaMath	
	Mistral-7B-v0.3	Phi-3.5mini	Mistral-7B-v0.3	Phi-3.5mini	Mistral-7B-v0.3	Phi-3.5mini
Fixed-Length Compression Compressor	55.89%	64.94%	73.29%	72.92%	43.18%	80.62%
Teacher-guided Compression	56.48%	66.42%	74.89%	75.39%	47.02%	81.33%

Table 6: **Quantitative Results for Compression Methods.** Accuracy was used to evaluate the model performance. The best results were highlighted in bold.

Methods	MBPP		CQA		MetaMath	
	Accuracy	Token	Accuracy	Token	Accuracy	Token
w/o Multi-Teacher Strategy (GPT-4)	55.38%	54	74.64%	7	46.82%	15
w/o DCRS	55.42%	48	74.79%	9	47.11%	14
w/o Compression Distillation Stage	54.49%	93	72.19%	21	46.38%	48
TwT	57.11%	48	76.16%	8	47.94%	12

Table 7: **Ablation Study for Model Components.** Accuracy and the number of output tokens were used to evaluate the model performance. The best results were highlighted in bold.

turbo. Notably, GPT-3.5-turbo underperforms compared to Mistral-large on our benchmark datasets, particularly on the MetaMath task. Compared Table 2 and Table 4, it demonstrates that TwT remains effective even when guided by a weaker teacher. Despite the reduced capability of GPT-3.5-turbo, the resulting student models still follow our core hypothesis and achieve competitive performance. These findings suggest that TwT is robust to teacher quality and does not rely on the strongest teacher models to be effective.

4.5 Analysis on Sampling and Compression Strategy

We evaluated the effectiveness of our DCRS method’s confidence score selection for distillation data and our Teacher-Guided Compression approach for enhancing student model’s performance. For sampling, Table 5 shows that our Confidence Score-Based method outperformed Log Probability-Based and Hard Rejection Sampling approaches by nearly 10% in accuracy, demonstrating superior quality selection for distillation. For compression, Table 6 shows that Teacher-Guided Compression better matched teacher outputs to student capacity than Fixed-Length or Compressor-based methods, improving both efficiency and performance. Confidence score details are in Appendix C.

4.6 Ablation Study

We further analyze the contribution of each component to TwT’s performance through ablation studies. Specifically, w/o Multi-Teacher Strategy evalu-

ates the effect of using a single teacher model, w/o DCRS evaluates performance without filtering the distillation data, and w/o Compression Distillation Stage analyzes the impact of directly removing the reasoning step as shown in Table 7.

TwT’s multi-teacher strategy outperforms single-teacher distillation by 1.4%, demonstrating the benefit of diverse reasoning paths. Compared to using raw pseudo-labeled data directly, TwT’s DCRS strategy shows a 1.5% improvement, highlighting the value of quality data sampling. Additionally, TwT’s multi-stage distillation achieves 3.5% higher accuracy than uncompressed reasoning while reducing output tokens, proving the effectiveness of gradual reasoning internalization.

5 Conclusion and Future Work

We introduced TwT, a novel distillation framework that internalizes reasoning abilities into a student model under multi-teachers’ guidance. It incorporates a Dual-Criteria Rejection Sampling stage to obtain a high-quality and diverse distillation dataset and a Habitual Reasoning Distillation strategy to gradually integrate reasoning capabilities into the student model. TwT achieves high performance with low inference cost without relying on labeled data or an explicit reasoning process. In future work, we will continue to explore whether further subdividing the distillation stages can enhance our framework

Limitations

Although our method has achieved excellent results, there are still some minor flaws here. One limitation of our approach is that it currently only works effectively on specific tasks and is not applicable to datasets containing mixed tasks. Additionally, the Dual-Criteria Rejection Sampling process could consist of noise. The impact of this potential noise on performance is still undetermined. A potential future direction is to investigate implicit natural language reasoning by utilizing more advanced training strategies. While current tasks are primarily focused on explicit reasoning, incorporating implicit reasoning mechanisms could improve the model’s robustness and its ability to generalize across different tasks.

References

- Jacob Austin, Augustus Odena, Maxwell Nye, Maarten Bosma, Henryk Michalewski, David Dohan, Ellen Jiang, Carrie Cai, Michael Terry, Quoc Le, et al. 2021. Program synthesis with large language models. *arXiv preprint arXiv:2108.07732*.
- Lucas Beyer, Xiaohua Zhai, Amélie Royer, Larisa Markeeva, Rohan Anil, and Alexander Kolesnikov. 2022. Knowledge distillation: A good teacher is patient and consistent. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, pages 10925–10934.
- Tom Brown, Benjamin Mann, Nick Ryder, Melanie Subbiah, Jared D Kaplan, Prafulla Dhariwal, Arvind Neelakantan, Pranav Shyam, Girish Sastry, Amanda Askell, et al. 2020. Language models are few-shot learners. *Advances in neural information processing systems*, 33:1877–1901.
- Lang Cao. 2024. [GraphReason: Enhancing reasoning capabilities of large language models through a graph-based verification approach](#). In *Proceedings of the 2nd Workshop on Natural Language Reasoning and Structured Explanations (@ACL 2024)*, pages 1–12, Bangkok, Thailand. Association for Computational Linguistics.
- Hongzhan Chen, Siyue Wu, Xiaojun Quan, Rui Wang, Ming Yan, and Ji Zhang. 2023. Mcc-kd: Multi-cot consistent knowledge distillation. *arXiv preprint arXiv:2310.14747*.
- Aakanksha Chowdhery, Sharan Narang, Jacob Devlin, Maarten Bosma, Gaurav Mishra, Adam Roberts, Paul Barham, Hyung Won Chung, Charles Sutton, Sebastian Gehrmann, et al. 2023. Palm: Scaling language modeling with pathways. *Journal of Machine Learning Research*, 24(240):1–113.
- Hyung Won Chung, Le Hou, Shayne Longpre, Barret Zoph, Yi Tay, William Fedus, Yunxuan Li, Xuezhi Wang, Mostafa Dehghani, Siddhartha Brahma, et al. 2024. Scaling instruction-finetuned language models. *Journal of Machine Learning Research*, 25(70):1–53.
- Karl Cobbe, Vineet Kosaraju, Mohammad Bavarian, Mark Chen, Heewoo Jun, Lukasz Kaiser, Matthias Plappert, Jerry Tworek, Jacob Hilton, Reiichiro Nakano, et al. 2021. Training verifiers to solve math word problems. *arXiv preprint arXiv:2110.14168*.
- Yuntian Deng, Yejin Choi, and Stuart Shieber. 2024. From explicit cot to implicit cot: Learning to internalize cot step by step. *arXiv preprint arXiv:2405.14838*.
- Yao Fu, Hao Peng, Ashish Sabharwal, Peter Clark, and Tushar Khot. 2022. Complexity-based prompting for multi-step reasoning. In *The Eleventh International Conference on Learning Representations*.
- Luyu Gao, Aman Madaan, Shuyan Zhou, Uri Alon, Pengfei Liu, Yiming Yang, Jamie Callan, and Graham Neubig. 2023. Pal: Program-aided language models. In *International Conference on Machine Learning*, pages 10764–10799. PMLR.
- Walter R Gilks and Pascal Wild. 1992. Adaptive rejection sampling for gibbs sampling. *Journal of the Royal Statistical Society: Series C (Applied Statistics)*, 41(2):337–348.
- Dan Hendrycks, Collin Burns, Saurav Kadavath, Akul Arora, Steven Basart, Eric Tang, Dawn Song, and Jacob Steinhardt. 2021. Measuring mathematical problem solving with the math dataset. *arXiv preprint arXiv:2103.03874*.
- Geoffrey Hinton. 2015. Distilling the knowledge in a neural network. *arXiv preprint arXiv:1503.02531*.
- Cheng-Yu Hsieh, Chun-Liang Li, Chih-Kuan Yeh, Hootan Nakhost, Yasuhisa Fujii, Alexander Ratner, Ranjay Krishna, Chen-Yu Lee, and Tomas Pfister. 2023. Distilling step-by-step! outperforming larger language models with less training data and smaller model sizes. *arXiv preprint arXiv:2305.02301*.
- Jiaxin Huang, Shixiang Shane Gu, Le Hou, Yuexin Wu, Xuezhi Wang, Hongkun Yu, and Jiawei Han. 2023. Large language models can self-improve. In *The 2023 Conference on Empirical Methods in Natural Language Processing*.
- Weize Liu, Guocong Li, Kai Zhang, Bang Du, Qiyuan Chen, Xuming Hu, Hongxia Xu, Jintai Chen, and Jian Wu. 2023. Mind’s mirror: Distilling self-evaluation capability and comprehensive thinking from large language models. *arXiv preprint arXiv:2311.09214*.
- Wonpyo Park, Dongju Kim, Yan Lu, and Minsu Cho. 2019. Relational knowledge distillation. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, pages 3967–3976.

- Charlie Snell, Jaehoon Lee, Kelvin Xu, and Aviral Kumar. 2024. Scaling llm test-time compute optimally can be more effective than scaling model parameters. *arXiv preprint arXiv:2408.03314*.
- Alon Talmor, Jonathan Herzig, Nicholas Lourie, and Jonathan Berant. 2018. Commonsenseqa: A question answering challenge targeting commonsense knowledge. *arXiv preprint arXiv:1811.00937*.
- Raphael Tang, Yao Lu, Linqing Liu, Lili Mou, Olga Vechtomova, and Jimmy Lin. 2019. Distilling task-specific knowledge from bert into simple neural networks. *arXiv preprint arXiv:1903.12136*.
- Yijun Tian, Yikun Han, Xiushi Chen, Wei Wang, and Nitesh V Chawla. 2024. Beyond answers: Transferring reasoning capabilities to smaller llms using multi-teacher knowledge distillation.
- Luong Trung, Xinbo Zhang, Zhanming Jie, Peng Sun, Xiaoran Jin, and Hang Li. 2024. Reft: Reasoning with reinforced fine-tuning. In *Proceedings of the 62nd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 7601–7614.
- Junlin Wang, Siddhartha Jain, Dejiao Zhang, Baishakhi Ray, Varun Kumar, and Ben Athiwaratkun. 2024a. Reasoning in token economies: Budget-aware evaluation of llm reasoning strategies. *arXiv preprint arXiv:2406.06461*.
- Libo Wang. 2024. Reducing reasoning costs: The path of optimization for chain of thought via sparse attention mechanism. *arXiv preprint arXiv:2411.09111*.
- Peiyi Wang, Lei Li, Zhihong Shao, Runxin Xu, Damai Dai, Yifei Li, Deli Chen, Yu Wu, and Zhifang Sui. 2024b. Math-shepherd: Verify and reinforce llms step-by-step without human annotations. In *Proceedings of the 62nd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 9426–9439.
- Xuezhi Wang, Jason Wei, Dale Schuurmans, Quoc V Le, Ed H Chi, Sharan Narang, Aakanksha Chowdhery, and Denny Zhou. 2022. Self-consistency improves chain of thought reasoning in language models. In *The Eleventh International Conference on Learning Representations*.
- Jason Wei, Xuezhi Wang, Dale Schuurmans, Maarten Bosma, Fei Xia, Ed Chi, Quoc V Le, Denny Zhou, et al. 2022. Chain-of-thought prompting elicits reasoning in large language models. *Advances in neural information processing systems*, 35:24824–24837.
- Peter West, Chandra Bhagavatula, Jack Hessel, Jena D Hwang, Liwei Jiang, Ronan Le Bras, Ximing Lu, Sean Welleck, and Yejin Choi. 2021. Symbolic knowledge distillation: from general language models to commonsense models. *arXiv preprint arXiv:2110.07178*.
- Yangzhen Wu, Zhiqing Sun, Shanda Li, Sean Welleck, and Yiming Yang. 2024. Inference scaling laws: An empirical analysis of compute-optimal inference for problem-solving with language models. *arXiv preprint arXiv:2408.00724*.
- Shunyu Yao, Dian Yu, Jeffrey Zhao, Izhak Shafran, Tom Griffiths, Yuan Cao, and Karthik Narasimhan. 2023. Tree of thoughts: Deliberate problem solving with large language models. *Advances in neural information processing systems*, 36:11809–11822.
- Shunyu Yao, Dian Yu, Jeffrey Zhao, Izhak Shafran, Tom Griffiths, Yuan Cao, and Karthik Narasimhan. 2024. Tree of thoughts: Deliberate problem solving with large language models. *Advances in Neural Information Processing Systems*, 36.
- Longhui Yu, Weisen Jiang, Han Shi, Jincheng Yu, Zhengying Liu, Yu Zhang, James T Kwok, Zhengguo Li, Adrian Weller, and Weiyang Liu. 2023. Metamath: Bootstrap your own mathematical questions for large language models. *arXiv preprint arXiv:2309.12284*.
- Yuzhe Zhang, Huan Liu, Yang Xiao, Mohammed Amoon, Dalin Zhang, Di Wang, Shusen Yang, and Chai Quek. 2024. [Llm-enhanced multi-teacher knowledge distillation for modality-incomplete emotion recognition in daily healthcare](#). *IEEE Journal of Biomedical and Health Informatics*, pages 1–11.
- Lianmin Zheng, Zhuohan Li, Hao Zhang, Yonghao Zhuang, Zhifeng Chen, Yanping Huang, Yida Wang, Yuanzhong Xu, Danyang Zhuo, Eric P Xing, et al. 2022. Alpa: Automating inter-and {Intra-Operator} parallelism for distributed deep learning. In *16th USENIX Symposium on Operating Systems Design and Implementation (OSDI 22)*, pages 559–578.
- Denny Zhou, Nathanael Schärli, Le Hou, Jason Wei, Nathan Scales, Xuezhi Wang, Dale Schuurmans, Claire Cui, Olivier Bousquet, Quoc V Le, et al. 2022. Least-to-most prompting enables complex reasoning in large language models. In *The Eleventh International Conference on Learning Representations*.

A Prompt

The specific prompt for teachers to generate pseudo-labels on the MBPP, CQA and MetaMath dataset is shown in Figure 4.

B Case Study on MBPP Dataset

B.1 Query

A specific query example of the MBPP dataset is shown in Figure 5.

B.2 Teacher’s Original Response (Dataset of HaRD Stage-1)

After Dual-Criteria rejection sampling, one of the selected teacher responses (with full reasoning process) is shown in Figure 6.

B.3 Student’s Inference for Same Query

After performing SFT on the student model using the full reasoning dataset from the first stage, an initial student model with reasoning ability is obtained. Let this stage’s student model perform inference on the distillation dataset, resulting in the student’s response, as shown in Figure 7.

B.4 Teacher’s Refinement Prompt

After the student model performs inference, the reasoning processes of both the student and teacher models are extracted for the same query. The teacher model modifies its original reasoning process based on the student model’s response preferences. The prompt is shown in Figure 8.

B.5 Compressed Reasoning Data after Refinement (Dataset of HaRD Stage-2)

By having the teacher model refine its original response based on the student model’s answer to the same question, the teacher’s response can better align with the student’s learning characteristics. This can be compared to the human learning process: the teacher delivers the initial lesson, then, after receiving feedback from the student, modifies the lesson plan based on the feedback to improve subsequent teaching. The teacher’s revised response is shown in Figure 9. Since the refined reasoning is intuitively much shorter than the original reasoning, we refer to it as the “reasoning-compressed dataset”, which is used for the second stage of distillation in HaRD.

B.6 Reasoning-free Distillation Data

After the second stage of SFT, the student model gradually internalizes the reasoning process into its own capability. In the third stage, we aim to enable the student model to learn query-answer end-to-end, strengthening its memory of the answer. Through this repetitive training, the student model will eventually be able to provide accurate answers without outputting reasoning. The format of the distillation data in the third stage is: prompt + query + answer (python code), meaning that the reasoning process is entirely removed. This dataset is used to continue SFT on the student model from the second stage, resulting in the final trained student model, completing the entire HaRD training process.

C Details of Confidence Score Selection

Taking the MBPP dataset as an example, we prompt the LLM to assign a confidence score to its own output based on four weighted criteria: correctness (50%), readability (20%), execution efficiency (20%), and test coverage (10%). The final score is returned in the format score: 0.85 as a clear numeric value.

Inspired by recent work on LLM self-consistency, which shows that LLMs can assess the quality of their own outputs by assigning confidence scores, we adopt a similar strategy to evaluate the trustworthiness of generated samples. Specifically, we introduce a confidence threshold: samples with scores above this threshold are retained as reliable, while those below are discarded.

To determine this threshold, we analyze the relationship between confidence scores and output quality. On datasets such as MBPP, CQA, and MetaMath, we observe that when the confidence score is around 0.95, the alignment between model predictions and ground truth is the highest (e.g., the largest number of passed test cases on MBPP). Based on this observation, we set the confidence threshold to 0.95 in our experiments. The confidence score distributions on different datasets are shown in Figures 10–12.

MBPP
<p>You are a helpful assistant. Your task is to implement a Python function based on the following guidelines. Please think step by step to analyze the question carefully and give your clear thinking step to solve the problem. Ensure that it passes all three provided test cases which use assert statements for validation.\n</p> <p>Instructions:\n</p> <ol style="list-style-type: none"> 1. Function Name: Use the exact function name provided in the test cases.\n 2. Input and Output: The function should accept the same number and types of input arguments and return the same type of output as specified in the test cases.\n 3. Function Behavior: The function should pass all three provided test cases when executed.\n 4. Allowed Libraries: You may use any standard Python libraries.\n 5. Confidence Score: After completing the code, please assign a confidence score between 0.00 and 1.00 to your code based on the following criteria: <ul style="list-style-type: none"> (1) Correctness (50% weight): Whether the functionality is implemented correctly and all test cases are passed.\n (2) Readability (20% weight): Whether the code structure is clear, variable and function names are meaningful.\n (3) Execution Efficiency (20% weight): Whether the algorithm is efficient and there is unnecessary redundant code.\n (4) Test Coverage (10% weight): Whether possible edge cases and exceptions are considered.\n Please assign a score for each category based on the weight, then calculate the weighted total score. The final score should be in the format score: 0.85. Please provide a clear numerical value without any additional explanation. <p>6. Response Format: Your response must include three parts: (1) Thinking: A detailed step-by-step explanation of your approach. (2) Code: The Python code implementing the function, without additional explanations. (3) Score: Your confidence score as specified. \n</p> <p>Response Format Example:```\nThinking: (Your detailed explanation here.)\n\n```\npython (Your Python code goes here)\n\n```\n\nscore: 0.85 (Do not give any explanation)```\n</p>
CQA
<p>You are a helpful assistant. Your task is to answer questions based on provided options. Each input consists of a question and five answer choices.\n</p> <p>Instructions:\n</p> <ol style="list-style-type: none"> 1. Confidence Score: After giving the answer, please assign a confidence score between 0.00 and 1.00 to your answer based on the following: <ul style="list-style-type: none"> (1) Correctness (50%): The answer is factually correct.\n (2) Logical Reasoning (25%): The explanation demonstrates clear and reasonable reasoning.\n (3) Clarity (15%): The response is easy to follow. \n (4) Completeness (10%): All necessary aspects of the question are addressed. 2. Response Format: Your response must include three parts: (1) Thinking: A detailed step-by-step explanation of your approach. (2) Answer: The answer choice without additional explanations. (3) Score: Your confidence score as specified. \n <p>Response Format Example:```\nThinking:[your thinking process]```\n\n```\n\nThe answer is: [answer choice]```\n\n```\n\nscore: [an exact number, for example:0.85]```\n</p>
MetaMath
<p>You are a helpful assistant. Your task is to answer a math question. Please think step by step to analyze the question carefully and give your clear thinking step to solve the problem.\n</p> <p>Instructions:\n</p> <ol style="list-style-type: none"> 1. Confidence Score: After solving the problem, please assign a confidence score between 0.00 and 1.00 to your answer based on the following: <ul style="list-style-type: none"> (1) Correctness (50% weight): the answer is factually correct based on the information or reasoning provided.\n (2) Logical Reasoning (25% weight): Whether the analysis exhibits a clear, reasonable thought process.\n (3) Clarity (15% weight): The reasoning should be easy to follow, avoiding unnecessary complexity. \n (4) Completeness (10% weight): The analysis should cover all necessary aspects of the question. Please assign a score for each category based on the weight, then calculate the weighted total score. The final score should be in the format score: 0.85. 2. Response Format: Your response must include three parts: (1) Thinking: A detailed step-by-step explanation of your approach. (2) Answer: The number for the problem, without additional explanations. (3) Score: Your confidence score as specified. \n <p>Response Format Example:```\nThinking:[your thinking process]```\n\n```\n\nThe answer is: [anexact number]```\n\n```\n\nscore: [an exact number, for example:0.85]```\n</p>

Figure 4: Prompt for Teachers to Generate Pseudo-Labels on the MBPP Dataset.

Question:\nWrite a function to find the minimum cost path to reach (m, n) from (0, 0) for the given cost matrix cost[][] and a position (m, n) in cost[][]. \n# Test Cases: \nassert min_cost([[1, 2, 3], [4, 8, 2], [1, 5, 3]], 2, 2) == 8\nassert min_cost([[2, 3, 4], [5, 9, 3], [2, 6, 4]], 2, 2) == 12\nassert min_cost([[3, 4, 5], [6, 10, 4], [3, 7, 5]], 2, 2) == 16\nGive me the answer based on the instructions and test cases following the examples above.

Figure 5: An example query of the MBPP dataset, showing the input programming task and its corresponding test case.

Thinking: To solve the problem of finding the minimum cost path in a cost matrix from the top-left corner $(0, 0)$ to a given position (m, n) , we can use dynamic programming. The idea is to create a 2D array `dp` where `dp[i][j]` will store the minimum cost to reach the cell (i, j) from $(0, 0)$. Here are the steps to implement the solution:

1. Initialize a 2D list `dp` of the same dimensions as the cost matrix, where each element is initially set to 0.
2. Set the starting point `dp[0][0]` to `cost[0][0]` since the cost to reach the starting point is just the cost of that cell.
3. Fill in the first row and first column of the `dp` array since they can only be reached from one direction (from the left for the first row and from above for the first column).
4. For each cell (i, j) in the matrix starting from $(1, 1)$, calculate the minimum cost to reach that cell by taking the minimum of the cost from the cell above $(i-1, j)$ and the cell to the left $(i, j-1)$, and add the current cell's cost.
5. The value at `dp[m][n]` will give us the minimum cost to reach the cell (m, n) .
6. Finally, return `dp[m][n]`.

This approach ensures that we efficiently compute the minimum cost path using previously computed results, leading to an overall time complexity of $O(m*n)$.

```
python
def min_cost(cost, m, n):
    # Create a 2D array to store the minimum cost path
    dp = [[0 for _ in range(n + 1)] for _ in range(m + 1)]
    # Initialize the starting point
    dp[0][0] = cost[0][0]
    # Fill the first row
    for j in range(1, n + 1):
        dp[0][j] = dp[0][j - 1] + cost[0][j]
    # Fill the first column
    for i in range(1, m + 1):
        dp[i][0] = dp[i - 1][0] + cost[i][0]
    # Fill the rest of the dp array
    for i in range(1, m + 1):
        for j in range(1, n + 1):
            dp[i][j] = cost[i][j] + min(dp[i - 1][j], dp[i][j - 1])
    # The minimum cost to reach (m,n)
    return dp[m][n]

score: 0.95
```

Figure 6: The original structured response generated by the teacher model based on the query. The italicized part represents the full reasoning process, which will later be refined based on the student model's response.

Thinking: The problem is a classic example of a dynamic programming problem. The idea is to fill a 2D array with the minimum cost to reach each cell from the top-left corner. The base case is the top-left cell, which has a cost of 0. For other cells, the cost is the minimum of the cost to reach the cell above, the cost to reach the cell to the left, and the cost to reach the cell above and to the left, plus the cost of the current cell. This is because the cost to reach a cell is the minimum of the cost to reach the cell above, the cost to reach the cell to the left, and the cost to reach the cell above and to the left, plus the cost of the current cell.

```
python
def min_cost(cost, m, n):
    dp = [[0] * n for _ in range(m)]
    for i in range(m):
        for j in range(n):
            if i == 0 and j == 0:
                dp[i][j] = 0
            elif i == 0:
                dp[i][j] = dp[i][j - 1] + cost[i][j]
            elif j == 0:
                dp[i][j] = dp[i - 1][j] + cost[i][j]
            else:
                dp[i][j] = min(dp[i - 1][j], dp[i][j - 1]) + cost[i][j]
    return dp[m - 1][n - 1]

score: 0.95
```

Figure 7: The inference results of the student model after the first stage of SFT on the distill dataset.

Prompt for Teacher's Refinement on MBPP dataset
<p>Please compare your previous thinking process on this task with the student's thinking process in detail.</p> <p>After identifying any differences in style, tone, structure, and length, modify your original output to better align with the student's preferences.</p> <p>Ensure that your revised output maintains a similar length and depth of content as the student's version, while preserving all essential information.</p> <p>The goal is to make your response more suited to the student's learning ability, helping them better understand and grasp the content.</p>

Figure 8: Prompt for teacher's refinement.


```

Thinking: Thinking: The problem involves finding the minimum cost path in a cost matrix using dynamic programming. We will create a 2D array dp where dp[i][j] represents the minimum cost to reach cell (i, j) from (0, 0). Initialization: Start by initializing dp[0][0] with cost[0][0]. Fill the first row by accumulating costs from the left and the first column from above. For each cell (i, j) from (1, 1), the value is calculated as cost[i][j] plus the minimum of the values from the cell above (i-1, j) and the cell to the left (i, j-1). The final value at dp[m][n] gives the minimum cost to reach the destination cell.

python
def min_cost(cost, m, n):
    # Create a 2D array to store the minimum cost path
    dp = [[0 for _ in range(n + 1)] for _ in range(m + 1)]
    # Initialize the starting point
    dp[0][0] = cost[0][0]
    # Fill the first row
    for j in range(1, n + 1):
        dp[0][j] = dp[0][j - 1] + cost[0][j]
    # Fill the first column
    for i in range(1, m + 1):
        dp[i][0] = dp[i - 1][0] + cost[i][0]
    # Fill the rest of the dp array
    for i in range(1, m + 1):
        for j in range(1, n + 1):
            dp[i][j] = cost[i][j] + min(dp[i - 1][j], dp[i][j - 1])
    # The minimum cost to reach (m,n)
    return dp[m][n]

score: 0.95

```

Figure 9: Dataset of reasoning-compressed distillation stage.




Figure 10: Confidence Score Distribution on MBPP dataset via GPT-4, GPT-4o-mini and Mistal-Large.




Figure 11: Confidence Score Distribution on CQA dataset via GPT-4, GPT-4o-mini and Mistral-Large.




Figure 12: Confidence Score Distribution on MetaMath dataset via GPT-4, GPT-4o-mini and Mistral-Large.