ACL HLT 2011

Workshop on Multiword Expressions: from Parsing and Generation to the Real World MWE 2011

Proceedings of the Workshop

23 June, 2011 Portland, Oregon, USA Production and Manufacturing by Omnipress, Inc. 2600 Anderson Street Madison, WI 53704 USA

©2011 The Association for Computational Linguistics

Order copies of this and other ACL proceedings from:

Association for Computational Linguistics (ACL) 209 N. Eighth Street Stroudsburg, PA 18360 USA Tel: +1-570-476-8006 Fax: +1-570-476-0860 acl@aclweb.org

ISBN 978-1-932432-97-8

Introduction

The ACL 2011 Workshop on *Multiword Expressions: from Parsing and Generation to the Real World* (*MWE 2011*) took place on June 23, 2011 in Portland, Oregon, USA, in conjunction to the 49th Annual Meeting of the Association for Computational Linguistics: Human Language Technologies (ACL HLT 2011). The workshop has been held every year since 2003 in conjunction with ACL, EACL, COLING and LREC.

Multiword Expressions (MWEs) range over linguistic constructions such as idioms (a frog in the throat, kill some time), fixed phrases (per se, by and large, rock'n roll), noun compounds (telephone booth, cable car), compound verbs (give a presentation, go by [a name]), etc. While easily mastered by native speakers, their interpretation poses a major challenge for computational systems, due to their flexible and heterogeneous nature. Surprisingly enough, MWEs are not nearly as frequent in NLP resources (dictionaries, grammars) as they are in real-word text, where they have been reported to account for over 70% of the terms in a domain. Thus, MWEs are a key issue and a current weakness for tasks like Natural Language Parsing (NLP) and Generation (NLG), as well as real-life applications such as Machine Translation.

MWE 2011 is the 8th event in the series, and the time has come to move from basic preliminary research and theoretical results to actual applications in real-world NLP tasks. Therefore, following further the trend of previous MWE workshops, we have now turned our focus towards MWEs on NLP applications, specifically towards Parsing and Generation of MWEs, as there is a wide range of open problems that prevent MWE treatment techniques to be fully integrated in current NLP systems. We have thus asked our contributors for original research related (but not limited) to the following topics:

- Lexical representations: In spite of several proposals for MWE representation ranging along the continuum from words-with-spaces to compositional approaches connecting lexicon and grammar, to date, it remains unclear how MWEs should be represented in electronic dictionaries, thesauri and grammars. New methodologies that take into account the type of MWE and its properties are needed for efficiently handling manually and/or automatically acquired expressions in NLP systems. Moreover, strategies are also needed to represent deep attributes and semantic properties for these multiword entries.
- Task and Application-oriented evaluation: Evaluation is a crucial aspect for MWE research. Various evaluation techniques have been proposed, from manual inspection of top-n candidates to classic precision/recall measures. However, to get a clear indication of the effect of incorporating a treatment of MWEs in a particular context, task and application-oriented evaluations are needed. We have thus called for submissions that study the impact of MWE handling in the context of Parsing, Generation, Information Extraction, Machine Translation, Summarization, etc.
- **Type-dependent analysis**: While there is no unique definition or classification of MWEs, most researchers agree on some major classes such as named entities, collocations, multiword terminology and verbal expressions. These, though, are very heterogeneous in terms of syntactic and semantic properties, and should thus be treated differently by applications. Type-dependent analyses could shed some light on the best methodologies to integrate MWE knowledge in our analysis and generation systems.

• **MWE engineering**: Where do MWEs go after being extracted? Do they belong to the lexicon and/or to the grammar? In the pipeline of linguistic analysis and/or generation, where should we insert MWEs? And even more important: HOW? Because all the effort put in automatic MWE extraction will not be useful if we do not know how to employ these rich resources in our real-life NLP applications!

This year, we had three different submission types: long, short and demonstration papers. We received a total of 31 submissions, from which 16 were long papers, 9 were short papers and 6 were demo papers. Given our limited capacity as a one-day workshop, we were only able to accept 6 long papers for oral presentation and 4 long papers as posters: an acceptance rate of 62.5%. We further accepted 4 short papers for oral presentation and 2 short papers as posters (67% acceptance), as well as 5 out of the 6 proposed demonstrations. The oral presentations were distributed in three sessions: Short Papers, Identification and Representation, and Tasks and Applications. The workshop also featured two invited talks, by Timothy Baldwin and by Kenneth Church, and a panel discussion.

We would like to thank the members of the Program Committee for the timely reviews. We would also like to thank the authors for their valuable contributions.

Valia Kordoni, Carlos Ramisch, Aline Villavicencio Co-Organizers

Organizers:

Valia Kordoni, DFKI GmbH and Saarland University, Germany Carlos Ramisch, University of Grenoble, France and Federal University of Rio Grande do Sul, Brazil

Aline Villavicencio, Federal University of Rio Grande do Sul, Brazil

Consulting Body:

Su Nam Kim, University of Melbourne, Australia Preslav Nakov, National University of Singapore, Singapore

Program Committee:

Iñaki Alegria, University of the Basque Country, Spain Dimitra Anastasiou, University of Bremen, Germany Timothy Baldwin, University of Melbourne, Australia Srinivas Bangalore, AT&T Labs-Research, USA Francis Bond, Nanyang Technological University, Singapore Aoife Cahill, IMS University of Stuttgart, Germany Paul Cook, University of Toronto, Canada Béatrice Daille, Nantes University, France Mona Diab, Columbia University, USA Gaël Dias, Beira Interior University, Portugal Stefan Evert, University of Osnabrueck, Germany Roxana Girju, University of Illinois at Urbana-Champaign, USA Chikara Hashimoto, National Institute of Information and Communications Technology, Japan Ulrich Heid, Stuttgart University, Germany Kyo Kageura, University of Tokyo, Japan Adam Kilgarriff, Lexical Computing Ltd., UK Ioannis Korkontzelos, University of Manchester, UK Zornitsa Kozareva, University of Southern California, USA Brigitte Krenn, Austrian Research Institute for Artificial Intelligence, Austria Takuya Matsuzaki, University of Tokyo, Japan Diana McCarthy, Lexical Computing Ltd., UK Yusuke Miyao, National Institute of Informatics, Japan Rosamund Moon, University of Birmingham, UK Diarmuid Ó Séaghdha, University of Cambridge, UK Jan Odijk, University of Utrecht, The Netherlands Pavel Pecina, Dublin City University, Ireland Scott Piao, Lancaster University, UK Thierry Poibeau, CNRS and École Normale Supérieure, France

Elisabete Ranchhod, University of Lisbon, Portugal Barbara Rosario, Intel Labs, USA Agata Savary, Université François Rabelais Tours, France Violeta Seretan, University of Edinburgh, UK Ekaterina Shutova, University of Cambridge, UK Suzanne Stevenson, University of Toronto, Canada Sara Stymne, Linköping University, Sweden Stan Szpakowicz, University of Ottawa, Canada Beata Trawinski, University of Vienna, Austria Vivian Tsang, Bloorview Research Institute, Canada Kyioko Uchiyama, National Institute of Informatics, Japan Ruben Urizar, University of the Basque Country, Spain Gertjan van Noord, University of Groningen, The Netherlands Tony Veale, University College Dublin, Ireland Begoña Villada Moirón, RightNow, The Netherlands Yi Zhang, DFKI GmbH and Saarland University, Germany

Invited Speakers:

Timothy Baldwin, University of Melbourne, Australia Kenneth Church, Johns Hopkins University, USA

Table of Contents

MWEs and Topic Modelling: Enhancing Machine Learning with Linguistics Invited talk by Timothy Baldwin	. 1
Automatic Extraction of NV Expressions in Basque: Basic Issues on Cooccurrence Techniques Antton Gurrutxaga and Iñaki Alegria	. 2
Semantic Clustering: an Attempt to Identify Multiword Expressions in Bengali Tanmoy Chakraborty, Dipankar Das and Sivaji Bandyopadhyay	. 8
Decreasing Lexical Data Sparsity in Statistical Syntactic Parsing - Experiments with Named Entities Deirdre Hogan, Jennifer Foster and Josef van Genabith	5 14
Detecting Multi-Word Expressions Improves Word Sense Disambiguation Mark Finlayson and Nidhi Kulkarni	20
Tree-Rewriting Models of Multi-Word Expressions William Schuler and Aravind Joshi	25
Learning English Light Verb Constructions: Contextual or Statistical Yuancheng Tu and Dan Roth	31
Two Types of Korean Light Verb Constructions in a Typed Feature Structure Grammar Juwon Lee	40
MWU-Aware Part-of-Speech Tagging with a CRF Model and Lexical Resources Matthieu Constant and Anthony Sigogne	49
The Web is not a PERSON, Berners-Lee is not an ORGANIZATION, and African-Americans are n LOCATIONS: An Analysis of the Performance of Named-Entity Recognition	10t 57
A Machine Learning Approach to Relational Noun Mining in German Berthold Crysmann	65
<i>Identifying and Analyzing Brazilian Portuguese Complex Predicates</i> Magali Sanches Duran, Carlos Ramisch, Sandra Maria Aluísio and Aline Villavicencio	74
An N-gram Frequency Database Reference to Handle MWE Extraction in NLP Applications Patrick Watrin and Thomas François	83
Extracting Transfer Rules for Multiword Expressions from Parallel Corpora Petter Haugereid and Francis Bond	92
Identification and Treatment of Multiword Expressions Applied to Information Retrieval Otavio Acosta, Aline Villavicencio and Viviane Moreira1	01

Stepwise Mining of Multi-Word Expressions in HindiRai Mahesh Sinha1	10
Detecting Noun Compounds and Light Verb Aonstructions: a Contrastive Study Veronika Vincze, István Nagy T. and Gábor Berend1	16
<i>iMWE: A Java Toolkit for Detecting Multi-Word Expressions</i> Nidhi Kulkarni and Mark Finlayson1	22
FipsCoView: On-line Visualisation of Collocations Extracted from Multilingual Parallel Corpora Violeta Seretan and Eric Wehrli 12	25
The StringNet Lexico-Grammatical Knowledgebase and its Applications David Wible and Nai-Lung Tsao 12	28
The Ngram Statistics Package (Text::NSP) : A Flexible Tool for Identifying Ngrams, Collocations, and Word Associations Ted Pedersen, Satanjeev Banerjee, Bridget McInnes, Saiyam Kohli, Mahesh Joshi and Ying L 131	nd .iu
Fast and Flexible MWE Candidate Generation with the mwetoolkit Vitor De Araujo, Carlos Ramisch and Aline Villavicencio	34
How Many Multiword Expressions do People Know? Invited talk by Kenneth Church	37

Workshop Program

Thursday, June 23, 2011

- 08:15-08:30 Welcome
- 08:30–09:30 Invited talk *MWEs and Topic Modelling: Enhancing Machine Learning with Linguistics* Timothy Baldwin

Session I - Short Papers

- 09:30–09:45 Automatic Extraction of NV Expressions in Basque: Basic Issues on Cooccurrence Techniques Antton Gurrutxaga and Iñaki Alegria
- 09:45–10:00 *Semantic Clustering: an Attempt to Identify Multiword Expressions in Bengali* Tanmoy Chakraborty, Dipankar Das and Sivaji Bandyopadhyay
- 10:00–10:15 Decreasing Lexical Data Sparsity in Statistical Syntactic Parsing Experiments with Named Entities Deirdre Hogan, Jennifer Foster and Josef van Genabith
- 10:15–10:30 *Detecting Multi-Word Expressions Improves Word Sense Disambiguation* Mark Finlayson and Nidhi Kulkarni
- 10:30-11:00 MORNING BREAK

Session II - Identification and Representation

- 11:00–11:25Tree-Rewriting Models of Multi-Word ExpressionsWilliam Schuler and Aravind Joshi
- 11:25–11:50 *Learning English Light Verb Constructions: Contextual or Statistical* Yuancheng Tu and Dan Roth
- 11:50–12:15 Two Types of Korean Light Verb Constructions in a Typed Feature Structure Grammar

Juwon Lee

12:15–13:50 LUNCH BREAK

Session III - Tasks and Applications

- 13:50–14:15 *MWU-Aware Part-of-Speech Tagging with a CRF Model and Lexical Resources* Matthieu Constant and Anthony Sigogne
- 14:15–14:40 The Web is not a PERSON, Berners-Lee is not an ORGANIZATION, and African-Americans are not LOCATIONS: An Analysis of the Performance of Named-Entity Recognition

Robert Krovetz, Paul Deane and Nitin Madnani

14:40–15:05 *A Machine Learning Approach to Relational Noun Mining in German* Berthold Crysmann

Thursday, June 23, 2011 (continued)

15:05–15:30 Poster and Demo Session Long Papers

Identifying and Analyzing Brazilian Portuguese Complex Predicates Magali Sanches Duran, Carlos Ramisch, Sandra Maria Aluísio and Aline Villavicencio An N-gram Frequency Database Reference to Handle MWE Extraction in NLP Applications

Patrick Watrin and Thomas François *Extracting Transfer Rules for Multiword Expressions from Parallel Corpora* Petter Haugereid and Francis Bond *Identification and Treatment of Multiword Expressions Applied to Information Retrieval* Otavio Acosta, Aline Villavicencio and Viviane Moreira

Short Papers

Stepwise Mining of Multi-Word Expressions in Hindi Rai Mahesh Sinha Detecting Noun Compounds and Light Verb Constructions: a Contrastive Study Veronika Vincze, István Nagy T. and Gábor Berend

Demo Papers

*jMWE: A Java Toolkit for Detecting Multi-Word Expressions*Nidhi Kulkarni and Mark Finlayson *FipsCoView: On-line Visualisation of Collocations Extracted from Multilingual Parallel Corpora*Violeta Seretan and Eric Wehrli *The StringNet Lexico-Grammatical Knowledgebase and its Applications*David Wible and Nai-Lung Tsao *The Ngram Statistics Package (Text::NSP) : A Flexible Tool for Identifying Ngrams, Collocations, and Word Associations*Ted Pedersen, Satanjeev Banerjee, Bridget McInnes, Saiyam Kohli, Mahesh Joshi and Ying Liu *Fast and Flexible MWE Candidate Generation with the mwetoolkit*Vitor De Araujo, Carlos Ramisch and Aline Villavicencio

15:30–16:00 AFTERNOON BREAK

Invited talk

- 16:00–17:00 *How Many Multiword Expressions do People Know?* Kenneth Church
- 17:00–18:00 Panel: Toward a Special Interest Group for MWEs