

Agentic Oversight via Dialectic Reasoning

Leonardo Ranaldi^{♣,•,†} Federico Ranaldi[•]

♣ILCC, School of Informatics, University of Edinburgh, United Kingdom

•OMNIA Lab & University of Rome Tor Vergata, Italy

†Idiap Research Institute, Switzerland

{first_name.last_name}@ed.ac.uk

Abstract

Debate has emerged as a promising oversight mechanism for Large Language Models (LLMs) amid rising systemic complexity, particularly where models outperform human evaluators. Yet, Debate provides little verifiable evidence for its final judgments, and its scalability across domains remains largely unexplored.

To make oversight grounded and scale as capabilities extend, we introduce an Agentic Oversight framework. Specifically, by using *Dialectic Argumentation* as a reasoning function, we extend this paradigm to multilingual and multimodal spaces. We employ a weak-to-strong oversight approach based on two expert models that evaluate and defend contesting answers, while a third blind judge determines the winner using *Dialectic Argumentation*. Experts argue only for belief-consistent answers, founding the Debate on disagreements. We experimented with six tasks on our framework in both multilingual and multimodal scenarios, experimenting with different models. After in-depth analysis, we show that dialectic argumentation consistently outperforms single-expert baselines. Moreover, we demonstrate that dialectic judgements from a weaker model deliver argument-mediated supervision that, via fine-tuning, instils unsupervised reasoning signals in expert models.

1 Introduction

The prevailing approach to aligning Large Language Models (LLMs) relies heavily on human-annotated data (Ouyang et al., 2022; Sun et al., 2023). Yet as these systems extend their reach, getting competence across an ever-wider range of domains, languages, and modalities (OpenAI et al., 2024; DeepSeek-AI et al., 2025), the task of assuring the high-quality supervision required for training and alignment is becoming prohibitively costly and operationally demanding.

One response to this challenge has been to look beyond human oversight altogether. Irving et al. (2018) proposed a Debate between expert models as a way to achieve scalable oversight, allowing models to be evaluated even when their abilities exceed what human judges can reliably assess.

The concept has gained considerable ground as a scalable oversight mechanism (Bowman et al., 2022; Kenton et al., 2024; Khan et al., 2024). In a Debate, two or more expert models are presented with a task, each sets out its solution, and both then take turns making their supporting arguments. The judge, who may be a human or weaker model, observes the entirety of the Debate and delivers a final judgment on which position wins. Du et al. (2023); Estornell and Liu (2024) investigate Debate via multi-agent collaboration where instead of competing, models engage in multiple rounds of exchange to reach a consensus answer, typically stronger than that of any single model in isolation. Subramaniam et al. (2025) extend this approach by harnessing agreement across instances of the same model, thereby generating diverse data that can be used for further tuning. Despite these advances, the role of the judge remains constrained because there is no principle-based reasoning procedure that makes judgments explicit, verifies them against counterclaims, and grounds conclusions. Moreover, there is a lack of studies which expand this approach across languages and knowledge-intensive tasks.

To make oversight both grounded and scalable as capabilities expand, we propose a *Dialectic Argumentation* framework, i.e., a structured analytical procedure that makes audit trail explicit, analyses evidence, and constructs a well-grounded conclusion through structured argumentation. We employ the mechanism of *Dialectic Argumentation* (Ranaldi et al., 2025) as an oversight reasoning function in knowledge-intensive, vision-language tasks in multilingual settings, where an expert model is challenged with vision-based and




Figure 1: Example of debate protocol framework in a visual task from World-Cuisines. The experts debate on the answer, defending their beliefs. The judge, by reviewing the debate transcript, provides a dialectic explanation of the argument that supports the final answer.

knowledge-intensive questions. Hence, following the Debate paradigm (Irving et al., 2018), we take two expert models to debate, belief-consistent answers using the provided context, while a third, weaker judge, blind to the context, determines who is right as shown in Figure 1. The models that engage in the Debate are sighted, while the judge is blind, hence has no access to images or non-parametric knowledge, and judges based on the arguments.

Complementing prior protocols (Kenton et al., 2024; Khan et al., 2024; Du et al., 2023; Estornell and Liu, 2024), we operate belief-consistent Debate and context-blind judging. In contrast to (Adhikari and Lapata, 2025), we propose a task-agnostic solution that works in language-based and multimodal settings. Specifically, in our protocol, experts defend their answers, disagreements are debated, and a neutral judge (blinded) reaches the final decision *dialectically* based on the arguments presented during the debate. Finally, the judge delivers a grounded argumentation-mediated supervision, which we then use as a reasoning signal to instil capabilities into expert models, e.g., through fine-tuning the experts on the verdicts delivered by the blind judge. Our results show that the Dialectic Argumentation protocol consistently outperforms both models and the single-expert consultancy base-

line across six multilingual and vision-based tasks. Moreover, expert models tuned on Dialectic reasoning traces delivered by the judge yield robust improvements without using explicit signals, indicating transferable gains in reasoning rather than mere pattern matching.

In summary, our contributions are threefold:

- We study oversight mechanisms to evaluate and improve the capabilities of expert models in complex tasks. We focus on Debate and provide a mechanism for judging it based on *Dialectic Argumentation* that is effective and task-agnostic.
- We study the effect that *Dialectic Argumentation* can make in six different tasks, comprising multilingual, multimodal and knowledge-intensive, demonstrating the benefits in terms of performance.
- Finally, we employ judgments from weaker models to align the expert without explicit supervision (e.g., in the form of labelled data).

To the best of our knowledge, we are the first to propose a Dialectic reasoning mechanism for improving Debate in scenarios involving multilingual, multimodal and knowledge-intensive tasks and its potential for enabling weaker models to supervise stronger ones.

2 Dialectic Argumentation

Dialectic is the method to reason through critical argument, examine competing thoughts, and reach the truth, or a principled synthesis, by means of grounded argumentations. In this setting, we employ debating protocols to elicit truthful answers from expert models using a non-expert model (judge), which utilises Debate arguments as a means of decision-making. The judge *operationalises* the dialectic arguments as the decision procedure: it surfaces claims and supporting premises, requires explicit counter-claims, and weighs competing lines of reasoning against criteria of *grounding*, *relevance*, and *consistency*. The judge is blind to the context and must base the verdict on the arguments of the experts who debate, which is precisely why dialectic reasoning can be a method for getting to the truth in a reasoned and traceable way.

Our goal is to deliver an oversight reasoning-based protocol that separates perception from judgement, surfaces genuine disagreements, evaluates argument quality, and yields portable, argument-mediated supervision across languages and modalities. To this end, we first construct the *Argumentation Set* that filters for instances on which two experts diverge (§2.1); then introduce the *Oversight Protocol* founded on debate in §2.2, and finally present the *Dialectic Argumentation* mechanism, which scores Debate arguments, aggregates objections, and delivers an auditable judgement and supervision signal (§2.3).

2.1 Argumentation Set

The first step is to collect all conflicting predictions, which will serve as the testing ground for the Debate. Hence, given a set of expert models, we determine the samples on which the models produce conflicting predictions. We operate directly on the models’ responses as in (Adhikari and Lapata, 2025). In contrast to (Khan et al., 2024; Kenton et al., 2024), which assigns predictions to the model, we use this method to analyse their actual capabilities rather than the abilities that are assigned to them. Formally, as Algorithm 1, for a given task \mathcal{T} we select all samples $x \in \mathcal{T}$ over which a pair $(\mathcal{M}_i, \mathcal{M}_j)_{i \neq j}$ from our set of models \mathbf{M} disagree, and x is a tuple (q, \mathcal{C}) consisting of a question q and context \mathcal{C} . Unlike previous works, we consider different kinds of tasks; hence, we generalise the definition of context \mathcal{C} to include

Algorithm 1 Argumentation Set extraction for \mathcal{T}

```

1:  $\mathcal{S} \leftarrow \emptyset$  {argumentation set for  $\mathcal{T}$ }
2:  $\mathbf{M} \leftarrow$  set of models
3: for  $\mathcal{M}_i \in \mathbf{M}$  do
4:   for  $\mathcal{M}_j \in \mathbf{M} \setminus \{\mathcal{M}_i\}$  do
5:     for  $x \in \mathcal{T}$  do
6:       if  $y(\mathcal{M}_i(x)) \neq y(\mathcal{M}_j(x))$  then
7:          $\text{conflict} \leftarrow \{x, \mathcal{M}_i, \mathcal{M}_j\}$ 
8:          $\mathcal{S} \leftarrow \mathcal{S} \cup \{\text{conflict}\}$ 
9:       end if
10:    end for
11:  end for
12:   $\mathbf{M} \leftarrow \mathbf{M} \setminus \{\mathcal{M}_i\}$ 
13: end for
14: return  $\mathcal{S}$ 

```

an image, a set of documents retrieved from an external retrieval system, or additional knowledge. Hence, we conduct the debate on these sets, and subsequent phases are restricted to \mathcal{S} .

2.2 Oversight Protocols

We introduce an *oversight protocol* that elicits reasons from expert models and subjects them to dialectic adjudication by a weaker judge. The protocol is task-agnostic and applies across multilingual, multimodal settings by separating *perception* (expert access to the context) from *judgement* (a context-blind decision based solely on the arguments). We instantiate two modes: *Debate* (two experts in opposition) and *Consultancy* (a single expert under scrutiny).

Debate Mode Given a question and related context (q, \mathcal{C}) , where \mathcal{C} may be an image or non-parametric knowledge, let \mathcal{M}_i and \mathcal{M}_j be two expert models that disagree, i.e., they deliver distinct answers $a_i^{(0)} \neq a_j^{(0)}$. The models engage in a belief-consistent Debate for n rounds under fixed instructions (reported in Appendix B). At round $k \leq n$, each expert takes a action:

$$r_{k,i} = \mathcal{M}_i(q, \mathcal{C}, t_{k-1}), \quad r_{k,j} = \mathcal{M}_j(q, \mathcal{C}, t_{k-1}),$$

and the transcript updates as t_k which is a list $\forall 0 \leq k \leq n [(r_{k,i}, r_{k,j})]$ with $t_0 = [(a_i^{(0)}, a_j^{(0)})]$ and $r_{k,i}$ the responses from *experts* models \mathcal{M}_i at k -th round.

After n rounds, a judge \mathcal{J} receives only (q, t_n) and adjudicates the answer prediction:

$$\psi_x = \mathcal{J}(q, t_n), \quad y_{\mathcal{J}} = y(\psi_x),$$

where $\psi_x \in i, j$ indicates the selected position and $y_{\mathcal{J}}$ is the judge’s answer.

Algorithm 2 Oversight Protocol

Require: Debate Set \mathcal{S} ; task (q, \mathcal{C}) ; experts \mathbf{M} ; judge \mathcal{J} ; rounds n ; mode $\in \{\text{DEBATE}, \text{CONSULTANCY}\}$;
Ensure: Judge’s answer $y_{\mathcal{J}}$; final transcript t_n ; audit trace;

- 1: $t \leftarrow []$
- 2: **if** mode = DEBATE **then**
- 3: $(\mathcal{M}_i, \mathcal{M}_j) \leftarrow \text{PAIRFOR}(q, \mathcal{C}; \mathcal{S})$
- 4: $a_i^{(0)} \leftarrow \mathcal{M}_i(q, \mathcal{C})$
- 5: $a_j^{(0)} \leftarrow \mathcal{M}_j(q, \mathcal{C})$
- 6: $t \leftarrow t \cup \{(a_i^{(0)}, a_j^{(0)})\}$ {round 0}
- 7: **else**
- 8: {CONSULTANCY}
- 9: $a^{(0)} \leftarrow \mathcal{M}(q, \mathcal{C})$
- 10: $t \leftarrow t \cup \{(a^{(0)})\}$ {round 0}
- 11: **end if**
- 12: **for** $k \leftarrow 1$ to n **do**
- 13: **if** mode = DEBATE **then**
- 14: $r_{k,i} \leftarrow \mathcal{M}_i(q, \mathcal{C}, t)$
- 15: $r_{k,j} \leftarrow \mathcal{M}_j(q, \mathcal{C}, t)$
- 16: $t \leftarrow t \cup \{(r_{k,i}, r_{k,j})\}$
- 17: **else**
- 18: {CONSULTANCY}
- 19: $q_k^p \leftarrow \text{PROBE}(\mathcal{J}; q, t)$ {judge’s probing}
- 20: $r_k^{\text{cons}} \leftarrow \mathcal{M}(q, \mathcal{C}, t, q_k^p)$
- 21: $t \leftarrow t \cup \{(q_k^p, r_k^{\text{cons}})\}$
- 22: **end if**
- 23: **end for**
- 24: $(\psi_x, y_{\mathcal{J}}, \text{AUDIT}) \leftarrow \text{ANSWER}(\mathcal{J}; q, t)$
- 25: **return** $y_{\mathcal{J}}, t_n$.

This protocol is similar to previous work, in which two expert models Debate the answer to a question and a separate judge makes a final decision based solely on the history of their Debate. However, in contrast to Khan et al. (2024); Kenton et al. (2024), we do not use an explicit citation mechanism and, complementing Adhikari and Lapata (2025), we do not provide detailed information about the task. This configuration makes the protocol task-agnostic and therefore applicable in different scenarios without changes.

Consultancy Mode In Consultancy, a single expert \mathcal{M} (the consultant) engages interactively with the non-expert judge \mathcal{J} . Over n rounds, the consultant advances and defends its belief-consistent answer, while the judge, acting as a critic, poses probing questions and requests clarifications. As in Debate, \mathcal{J} never sees \mathcal{C} directly and decides solely based on the dialogue transcript t_n :

$$\psi_x = \mathcal{J}(q, t_n), \quad y_{\mathcal{J}} = y(\psi_x).$$

This reproduces the interactive Consultancy of Khan et al. (2024) but, as above, omits explicit citation and task-specific guidance, preserving task-agnostic applicability.

2.3 Dialectic Argumentation

Debate protocols reward rhetorical argumentation at the expense of reasoning. The Debate and the judge’s decision are based on argumentation. This may lead the judge to make misleading decisions. To this end, we introduce *Dialectic Argumentation*: a structured decision procedure that makes *claims and supporting premises* explicit, tests them against counter-claims, and selects a minimal, adequate support set linked to the Debate transcript. The judge is *context-blind* (no access to \mathcal{C}) and rules on well-grounded arguments, yielding an *auditable* judgment and an *argument-based* supervision signal. In the following section, we define how argument quality is assessed, (ii) formalise the decision routine used to adjudicate, and (iii) show how the resulting rationales are used as training traces for improving the expert models.

Dialectic Evaluation of Arguments The Debate is based on a series of predefined instructions. We instruct both the expert models $\mathcal{M}_i \in \mathbf{M}$ to engage in the Debate and the judge \mathcal{J} to audit and decide. The judge model must base the claims on concrete facts and respond to each round with explicit premises. It evaluates the arguments and, unlike previous works, employs Dialectic Argumentation—an epistemic mechanism that motivates going beyond simple explanation by integrating contrasting perspectives to achieve more well-grounded knowledge. The criteria on which we instruct the judge to base their choice are consistency (absence of internal contradiction), relevance (the premises must effectively influence the truth value of the thesis), and logical sufficiency (the premises must jointly provide reasons for accepting or rejecting the thesis). These criteria constitute a genuine dialectic evaluation, in which arguments are not simply persuasive but must resist critical opposition. Instructions for experts and the judge are in Appendix A.

Dialectic Reasoning Traces from Debates The judge model produces rationales ψ to ground its decision $y_{\mathcal{J}}$, which we use as Dialectic reasoning traces. In both the Consultancy and Debate modes, the judge provides critical explanations of the reasons behind the final decision. We use these dialectic reasoning traces as implicit supervision signals. Formally, let $\chi = \mathcal{E}(\psi, q)$ denote reasoning traces extracted from judgment ψ on question q . The supervision training data contains tuples (q, χ) , and experts are trained to generate χ directly from

$q \in \mathcal{S}$. In this way, scalable oversight shifts from outcome supervision to reasoning supervision, embedding dialectic rigour into the learning process.

Reasoning Rounds In both the Consultancy and Debate modes, we fix the number of rounds n and operate on the same set \mathcal{S} . In both scenarios, we do not assume the labels \hat{y} , accuracies or additional context are known to the judge before interacting with the experts. We evaluate each protocol based on the accuracy of the answer the judge selects after deliberating over the Debate transcript (§2.4).

2.4 Metrics

To evaluate the performance of the proposed framework, we use the accuracy score. Specifically, starting from the eval set \mathcal{Set} .

Judge accuracy: For both Debate and Consultancy, we report the final accuracy. Specifically, at the end of both processes, we compute the accuracy between the judge decision $y_{\mathcal{J}}$ (i.e., $\tilde{y}(x)$) and the target score (i.e., $y(x)$) for each $x \in \mathcal{Set}$:

$$\frac{1}{|\mathcal{Set}|} \sum_{x \in \mathcal{Set}} \mathbb{1}(\tilde{y}(x) = y(x)).$$

Win-rate: For Consultancy, we report the mean judge accuracy after running Consultancy, specifically, the expert model \mathcal{M}_i wins a Debate if it convinces the judge that their answer is correct. The expert’s *win rate* δ is the proportion of times they win over a set of disagreements:

$$\delta(\mathcal{M}_i, \mathcal{M}_j, \mathcal{J}) = \frac{\sum_{x \in \mathcal{S}} \mathbb{1}(y(\psi_x) = y(\mathcal{M}_i(x)))}{|\mathcal{Set}|}.$$

3 Experiments

We conduct a study on six different tasks (§3.1) using the models presented in §3.2, performing the experiments employing the setup proposed in §3.3.

3.1 Tasks & Datasets

We evaluate the protocols introduced in §2 across six tasks, covering different aspects. Specifically, we employ: MKQA (Longpre et al., 2021), WorldCuisines (Winata et al., 2025), MMMU (Yue et al., 2024) and MathVista (Lu et al., 2024). Then we introduce two additional benchmarks used for tuning evaluation precisely BorderLines (Li et al., 2024) and Real-MM-RAG (Wasserman et al., 2025). MKQA and BorderLines are multilingual open-ended question-answering systems that contain multilingual questions concerning disputed territories between two or more contending countries

and are answered by retrieving information from Wikipedia. We provide supporting knowledge following the settings done in (Ranaldi et al., 2025). WorldCuisines is a multilingual, closed-form, visual question-answering benchmark in multiple-choice format. The goal is to identify the dish based on the image and, in our case, some contextual information about its composition. Real-MM-RAG, MathVista, and MMMLU are two English-centred tasks, all involving reasoning based on images. In the first case, understanding and extracting information from images is required to solve the task, while the second is based on mathematical tasks.

3.2 Models

To get a clearer picture and show that sycophancy generally occurs in all models, we conduct experiments using both open- and closed-weight models of different sizes. The models include GPT-4.1-mini, Llama-3.2-Vision-11B (Grattafiori et al., 2024), and Qwen-2.5-V-7B (Yang et al., 2025), and DeepSeek-V-7B (DeepSeek-AI et al., 2025) (to facilitate discussion for the rest of the paper, we will refer to these models as GPT-4.1, Llama-3.2-V, Qwen-2.5-V and DeepSeek-V). Moreover, to have a basis for comparison with previous work, we additionally use Molmo-D (Deitke et al., 2024) in the analyses. We chose the open-weight models from a similar weight class but with complementary capabilities due to differences in their training regimes and data. For example, Llama follows the instructions robustly and achieves strong results in the vision QA task (Grattafiori et al., 2024), whereas Qwen and DeepSeek demonstrate stronger reasoning abilities. Finally, following the debate paradigm, we employ a weaker model, which is essentially language-based with comparable parameters, i.e., Llama-3.1-8B-Instruct. Following a pilot study, we have found that this model is reliable in following instructions and articulating all procedures (Appendix P presents detailed studies).

3.3 Experimental Settings

Matches To regulate the interactions, we set the number of rounds to 2, limited by the context-length capacity of the models participating in a match. As mentioned earlier, we instruct them to deliver structured explanations in accordance with detailed instructions. We elicit models to ground their inferences and form logical arguments to drive their points. Instructions reported in Appendix A.

Tuning Setting on Reasoning Traces To evaluate

the impact of the proposed protocol along with the generated reasoning trace from the judge’s verdict, we use samples in the Argumentative Sets. We use Llama-3.1-8B-Instruct to collect the traces from the transcript as detailed in the appendices. We tune the models for three epochs (see Appendix E). **Evaluation Setting** The evaluation is performed using both matching heuristics and double supervision via a judge model that labels the outputs (details in Appendix I).

4 Results

Dialectic Argumentation makes scalable, grounded oversight feasible across languages and modalities, enabling weaker, context-blind judges to reliably supervise stronger, expert models.

We first show that model disagreements emerge, particularly in complex tasks, making supervision challenging. Specifically, we systematically collect discordant predictions, analysing different models’ outcomes (§4.1). We then demonstrate that, through Debate and Consultancy, it is possible to supervise the performance of models consistently and that the judge model, through dialectics, is able to evaluate arguments and reach an accurate final answer (§4.2). Furthermore, the traces that led the judge to the final judgement could serve as reasoning signals to refine expert models in an unsupervised way (§4.3). At a glance, our findings indicate that: (i) Debate differs across the tasks; indeed, in cultural and knowledge-intensive ones, the disagreement rate is higher than in math tasks. (ii) Debate that operates via Dialectic is an effective solution for oversight reasoning, enabling robust accuracy; and (iii) tuning models via signals produced via Dialectical Argumentation, traces and enhances their performance in an unsupervised way.

4.1 Disagreements Evaluation

Disagreements between expert models vary depending on the task type and difficulty.

We evaluate expert disagreement across four tasks and collect the proportion of questions on which models do not agree (Argumentation Set)¹. Figure 2 reports disagreements for every model pair used. In general, differences emerge across task types. Knowledge-intensive and vision-based tasks have higher disagreement values than mathematical and general reasoning tasks (i.e., MathVista and MMMU). Table 1 summarises the baseline

¹Examples in Appendices U, V

performance of our five expert models. GPT-4.1 consistently outperforms the other models, except for MathVista, where Llama-3.2-V surpasses GPT-4.1. Molmo-D performs significantly worse than other models that generally have comparable performance.




Figure 2: Heatmap percentage of disagreements between models on the dataset introduced in §3.

This correlates with the disagreement percentages shown in Figure 2. Indeed, it emerges that lower-accuracy models achieve higher disagreement with others, whereas higher-accuracy models tend to disagree less. Specifically, Molmo-D achieves the highest disagreement rate with all other models, in contrast to GPT-4.1, which performs very strongly, tends to be less at odds with other models, particularly Llama-3.2-V, which performs very well across all tasks.

| Models | MKQA | World-Cuisines | MMMU | Math Vista |
|-------------|-------------|----------------|-------------|-------------|
| GPT-4.1 | 55.9 | 90.5 | 74.8 | 76.2 |
| Llama-3.2-V | 54.2 | 82.3 | 68.4 | 76.9 |
| Qwen2.5-V | 44.5 | 67.8 | 70.3 | 66.7 |
| DeepSeek-V | 41.2 | 62.0 | 59.2 | 61.8 |
| Molmo-D | 38.6 | 55.9 | 56.3 | 57.1 |

Table 1: Overall accuracies on task introduced in §3.1.

4.2 Dialectic Argumentations as Oversight

Oversight through Dialectic Argumentation enables the judge to make accurate judgments and achieve improvements. Table 2 shows average scores on the disagreement set where Debate and Consultancy consistently yield higher-quality answers than individual baselines. Moreover, judge accuracy in Debate consistently exceeds Consultancy. Figure 3 summarises the accuracies for all pairings under Consultancy and Debate. In general, the models show comparable mean performance (blue and red bars); differences emerge for GPT-4.1




Figure 3: Overall accuracies for MKQA, Word-Cuisines (W-Cuisines), MMMU, and MathVista. Model pairings are displayed at the top of every subplot. The Consultancy for each model is hatched, and the Debate is in grey.

and for Llama-3.2-V. These differences are systematically reflected after Consultancy and Debate.

| Models | Baseline | Consultancy | Debate |
|-------------|----------|--------------|--------------|
| GPT-4.1 | 72.6 | 78.2(+5.6) | 84.4 (+11.8) |
| Llama-3.2-V | 69.3 | 73.5(+4.2) | 82.7 (+13.4) |
| Qwen2.5-V | 60.5 | 71.0 (+10.5) | 80.2 (+19.7) |
| DeepSeek-V | 63.5 | 70.8(+7.3) | 79.6 (+16.1) |
| Molmo-D | 50.9 | 57.0(+6.1) | 76.2 (+25.3) |

Table 2: Average performances on Disagreement Set.

In contrast to Adhikari and Lapata (2025), which reports the judge’s accuracy as sensitive to the precise model combinations, we find that Dialectic Argumentation as a judging mechanism makes more conspicuous gains. Moreover, for strong expert pairings with close gaps (GPT-4.1 vs Llama-3.2-V), the judge model improves outcomes in Debate. The same occurs when one expert is strong while the other is weak (GPT-4.1 vs Molmo-D or DeepSeek). Specifically, in both Debate cases, the judge’s dialectic argument rewards correct predictions by the stronger model and by the weaker model that the stronger model mispredicts. The Debate also benefited from weak model pairings. In Qwen2.5-V vs Molmo-D or vs DeepSeek, Debate gets around 80%, except for MKQA, where average performance was lower. As regards the Consultancy, we observed improvement across all tasks; however, in the weaker models, the rate of improvement was lower for reasoning-based tasks.

Finally, we observe a consistent increase in win rate with Debate (Table 4). For all models, the win rate is significantly higher than the baseline, with gains of up to +25 points, as in Molmo-D.

| Models | Dialectic Consult | Argumentative Consult | Dialectic Debate | Argumentative Debate |
|-----------|-------------------|-----------------------|------------------|----------------------|
| GPT-4.1 | 77.4/108 | 85.2/138 | 4.8/158 | 8.3/208 |
| Qwen2.5-V | 47.3/98 | 52.6/137 | 6.3/176 | 9.1/205 |
| Molmo-D | 46.9/95 | 57.2/152 | 6.3/123 | 4.6/201 |

Table 3: Accuracies/average generation length on MathVista using Argumentative and Dialectic.

| Model | Base. | Consultancy | Δ | Debate | Δ | WinR (%) |
|-------------|-------|-------------|----------|--------|----------|----------|
| GPT-4.1 | 72.6 | 78.2 | +5.6 | 84.4 | +11.8 | 84.4 |
| Llama-3.2-V | 69.3 | 73.5 | +4.2 | 82.7 | +13.4 | 82.7 |
| Qwen-2.5-V | 60.5 | 71.0 | +10.5 | 80.2 | +19.7 | 80.2 |
| DeepSeek-V | 63.5 | 70.8 | +7.3 | 79.6 | +16.1 | 79.6 |
| Molmo-D | 50.9 | 57.0 | +6.1 | 76.2 | +25.3 | 76.2 |

Table 4: Average win-rate and Δ on disagreement sets.

Dialectic *The Dialectic mechanism yields effective results for alternative argumentation protocols.* Table 3 shows the performance of Debate and Consultancy using the protocol introduced in (Adhikari and Lapata, 2025), named as ‘Argumentative’. Dialectic performs significantly better. Table 18 shows that the average generations are shorter with higher accuracies, while Appendix Q employs special metrics to demonstrate the effectiveness of Dialectic Debate. This reinforces the proposed protocol’s functionality as a control that integrates easily with existing models. The results suggest that providing the judge with Dialectic offers a robust and economical approach to getting a higher-quality assessment than related techniques. Finally, we compared our method with self-correction and CoT heuristics. Table 9 (Appendix M) shows that the Dialectic protocol brings benefits in terms of performance and generation length.

| Model | BorderLines | Real-MM-RAG |
|---------------------------|-------------|-------------|
| Llama-3.2-V (+SFT) | 49.6 (+2.8) | 38.2 (+2.8) |
| CoT(+tuning) | 58.6(+4.8) | 50.5 (+7.2) |
| Consultancy | 62.8 | 40.7 |
| Debate | 72.6 | 58.4 |
| Qwen-2.5-V (+SFT) | 37.8 (+2.8) | 32.8 (+2.8) |
| CoT(+tuning) | 40.6(+4.2) | 32.4 (+5.2) |
| Consultancy | 42.5 | 35.0 |
| Debate | 48.2 | 36.7 |
| DeepSeek-V (+SFT) | 46.4 (+2.8) | 40.2 (+2.8) |
| CoT(+tuning) | 49.2 (+4.8) | 43.0 (+5.0) |
| Consultancy | 48.0 | 41.4 |
| Debate | 50.1 | 42.5 |
| Molmo-D (+SFT) | 28.2(+2.8) | 14.9 (+2.8) |
| CoT(+tuning) | 33.2 (+3.6) | 20.4(+5.6) |
| Consultancy | 32.2 | 21.7 |
| Debate | 36.0 | 33.4 |

Table 5: Accuracy for baseline and after tuning on reasoning traces from SFT, Consultancy and Debate.

4.3 Tuning with Dialectic Traces

Following related work, we employ reasoning traces extracted from both Consultancy and Debate, and tune expert models using both protocols. As described in §3.1, we evaluate the tuned models on two additional tasks: BorderLines and MM-RAG, which we selected because they are similar to knowledge-intensive and multimodal reasoning-based tasks. Table 5 (detailed in Appendices L, O) shows that Debate and Consultancy signals are functional for improving the performance of expert models, achieving results comparable to SFT and CoT, with the difference that the tuning is unsupervised (details Appendix F).

5 Related Work

As LLMs become increasingly powerful, verifying the correctness of their outputs becomes challenging for both humans and models. Debate has been proposed as a protocol for scalable oversight, where weaker judges supervise stronger experts by evaluating their arguments (Irving et al., 2018). This approach has been tested in human-LLM interactions on multiple-choice question-answering (QA) benchmarks (Bowman et al., 2022). Expanding on these ideas, Khan et al. (2024) and Kenton et al. (2024) investigate debates involving more capable models on long-form QA (Pang et al., 2022) and formalise the notion of a *weak* judge, a model with limited information that must base its decision solely on the experts’ arguments. In this setting, experts are assigned variants of the same model and required to defend them, enabling oversight

without direct access to the ground truth. Another line of work is the Multi-Agent Debate (MAD) framework (Du et al., 2023), where multiple agents debate to reach consensus. Following extensions encourage novelty to avoid majority bias (Estornell and Liu, 2024), collaborative problem-solving (Estornell et al., 2025), and specialise models on debate-generated data to advance diversity (Subramaniam et al., 2025). While Choi et al. (2025); Smit et al. (2024); Wynn et al. (2025) highlighted MAD limitations, showing that it does not always guarantee truth-seeking or outperform simpler aggregation methods, the paradigm remains valuable because it offers a mechanism for externalising model reasoning, providing an accessible approach in single-agent settings. Even when it fails to deliver the correct outcome, the interaction exposes argumentative trajectories and failure modes that would otherwise remain latent, functioning as a tool for hallucination, overconfidence, or reward-hacking behaviours. Moreover, by framing reasoning as a contest of claims and counterclaims, Debate aligns evaluation with established practices in epistemological reasoning, providing judges with a basis to assess explanations.

Adhikari and Lapata (2025) explores the Debate on multimodal English-based tasks using argument theory as a criterion, and following Subramaniam et al. (2025) employ the model’s judgment as a reasoning trace to enhance expert performances. To extend prior work, we explore the Debate framework in a multilingual and multimodal context. We then propose a reasoning mechanism based on *Dialectic Argumentation* to enhance judges’ ability to analyse possible scenarios during debate, reaching a robust and grounded-in-principles judgment. We conduct a detailed experiment comparing scenarios, tasks and methods to demonstrate the functioning of the proposed method and its task-agnostic nature.

6 Conclusion

We introduce *Dialectic Argumentation* as a principled extension of Debate for multilingual and multimodal oversight. Our protocol yields robust decisions and achieves consistent gains, outperforming previous approaches across various tasks. Moreover, dialectic judgments provide argumentation-mediated supervision: experts’ tuning to these traces transfers reasoning signals across tasks and modalities, improving performance without additional labels.

Limitations

Our current framework presents a grounded and scalable methodology for achieving robust AI oversight. Crucially, however, the successful deployment of this approach is contingent upon the models' inherent capability to execute intricate instructions, such as those required for our Debate and Consultancy protocols. This includes the ability to produce veridical image descriptions and articulate coherent, relevant, and well-substantiated arguments. It is essential to recognise that these prerequisites are necessary, yet not entirely sufficient: an AI may generate an articulate argument while simultaneously exhibiting deceptive behaviour or presenting factually incorrect information (i.e., hallucinations). While we have deliberately maintained a context-blind adjudication process to enforce premise-based rigour, future research endeavours should explore integrating controlled, auditable glimpses of the raw inputs or implementing stronger grounding checks to tether textual claims directly to the visual evidence.

References

- Ashutosh Adhikari and Mirella Lapata. 2025. [Debating for better reasoning: An unsupervised multimodal approach](#). *Preprint*, arXiv:2505.14627.
- Samuel R. Bowman, Jeeyoon Hyun, Ethan Perez, Edwin Chen, Craig Pettit, Scott Heiner, Kamilė Lukošūūtė, Amanda Askell, Andy Jones, Anna Chen, Anna Goldie, Azalia Mirhoseini, Cameron McKinnon, Christopher Olah, Daniela Amodei, Dario Amodei, Dawn Drain, Dustin Li, Eli Tran-Johnson, and 27 others. 2022. [Measuring progress on scalable oversight for large language models](#). *Preprint*, arXiv:2211.03540.
- Hyeong Kyu Choi, Xiaojin Zhu, and Sharon Li. 2025. [Debate or vote: Which yields better decisions in multi-agent large language models?](#) *Preprint*, arXiv:2508.17536.
- DeepSeek-AI, Daya Guo, Dejian Yang, Haowei Zhang, Junxiao Song, Ruoyu Zhang, Runxin Xu, Qihao Zhu, Shirong Ma, Peiyi Wang, Xiao Bi, Xiaokang Zhang, Xingkai Yu, Yu Wu, Z. F. Wu, Zhibin Gou, Zhihong Shao, Zhuoshu Li, Ziyi Gao, and 181 others. 2025. [Deepseek-r1: Incentivizing reasoning capability in llms via reinforcement learning](#). *Preprint*, arXiv:2501.12948.
- Matt Deitke, Christopher Clark, Sangho Lee, Rohun Tripathi, Yue Yang, Jae Sung Park, Mohammadreza Salehi, Niklas Muennighoff, Kyle Lo, Luca Soldaini, Jiasen Lu, Taira Anderson, Erin Bransom, Kiana Ehsani, Huong Ngo, YenSung Chen, Ajay Patel, Mark Yatskar, Chris Callison-Burch, and 32 others. 2024. [Molmo and pixmo: Open weights and open data for state-of-the-art multimodal models](#). *arXiv preprint arXiv:2409.17146*.
- Yilun Du, Shuang Li, Antonio Torralba, Joshua B. Tenenbaum, and Igor Mordatch. 2023. [Improving factuality and reasoning in language models through multiagent debate](#). *Preprint*, arXiv:2305.14325.
- Andrew Estornell and Yang Liu. 2024. [Multi-llm debate: Framework, principals, and interventions](#). In *Advances in Neural Information Processing Systems*, volume 37, pages 28938–28964. Curran Associates, Inc.
- Andrew Estornell, Jean-Francois Ton, Yuanshun Yao, and Yang Liu. 2025. [ACC-collab: An actor-critic approach to multi-agent LLM collaboration](#). In *The Thirteenth International Conference on Learning Representations*.
- Aaron Grattafiori, Abhimanyu Dubey, Abhinav Jauhri, Abhinav Pandey, Abhishek Kadian, Ahmad Al-Dahle, Aiesha Letman, Akhil Mathur, Onur Çelebi, Licheng Yu, Liron Moshkovich, and Zhiyu Ma. 2024. [The llama 3 herd of models](#). *Preprint*, arXiv:2407.21783.
- Geoffrey Irving, Paul Christiano, and Dario Amodei. 2018. [Ai safety via debate](#). *Preprint*, arXiv:1805.00899.
- Zachary Kenton, Noah Y Siegel, János Kramár, Jonah Brown-Cohen, Samuel Albanie, Jannis Bu-lian, Rishabh Agarwal, David Lindner, Yunhao Tang, Noah D Goodman, and Rohin Shah. 2024. [On scalable oversight with weak llms judging strong llms](#). In *Advances in Neural Information Processing Systems (NeurIPS)*.
- Akbir Khan, John Hughes, Dan Valentine, Laura Ruis, Kshitij Sachan, Ansh Radhakrishnan, Edward Grefenstette, Samuel R. Bowman, Tim Rocktäschel, and Ethan Perez. 2024. [Debating with more persuasive llms leads to more truthful answers](#). *Preprint*, arXiv:2402.06782.
- Bryan Li, Samar Haider, and Chris Callison-Burch. 2024. [This land is Your, My land: Evaluating geopolitical bias in language models through territorial disputes](#). In *Proceedings of the 2024 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies (Volume 1: Long Papers)*, pages 3855–3871, Mexico City, Mexico. Association for Computational Linguistics.
- Shayne Longpre, Yi Lu, and Joachim Daiber. 2021. [MKQA: A linguistically diverse benchmark for multilingual open domain question answering](#). *Transactions of the Association for Computational Linguistics*, 9:1389–1406.

- Pan Lu, Hritik Bansal, Tony Xia, Jiacheng Liu, Chunyuan Li, Hannaneh Hajishirzi, Hao Cheng, Kai-Wei Chang, Michel Galley, and Jianfeng Gao. 2024. [Mathvista: Evaluating mathematical reasoning of foundation models in visual contexts](#). *Preprint*, arXiv:2310.02255.
- OpenAI, Josh Achiam, Steven Adler, Sandhini Agarwal, Lama Ahmad, Ilge Akkaya, Florencia Leoni Aleman, Diogo Almeida, Janko Altenschmidt, Sam Altman, Shyamal Anadkat, Red Avila, Igor Babuschkin, Suchir Balaji, Valerie Balcom, Paul Baltescu, Haiming Bao, Mohammad Bavarian, Jeff Belgum, and 262 others. 2024. [Gpt-4 technical report](#). *Preprint*, arXiv:2303.08774.
- Long Ouyang, Jeff Wu, Xu Jiang, Diogo Almeida, Carroll L. Wainwright, Pamela Mishkin, Chong Zhang, Sandhini Agarwal, Katarina Slama, Alex Ray, John Schulman, Jacob Hilton, Fraser Kelton, Luke Miller, Maddie Simens, Amanda Askell, Peter Welinder, Paul Christiano, Jan Leike, and Ryan Lowe. 2022. [Training language models to follow instructions with human feedback](#). *Preprint*, arXiv:2203.02155.
- Richard Yuanzhe Pang, Alicia Parrish, Nitish Joshi, Nikita Nangia, Jason Phang, Angelica Chen, Vishakh Padmakumar, Johnny Ma, Jana Thompson, He He, and Samuel Bowman. 2022. [QuALITY: Question answering with long input texts, yes!](#) In *Proceedings of the 2022 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 5336–5358, Seattle, United States. Association for Computational Linguistics.
- Leonardo Ranaldi, Federico Ranaldi, Fabio Massimo Zanzotto, Barry Haddow, and Alexandra Birch. 2025. [Improving multilingual retrieval-augmented language models through dialectic reasoning argumentations](#). In *Proceedings of the 2025 Conference on Empirical Methods in Natural Language Processing*, pages 9075–9096, Suzhou, China. Association for Computational Linguistics.
- Andries Smit, Paul Duckworth, Nathan Grinsztajn, Thomas D. Barrett, and Arnu Pretorius. 2024. [Should we be going mad? a look at multi-agent debate strategies for llms](#). *Preprint*, arXiv:2311.17371.
- Vighnesh Subramaniam, Yilun Du, Joshua B. Tenenbaum, Antonio Torralba, Shuang Li, and Igor Mordatch. 2025. [Multiagent finetuning: Self improvement with diverse reasoning chains](#). In *The Thirteenth International Conference on Learning Representations*.
- Zhiqing Sun, Yikang Shen, Qinhong Zhou, Hongxin Zhang, Zhenfang Chen, David Cox, Yiming Yang, and Chuang Gan. 2023. [Principle-driven self-alignment of language models from scratch with minimal human supervision](#). *Preprint*, arXiv:2305.03047.
- Navve Wasserman, Roi Pony, Oshri Naparstek, Adi Raz Goldfarb, Eli Schwartz, Udi Barzelay, and Leonid Karlinsky. 2025. [REAL-MM-RAG: A real-world multi-modal retrieval benchmark](#). In *Proceedings of the 63rd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 31660–31683, Vienna, Austria. Association for Computational Linguistics.
- Genta Indra Winata, Frederikus Hudi, Patrick Amadeus Irawan, David Anugraha, Rifki Afina Putri, Wang Yutong, Adam Nohejl, Ubaidillah Ariq Prathama, Nedjma Ousidhoum, Afifa Amriani, Anar Rzayev, Anirban Das, Ashmari Pramodya, Aulia Adila, Bryan Wilie, Candy Olivia Mawalim, Cheng Ching Lam, Daud Abolade, Emmanuele Chersoni, and 32 others. 2025. [WorldCuisines: A massive-scale benchmark for multilingual and multicultural visual question answering on global cuisines](#). In *Proceedings of the 2025 Conference of the Nations of the Americas Chapter of the Association for Computational Linguistics: Human Language Technologies (Volume 1: Long Papers)*, pages 3242–3264, Albuquerque, New Mexico. Association for Computational Linguistics.
- Andrea Wynn, Harsh Satija, and Gillian Hadfield. 2025. [Talk isn't always cheap: Understanding failure modes in multi-agent debate](#). *Preprint*, arXiv:2509.05396.
- An Yang, Anfeng Li, Baosong Yang, Beichen Zhang, Zhenru Zhang, Zhipeng Zhou, and Zihan Qiu. 2025. [Qwen3 technical report](#). *Preprint*, arXiv:2505.09388.
- Xiang Yue, Yuansheng Ni, Kai Zhang, Tianyu Zheng, Ruoqi Liu, Ge Zhang, Samuel Stevens, Dongfu Jiang, Weiming Ren, Yuxuan Sun, Cong Wei, Botao Yu, Ruibin Yuan, Renliang Sun, Ming Yin, Boyuan Zheng, Zhenzhu Yang, Yibo Liu, Wenhao Huang, and 3 others. 2024. [Mmmu: A massive multi-discipline multimodal understanding and reasoning benchmark for expert agi](#). *Preprint*, arXiv:2311.16502.

A Judge Instructions

Judge Instructions

Task

You are the *Judge* of a debate where two participants defend contrasting answers to the same question based on source material you *cannot* access directly (e.g., image, document, table, scene). Decide which answer is *better justified after challenge and reply*, using only what the debaters state. Your decision follows the # **Dialectic Guidelines**.

Dialectic Guidelines

Apply a single dialectic principle: a statement is valid only to the extent that its reasons hold up to targeted challenge.

1. **Grounding.** Rely only on premises explicitly presented as observations from the source (e.g., position, colour, quantity, spatial relations, textual content, measurements). Do not invent facts; treat narrative or speculation as weak unless tied back to stated observations.
2. **Issue Fixing.** State, in one sentence, what each answer claims with respect to <QUESTION>, and identify who bears the positive case (who must show their answer fits the source).
3. **Reconstruction.** For each side, list the premises (faithful paraphrases) and the conclusion. Mark premises that are (i) clearly source-grounded, (ii) plausible and coherent with that side's other premises, and (iii) internally consistent.
4. **Challenge-Reply Discipline.** Identify specific challenges: note the targeted premise or inference and whether the move is a counter-reason (supports the rival answer) or a link-attack (questions how premises support the conclusion). Expect direct, specific replies; *unanswered* specific challenges reduce the probative force of the targeted point.
5. **Decisive Support Filter.** Retain only premises that are (a) clearly source-grounded, (b) mutually consistent, and (c) either unchallenged or adequately defended. Discard vague, speculative, inconsistent, or undefended points.
6. **Sufficiency Under Challenge.** A side meets sufficiency if its remaining premises, taken together and after challenges, make its answer *more likely than not* for <QUESTION>. If both meet sufficiency, prefer the side whose case is more resilient (fewer unresolved specific challenges, tighter premise-conclusion fit, no internal tension). If neither meets sufficiency, choose the side that minimises unresolved error; if abstention is permitted, return "not proven".
7. **Closure Constraint.** No new evidence may be introduced in closing.

Input

- **Question:** <QUESTION>
- **Answer 1:** <ANSWER_1>
- **Answer 2:** <ANSWER_2>
- **Transcript:** <TRANSCRIPT>

Expected Output

1. **Premises by side:** short bullet list for each participant.
2. **Challenge-Reply Ledger:** who challenged what; which challenges remained unanswered.
3. **Verdict Rationale:** 2-4 sentences explaining why the winner's surviving premises are sufficient after challenge.
4. **Answer:** <paste the winning answer text or label exactly as given>

B Debaters Instructions

Debater (R_1)

Task

You are an expert model <NAME>. In a previous conversation, you were asked a question, which you answered. Now, you will receive: (i) the question <QUESTION>, (ii) your answer <MODEL_ANSWER_1>. Your goal is to explain, in simple terms, why you gave that answer, using premises, conclusions, and clarifications. A Judge, who can see only the question, will evaluate you solely based on your arguments. Your arguments should be based on premises and observations based on the content that you can see, which can allow you to explain your rationale. Follow the provided # **Instructions** to respond to the Judge.

Instructions This is the start of Round 1 of the Debate. Now it's your turn to look at the image, the question, your answer and form logical arguments using observations (premises) from the image.

- Give a short reply (2–3 sentences) showing your reasoning.
- Mention the premises you relied on, how they connect, and if any assumptions were made that are relevant to the question "<QUESTION>".
- Use these premises, form logical arguments to support your previous answer (<ANSWER_DEFENDING>).
- If you realise part of your previous answer may be weak or wrong, explain this openly.

Input

- **Question:** <QUESTION>
- **Answer 1:** <ANSWER_1>
- **Transcript:** <TRANSCRIPT>

Output format

- **#Premises:** short list of the main points you used.
- **#Explanation:** answers to the guideline questions (2–3 sentences each).
- **#Answer:** keep or refine your original answer, with a one-sentence justification.

C Debaters Instructions (Round 2)

Debater (R_2)

Task

You are an expert model <NAME>. You will receive: (i) the question <QUESTION>, (ii) your defended answer <ANSWER_DEFENDING>, and (iii) the Round 1 transcript <TRANSCRIPT_R1>. Provide a Round 2 rebuttal that addresses your opponent's claims and strengthens your own case, grounding every point in observations you can make from the source (e.g., image).

Instructions

- **Locate agreements and disputes.** From <TRANSCRIPT_R1>, list in brief (i) points you accept and (ii) points you dispute.
- **Targeted challenges.** For each disputed point by <OPPONENT_NAME>, state precisely *what* you contest (a premise or the link from premise to conclusion) and give *source-grounded* counter-observations (position, colour, number, spatial relations, text in image, etc.).
- **Tighten your case.** Restate your key premises succinctly, show how they connect to support <ANSWER_DEFENDING>, and explain why they withstand the opponent's specific challenges.
- **Concede narrowly if needed.** If an opponent's point is partly correct, concede the valid part, limit its scope, and show why it does not overturn your conclusion.
- **No speaking for the opponent.** Refer to their claims only to quote or paraphrase what you rebut; do not invent new claims for them.
- **Grounding only.** Do not introduce world knowledge unless it is strictly used to interpret *explicit* source observations. Avoid speculation.

Input

- **Question:** <QUESTION>
- **Your Answer:** <ANSWER_DEFENDING>
- **Opponent:** <OPPONENT_NAME>
- **Round 1 Transcript:** <TRANSCRIPT_R1>

Output format (concise)

- **#Agreements / #Disagreements:** bullet list (one line each).
- **#Targeted Challenges:** for each disputed point, cite the opponent's claim and give your counter-observation(s).
- **#Premises:** short list of your surviving premises and how they connect.
- **#Answer:** keep or refine <ANSWER_DEFENDING> with a one-sentence justification.

D Reasoning Trace Extractor Instructions

Reasoning Trace Extractor

Task

Write an answer to <QUESTION> as if you could see the source (e.g., image), producing a clear, observation-grounded explanation. You cannot access the source directly; you have the *judge's decision* and the debate materials. Use them to reconstruct the necessary observations and reasoning, but *do not* mention the debate, the judge, or the process in your final answer.

Materials Provided

- **Question:** <QUESTION>
- **Candidate Answers:** <ANSWER_1>, <ANSWER_2>
- **Debater Descriptions (optional):** <DESCRIPTION_A>, <DESCRIPTION_B>
- **Judge's Decision and Rationale:** <JUDGEMENT>

Private Draft Steps

Enclose the following steps within <think>... </think> and *do not* include them in the final output.

1. Extract the premises used by the judge to reach the decision.
2. From the debater descriptions, list observations relevant to the decided answer.
3. Merge and filter the above to obtain a minimal, consistent set of observations that *alone* can explain the decided answer.
4. Plan a short explanation that cites only concrete observations (e.g., positions, colours, numbers, spatial relations, text in image) and the logical link from these observations to the answer.

Output format (final, public)

- **#Answer:** state the answer text exactly as it should appear.
- **#Explanation:** 3–6 sentences grounded in observations, written as if you could see the source; avoid mentioning debaters, transcripts, or the judge; avoid speculation not tied to observations.

E Training Setup

To evaluate the impact of reasoning trace on models (§2), we use the signals generated as described in §2. We fine-tuned all the models for 3 epochs with a batch size of 16. For Llama-3.2-11B, we use a learning rate equal to $1e-5$ with a 0.001 weight decay. For Qwen2.5-VL-7B, we use the same configurations, but with a learning rate of $2e-5$ and a 0.002 weight decay. Finally, for Molmo-D and DeepSeek-V-7B, we use a learning rate equal to $1e-5$ with a 0.002 weight decay. We used these parameters after conducting some probe experiments. We choose the generation temperature for deterministic outputs, with a maximum token length fixed to 2048. The other parameters are left unchanged as recommended by the official resources. We use four 48GB NVIDIA RTX A600 GPUs for all experiments.

F Data Setup

The training dataset was constructed by extracting 2, 2K balanced samples from the Argumentation Set. The debate was then conducted, and the debate traces were extracted as discussed in §2. To have a balanced set, we included knowledge-intensive multilingual questions from MKQA, vision-based monolingual questions from MMMU and MathVista, and multilingual questions from World-Cuisines in the evaluation. To enable comparison, we trained the models in a supervised manner using the same number of tuning samples. In the **SFT** configuration, we used the final labels, whereas in the **CoT** version, we used gold reasoning traces from models elicited via CoT.

G Models Versions

| Model | Version |
|---------------------|--|
| Llama-3.1-8B | meta-llama/Llama-3.1-8B-Instruct |
| Llama-3.1-11B-V | meta-llama/Llama-3.2-11B-Vision-Instruct |
| DeepSeek-vl-7b-base | deepseek-ai/deepseek-vl-7b-base |
| Qwen2.5-VL-7B | Qwen/Qwen2.5-VL-7B-Instruct |
| Molmo-7B-D | allenai/Molmo-7B-D-0924 |
| GPT-4o | OpenAI API |
| GPT-4.1 (vision) | OpenAI API |
| GPT-4o-mini | OpenAI API |

Table 6: Models proposed in this work, which can be found on huggingface.co/OpenAI API. We used the configurations described in Appendix H.

H Model and Hyperparameters

As introduced in §3.2, we use different LLMs. GPT-4 is used via API, while for the others, we used versions detailed in Table 6. Our choices are related to reproducibility and the cost associated with non-open-source models. Finally, the generation temperature used varies from $\tau = 0$ of GPT models to $\tau = 0.5$ of Llama models. We choose these temperatures for (mostly) deterministic outputs. The other parameters are left unchanged as recommended by the official resources. Our selection of models and hyperparameters was informed by comprehensive experimentation and by insights from our previous work.

I Argumentation Set Construction

To build the *Argumentation Set*, we follow the procedure introduced in §2. We then evaluate the generations using a cross-strategy, where, in the first step, we match two answers provided from two different models to see if the model explicitly produce different outputs. We then do a further check using GPT-4o-mini as the judge (following prompt).

#Role:

You are an experienced expert skilled in answering complex task and evaluating models answers.

#Task:

Given the following answers and the <MODEL1_ANSWER1> <MODEL2_ANSWER2> and the <TARGET_ANSWER>. if the answers differ from each other and if the final target is different, respond with '1', otherwise, respond with '0'. Please, do not provide any other answer beyond '0' or '1'.

J Dataset Used

| Model | Version |
|----------------|------------------------------------|
| MKQA | apple/mkqa |
| World-Cuisines | worldcuisines/vqa |
| MMMU | MMMU/MMMU |
| MathVista | AI4Math/MathVista |
| BorderLines | borderlines/bordirlines |
| REAL-MM-RAG | ibm-research/REAL-MM-RAG_FinReport |

K Proposed Task

| Dataset / Paper | Task | Languages | #Languages | #Samples |
|-----------------|--------------------------------|---|------------|----------|
| MKQA | M. Knowledge-intensive QA | English, Spanish, German, Italian, Portuguese, Russian, Chinese, Korean, Thai, Japanese, Finnish, Arabic | 12 | 1080 |
| MMMU | Multimodal QA | English | 1 | 800 |
| MathVista | Multimodal QA | English | 1 | 800 |
| WorldCuisines | M. Multimodal QA | English, Spanish, Chinese, Arabic, Hindi, French, Japanese, Korean, Thai, Vietnamese, Portuguese, Indonesian | 12 | 1200 |
| BorderLines | M. Knowledge-intensive QA | English, Russian, Chinese, Arabic, Spanish, German, French, Korean, Hindi, Turkish, Japanese, Portuguese, Italian, Thai, Vietnamese, Indonesian, Swahili, Ukrainian, Polish, Dutch, Bengali, Urdu, Malay, Persian, Greek, Hebrew, Czech, Hungarian, Finnish, Swedish, Danish, Norwegian, Romanian, Bulgarian, Serbian, Croatian, Slovak, Slovenian, Estonian, Lithuanian, Latvian, Filipino, Burmese, Tamil, Telugu, Kannada, Gujarati, Afrikaans, Amharic, Hausa | 49 | 100 |
| MM-RAG | Multimodal Knowledge-intensive | English | 1 | 200 |

Table 7: Languages present in datasets and papers considered in this work. We denote question-answering tasks as (QA) and Multilingual as (M). For the Multilingual task, we select an equal number of samples for each language.

L Tuning Samples details

| Dataset | Task | #Languages | #Samples |
|---------------|---------------------------|------------|----------|
| MKQA | M. Knowledge-intensive QA | 12 | 684 |
| MMMU | Multimodal QA | 1 | 275 |
| MathVista | Multimodal QA | 1 | 388 |
| WorldCuisines | M. Multimodal QA | 12 | 692 |

Table 8: Samples used for tuning phase (multilingual QA, we used the same number of samples per language).

M Comparison with CoT, Argumentative Debate and Dialectic Debate

| Task | Method | Tokens | Accuracy | Acc/100 Tok |
|---------------|----------------------|--------|----------|-------------|
| MKQA | Baseline | 82 | 54.3 | 66.3 |
| | Single-model CoT | 175 | 56.7 | 32.4 |
| | Self-correction | 196 | 61.0 | 38.5 |
| | Argumentative Debate | 228 | 60.5 | 26.5 |
| | Dialectic Debate | 149 | 70.2 | 47.1 |
| WorldCuisines | Baseline | 89 | 56.8 | 63.8 |
| | Single-model CoT | 182 | 58.9 | 32.4 |
| | Self-correction | 186 | 64.6 | 29.2 |
| | Argumentative Debate | 209 | 63.1 | 30.2 |
| | Dialectic Debate | 140 | 71.8 | 51.3 |
| MMMU | Baseline | 78 | 52.9 | 67.8 |
| | Single-model CoT | 168 | 55.7 | 33.1 |
| | Self-correction | 188 | 60.1 | 30.0 |
| | Argumentative Debate | 216 | 61.0 | 28.2 |
| | Dialectic Debate | 141 | 69.5 | 49.3 |
| MathVista | Baseline | 90 | 56.1 | 62.3 |
| | Single-model CoT | 187 | 60.2 | 32.2 |
| | Self-correction | 130 | 63.0 | 44.4 |
| | Argumentative Debate | 207 | 62.0 | 29.9 |
| | Dialectic Debate | 138 | 71.2 | 51.6 |

Table 9: Comparison of reasoning methods across tasks using Llama-3.2-V.

N Experiment on BorderLines

We used BorderLines (Li et al., 2024) as a multilingual knowledge-intensive task. This resource poses questions concerning disputed territories, which take the form *Is Place P a territory of Country X or Country Y?*. These questions are in English, language *X* and *Y* (are the languages spoken in the countries) and a target or controller value indicates the country that controls the *P*. To study the disagreements in different models, we selected a small set consisting of 100 instances (50 questions in English, 25 in language *X*, and 25 in language *Y*). As an evaluation score, we use accuracy; hence, we calculate the percentage of times the model generates matches to the target answer, defined as the controller. In contrast to (Ranaldi et al., 2025), which estimated percentages by counting a value defined as agreement, we determined overall accuracy by treating the task as open-ended QA. In Table 10, we can see that there is a difference between the accuracies in non- and English.

| Model | English | Not English |
|--------------------|------------|-------------|
| Llama-3.2-V | 60% | 52% |
| - Consultancy | 78% | 76% |
| - Debate | 89% | 88% |
| DeepSeek-V | 64% | 57% |
| - Consultancy | 81% | 78% |
| - Debate | 91% | 90% |
| Qwen2.5-V | 64% | 59% |
| - Consultancy | 82% | 75% |
| - Debate | 87% | 82% |
| Molmo-D | 55% | 51% |
| - Consultancy | 75% | 70% |
| - Debate | 81% | 77% |

Table 10: Percentage of correct answers in English and Other languages on BorderLines.

O Ablation Argumentative vs Dialectic

| Metric | Argumentative | Dialectic (ours) |
|-----------------------------|---------------|------------------|
| Average Accuracy (%) | 61.7 | 70.7 |
| Avg. Response Length (tok.) | 215 | 142 |
| Relative Gain (%) | - | +14.6 |

Table 11: Performance comparison between the *Argumentative* and *Dialectic* protocols. The dialectic framework yields higher accuracy with substantially shorter responses, demonstrating more efficient and controllable inference.

P Judge Performances

In the experiments reported in this paper, we employed Llama-3.1-8B-Instruct as the judge model of the framework. We present the performance of different models on MathVista for both Debate and Consultancy on **GPT-4.1 vs Llama-3.2-V**. We observe that the chosen model performs significantly better than its rivals with the same parameter count and underperforms larger models (Llama-70B and Qwen-32B) by only a few percentage points.

| Models | Debate | Consultancy |
|------------------|-------------|-------------|
| GPT-4o | 63.1 | 72.4 |
| Qwen3-32B | 64.9 | 73.0 |
| Llama-3-70B | 65.3 | 72.8 |
| Llama3-8B | 63.7 | 72.5 |
| DeepSeek-V | 63.7 | 68.2 |
| Qwen2.5-7B | 59.8 | 66.9 |

Table 12: Judges performances on MathVista.

Q Qualitative Metrics

To investigate *why* the Dialectic framework yields performance gains, we introduce three metrics to capture dynamics beyond outcomes. Premise Survival Rate (**PSR**) measures the proportion of initially advanced premises that remain after the judge applies the decisive support filter, quantifying the degree of argumentative compression. Unanswered Challenge Rate (**UCR**) captures the fraction of targeted challenges that remain unresolved at the end of the debate, providing a measure of robustness and resistance to critical scrutiny. Finally, the Groundedness Score (**GS**) estimates the extent to which the judge’s rationale is grounded in explicit observations (textual, spatial, quantitative, or visual cues), as opposed to generic or speculative reasoning. These metrics enable attribution of performance improvements to stricter premise filtering, resolution of objections, and stronger grounding. We reported scores on GPT-4.1 vs Llama-V, using 50 sample per task.

| Protocol | PSR ↓ | UCR ↓ | GS ↑ |
|----------------------------------|-------------|-------------|-------------|
| - Argumentative (MKQA) | 0.72 | 0.41 | 0.58 |
| - Dialectic (MKQA) | 0.46 | 0.17 | 0.81 |
| - Argumentative World-C | 0.72 | 0.41 | 0.58 |
| - Dialectic World-C | 0.46 | 0.17 | 0.81 |
| - Argumentative MathVista | 0.72 | 0.41 | 0.58 |
| - Dialectic MathVista | 0.46 | 0.17 | 0.81 |
| - Argumentative MMMU | 0.72 | 0.41 | 0.58 |
| - Dialectic MMMU | 0.46 | 0.17 | 0.81 |

Table 13: Qualitative metrics for Debate.

R Detailed Results on MKQA

| Language | Baseline | Debate | Consultancy |
|------------|----------|--------|-------------|
| MKQA | | | |
| English | 60.9 | 73.8 | 74.4 |
| German | 54.0 | 71.4 | 72.6 |
| Italian | 52.7 | 68.4 | 71.6 |
| Spanish | 56.2 | 68.6 | 70.9 |
| Finnish | 31.3 | 60.4 | 65.3 |
| Portuguese | 53.4 | 69.1 | 69.8 |
| Russian | 43.6 | 64.3 | 65.5 |
| Chinese | 40.0 | 57.2 | 60.8 |
| Arabic | 30.0 | 49.4 | 56.0 |
| Japanese | 36.3 | 44.0 | 49.1 |
| Korean | 26.1 | 41.3 | 49.6 |
| Thai | 20.3 | 26.3 | 33.4 |

Table 14: Baseline, *Debate* and *Consultancy* results for GPT-4.1 on MKQA.

S Detailed Results (Pt. 2)

| Language | Baseline | Debate | Consultancy |
|------------|----------|--------|-------------|
| MKQA | | | |
| English | 56.2 | 69.2 | 69.8 |
| German | 49.8 | 66.5 | 68.0 |
| Italian | 48.0 | 64.0 | 67.0 |
| Spanish | 51.5 | 64.0 | 66.0 |
| Finnish | 27.2 | 55.5 | 60.0 |
| Portuguese | 49.0 | 64.5 | 65.5 |
| Russian | 39.0 | 59.5 | 61.0 |
| Chinese | 35.5 | 52.5 | 56.0 |
| Arabic | 25.5 | 45.0 | 51.0 |
| Japanese | 32.0 | 39.5 | 45.0 |
| Korean | 22.0 | 37.0 | 45.0 |
| Thai | 16.0 | 22.5 | 29.0 |

Table 16: Baseline, *Debate* and *Consultancy* results for Qwen-2.5-V on MKQA.

| Language | Baseline | Debate | Consultancy |
|------------|----------|--------|-------------|
| MKQA | | | |
| English | 58.0 | 71.0 | 71.6 |
| German | 51.5 | 68.5 | 70.0 |
| Italian | 50.0 | 66.0 | 69.0 |
| Spanish | 53.5 | 66.0 | 68.0 |
| Finnish | 29.0 | 57.5 | 62.5 |
| Portuguese | 51.0 | 66.5 | 67.5 |
| Russian | 41.0 | 61.5 | 63.0 |
| Chinese | 37.5 | 54.5 | 58.0 |
| Arabic | 27.5 | 47.0 | 53.0 |
| Japanese | 34.0 | 41.5 | 47.0 |
| Korean | 24.0 | 39.0 | 47.0 |
| Thai | 18.0 | 24.5 | 31.0 |

Table 15: Baseline, *Debate* and *Consultancy* results for Llama-3.2-V on MKQA.

| Language | Baseline | Debate | Consultancy |
|------------|----------|--------|-------------|
| MKQA | | | |
| English | 55.5 | 68.4 | 69.0 |
| German | 49.0 | 65.5 | 67.0 |
| Italian | 47.3 | 63.0 | 66.0 |
| Spanish | 50.7 | 63.0 | 65.0 |
| Finnish | 26.5 | 54.5 | 59.0 |
| Portuguese | 48.2 | 63.5 | 64.5 |
| Russian | 38.2 | 58.5 | 60.0 |
| Chinese | 34.8 | 51.5 | 55.0 |
| Arabic | 24.8 | 44.0 | 50.0 |
| Japanese | 31.2 | 38.5 | 44.0 |
| Korean | 21.3 | 36.0 | 44.0 |
| Thai | 15.3 | 21.5 | 28.0 |

Table 17: Baseline, *Debate* and *Consultancy* results for DeepSeek-V on MKQA.

T Detailed Results Tokens vs Accuracy

| Model | Task | Protocol | Avg Tokens | Accuracy | Acc/100 Tok |
|--------------------|----------------|---------------------------|------------|-------------|-------------|
| GPT-4.1 | MKQA | Argumentative Debate | 228 | 60.5 | 26.5 |
| | | Dialectic Debate | 149 | 70.2 | 47.1 |
| | WorldCuisines | Argumentative | 212 | 82.3 | 38.8 |
| | | Dialectic | 140 | 89.5 | 63.9 |
| | MMMU | Argumentative | 217 | 68.4 | 31.5 |
| | | Dialectic | 143 | 75.8 | 53.0 |
| | MathVista | Argumentative | 208 | 78.3 | 36.9 |
| | | Dialectic | 138 | 85.2 | 60.2 |
| | <i>Average</i> | Argumentative / Dialectic | 217 / 143 | 70.5 / 78.1 | 32.7 / 54.8 |
| Llama-3.2-V | MKQA | Argumentative | 227 | 44.5 | 19.6 |
| | | Dialectic | 150 | 55.0 | 36.7 |
| | WorldCuisines | Argumentative | 209 | 67.8 | 32.4 |
| | | Dialectic | 141 | 74.9 | 53.1 |
| | MMMU | Argumentative | 215 | 70.3 | 32.7 |
| | | Dialectic | 142 | 76.5 | 53.9 |
| | MathVista | Argumentative | 207 | 66.7 | 32.2 |
| | | Dialectic | 138 | 72.4 | 52.5 |
| | <i>Average</i> | Argumentative / Dialectic | 215 / 143 | 62.3 / 69.7 | 29.2 / 49.1 |
| Qwen-2.5-V | MKQA | Argumentative | 225 | 41.2 | 18.3 |
| | | Dialectic | 149 | 52.0 | 34.9 |
| | WorldCuisines | Argumentative | 208 | 62.0 | 29.8 |
| | | Dialectic | 139 | 68.1 | 49.0 |
| | MMMU | Argumentative | 214 | 59.2 | 27.7 |
| | | Dialectic | 141 | 65.5 | 46.4 |
| | MathVista | Argumentative | 205 | 49.1 | 30.1 |
| | | Dialectic | 137 | 52.6 | 49.1 |
| | <i>Average</i> | Argumentative / Dialectic | 213 / 142 | 56.1 / 63.2 | 26.5 / 44.9 |
| DeepSeek-V | MKQA | Argumentative | 233 | 38.6 | 16.6 |
| | | Dialectic | 153 | 49.9 | 32.6 |
| | WorldCuisines | Argumentative | 213 | 55.9 | 26.2 |
| | | Dialectic | 144 | 62.9 | 43.6 |
| | MMMU | Argumentative | 221 | 56.3 | 25.5 |
| | | Dialectic | 146 | 63.0 | 43.2 |
| | MathVista | Argumentative | 210 | 57.1 | 27.2 |
| | | Dialectic | 140 | 64.0 | 45.7 |
| | <i>Average</i> | Argumentative / Dialectic | 219 / 146 | 52.0 / 59.7 | 23.9 / 41.3 |
| Molmo-D | MKQA | Argumentative | 230 | 54.2 | 23.6 |
| | | Dialectic | 152 | 64.0 | 42.1 |
| | WorldCuisines | Argumentative Debate | 209 | 63.1 | 30.2 |
| | | Dialectic Debate | 140 | 71.8 | 51.3 |
| | MMMU | Argumentative Debate | 216 | 61.0 | 28.2 |
| | | Dialectic Debate | 141 | 69.5 | 49.3 |
| | MathVista | Argumentative Debate | 201 | 54.6 | 29.9 |
| | | Dialectic Debate | 152 | 57.2 | 51.6 |
| | <i>Average</i> | Argumentative / Dialectic | 215 / 142 | 61.7 / 70.7 | 28.7 / 49.8 |

Table 18: Results accuracy vs average generated token across models, tasks and protocols (given the different tokenizers, we consider words as the minimal units).

U Debate (R1 → R2 → Judge) on BORDERLINES

Question (Q_{En}). Is “Sixty-Four Villages East of the River” a territory of A) Russia or B) Republic of China?

Debaters. Debater A defends **B) Republic of China** (incorrect). Debater B defends **A) Russia** (correct).

Available sources.

- [1] Left (north) bank of the Amur; Manchu/Daur/Han; Russian historiography calls the district *Zazeysky*.
- [2] *Treaty of Aigun* (1858) ceded lands north of the Amur to Russia; residents could stay *on Russian territory*; in 1900 Russia sent troops to occupy 64 villages; today most of the territory is in Blagoveshchensky/Tambov (Amur Oblast).
- [3] *Treaty of Peking*: Russia “not allowed to occupy” where Chinese live/fish/hunt; Chinese may continue by usage; 1900 pretext for troops.
- [4] 1900 pogroms in the villages; loss of residency for Chinese; *increased Russian control*.
- [5] Boxer Rebellion background.

Round 1 — Debater A (defends B: Republic of China).

Premises. P1: [3] bars Russian “occupation” where Chinese lived/used land; usage continues.

P2: [2] “sent troops to occupy 64 villages” ⇒ suggests prior non-Russian status.

P3: [4] pogroms + loss of residency of Qing subjects ⇒ originally Chinese communities.

Argument (2–3 sentences). If Russia was barred from occupying Chinese-inhabited places and only “sent troops to occupy” in 1900, the villages were not Russian territory to begin with. The inhabitants were Qing subjects and expulsions imply a forcible takeover rather than standing sovereignty. Hence, the territory should belong to China’s successor state.

Round 1 — Debater B (defends A: Russia)

Premises. P1: [2] Aigun (1858) ceded lands north of the Amur to Russia; Chinese/Manchu residents remained *on Russian territory*.

P2: [1] Villages are on the left/north bank; district called *Zazeysky*.

P3: [2] Current status: within Blagoveshchensky/Tambov districts (Amur Oblast).

P4: [4] 1900 events increased Russian control inside that region.

Argument (2–3 sentences). Sovereignty over the north bank transferred to Russia in 1858, with residents allowed to remain as residents of Russian territory. The 1900 “occupation” refers to military action during unrest, not proof of Chinese title. Location, treaty language, and present administration jointly indicate Russia.

Round 2 — Rebuttal

A → B (agreements/challenges). Agrees: north bank location; Manchu/Daur/Han residents.

C1: If Aigun ceded the area, why does [3] bar Russian occupation where Chinese lived?

C2: “Current status” [2] does not settle historical sovereignty; “sent troops to occupy” reads as seizure.

B → A (concessions/replies). Concedes: Qing subjects; [3] protects usage/occupancy rights.

R1 (to C1): Aigun settles *sovereignty*; Peking preserves *usage* without reversing title—[2] says residents remained *on Russian territory*.

R2 (to C2): “Sent troops to occupy” (1900) denotes pacification/expulsion amid the Boxer crisis; [4] frames the result as *increased Russian control* (assumes existing Russian sphere).

R3 (to A’s P3): Atrocities/loss of residency concern treatment of residents, not transfer of title.

Judge Decision

Premises by side.

A (China): A-P1 [3] non-occupation clause; A-P2 [2] “sent troops to occupy”; A-P3 [4] pogroms/loss of residency.

B (Russia): B-P1 [2] Aigun cession + residents on Russian territory; B-P2 [1] north bank + *Zazeysky*; B-P3 [2] present administration; B-P4 [4] increased control.

Challenge–Reply Ledger.

A→B C1: Answered by R1 (sovereignty vs usage). A→B C2: Answered by R2 (1900 as military action, not initial title). B→A R3: No specific counter beyond restatement.

Verdict Rationale. B’s treaty-based sovereignty (Aigun), geographic placement (north bank), and current administrative incorporation survive targeted challenges; A’s points concern usage and 1900 conduct, not underlying title, and are met with precise replies. **Therefore, the better-justified answer is A) Russia.**

#Answer: A) Russia

Table 19: Compact debate and qualitative judging for “Sixty-Four Villages East of the River” using only retrieved passages. Models involved in the debate are GPT-4.1 and Llama-3.2-V.

V Debate (R1 → R2 → Judge) on Italian Dessert Identification

Question. *How do people in Italy identify this dish?*



Debaters. Debater A defends **Zabaione** (incorrect). Debater B defends **Tiramisù** (correct).

Available visual cues (from the image). Single-serving glass bowl set on a white plate; thick, pale cream filling reaching the rim; a dusting of cocoa on top; a ladyfinger (*savoiardo*) partly embedded on the surface; two teaspoons; candle and red placemat as background. Surface shows a soft mousse-like layer without whipped peaks.

Round 1 — Debater A (defends *Zabaione*).

Premises. P1: The cream is pale yellow, consistent with egg-yolk-based zabaione. P2: Served warm desserts often come in bowls; a dusting of cocoa can be an optional garnish. P3: The presentation is simple and could be mistaken for zabaione in a coppa.

Argument (2–3 sentences). The yellowish custard-like appearance suggests a yolk-forward dessert typical of zabaione. Cocoa can be added as a finishing touch, and a biscuit on top is not unheard of. Therefore, this bowl likely contains zabaione.

Round 1 — Debater B (defends *Tiramisù*).

Premises. P1: A *savoiardo* (ladyfinger) is visibly placed on top—canonical for tiramisù. P2: There is a distinct *cocoa dusting* over the cream layer, a standard tiramisù finish. P3: The cream appears as *mascarpone-based mousse* rather than a foamy custard; no signs of warm service or frothy whisked texture typical of zabaione. P4: Tiramisù is commonly served in cups/bowls as individual portions in Italy.

Argument (2–3 sentences). The *savoiardo* and cocoa-dusted mascarpone layer are diagnostic cues of tiramisù. The texture looks set and creamy, not airy or foamy as in whisked zabaione. Hence, Italians would identify this as tiramisù.

Round 2 — Rebuttals.

A → B (agreements/challenges). Agrees that cocoa and biscuit are present. C1: Yellow tone implies egg-based zabaione; cocoa is not exclusive to tiramisù. C2: A single biscuit on top could be merely a garnish, not evidence of layered tiramisù.

B → A (concessions/replies). Concedes colour alone is non-diagnostic. R1 (to C1): The surface shows a *level, set cream* with cocoa—classical tiramisù finishing; zabaione typically appears *foamy* with visible micro-bubbles from whisking. R2 (to C2): The biscuit is specifically a *savoiardo*, the signature component of tiramisù; its inclusion alongside cocoa aligns with standard plating of individual tiramisù portions; warm zabaione is usually served plain or with berries/cookies on the side, not cocoa-dusted.

Judge Decision (qualitative; challenge-and-reply).

Premises by side.

A (Zabaione): colour resembles egg custard; cocoa and bowl are compatible with zabaione; biscuit could be generic garnish.

B (Tiramisù): presence of *savoiardo*; *cocoa-dusted* top; *set mascarpone-like* cream; individual-cup serving typical of tiramisù.

Challenge–Reply Ledger.

A’s colour argument is answered by B’s texture-specific point (set cream vs foamy custard). A’s “generic garnish” claim is answered by B noting the *savoiardo* is the canonical biscuit of tiramisù, paired with cocoa finish.

Verdict Rationale. B’s case relies on *diagnostic* morphology: the *savoiardo* plus cocoa-dusted, set mascarpone layer together are characteristic of tiramisù and withstand A’s generic-custard reading. A’s cues (colour, bowl) are non-specific and do not explain the biscuit–cocoa pairing. Therefore, the better-justified identification is **Tiramisù**.

#Answer: Tiramisù

Table 20: Compact Debate and judging for an Italian dessert. Models involved in the Debate are GPT-4.1 and Qwen-2.5-V.